



Pricebook 2019

in2aqua

in2aqua was developed with a keen sense of environmental responsibility and the will to push technological and design boundaries to reach its goal. For this reason, all our faucets have received a high efficiency rating. The result is a designer product that is highly functional yet promotes sustainable usage. Our faucets are user friendly and in2aqua is committed to developing the technology of tomorrow today. All our products must balance Function, Form & Flow. This philosophy sets a high quality standard throughout our company.

Founder & Managing Director  
Christopher Marshall





## Made in Germany

At in2aqua, we strive for the best possible quality. Currently, most of our faucet assortment is made in Germany. We feel this dedication to quality is crucial for building customer trust in our products.

# in2aqua

1.	About in2aqua	03
1.2	Made in Germany	04
1.3	Index	05
1.4	Design	06
1.5	Stellar Faucets	07
2.	Products	08
2.1	Bath LIFESTYLES	10
2.1.1	EDGE	10
2.1.2	STYLE	18
2.1.3	CLASSIC	26
2.2	Bath URBAN	34
2.2.1	RIVA	34
2.2.2	STRATA	42
2.2.3	LANA	50
2.3	ROUGH-IN MOUNTNG SYSTEM	58
2.3.1	ROUGH-INS IN2ITIV	60
2.3.2	ROUGH-INS	64
2.3.3	ROUGHs WITHOUT IN2ITIV	65
2.4	Shower	66
2.5	Kitchen	80
3.	Terms and Conditions	90

in2aqua combines award winning industrial design and German engineering



in2aqua

Stellar faucets made with quality components

Pure water is the foundation of all life. At in2aqua, we strive to create stellar products that are made for the user in the most safe and reliable way. We are committed to design excellence and improving our high quality on a continuous basis.

All our products are engineered with EN 817, EN 1111, NSF/ANSI61, ASME A112.18.1-2012, CSA B125.1-12 in mind and meet or exceed North American standards.







in2aqua

## Bath

Each in2aqua collection emphasizes individuality and sets a new quality competence for bathroom design excellence



**in2aqua EDGE one-hole single-lever basin mixer**  
Chrome: 1023 1 00 2      \$307.00  
Brushed Nickel: 1023 1 20 2      \$375.00



**in2aqua EDGE widespread**  
Chrome: 1014 1 00 2      \$448.00  
Brushed Nickel: 1014 1 20 2      \$595.00



**in2aqua EDGE one-hole single-lever vessel mixer**  
Chrome: 1024 1 00 2      \$468.00  
Brushed Nickel: 1024 1 20 2      \$595.00



**in2aqua EDGE single-hole side-lever basin mixer with pop-up**  
Chrome: 1045 1 00 2      \$380.00  
Brushed Nickel: 1045 1 20 2      \$500.00



**in2aqua EDGE 2-hole in-wall for wash basin**  
Chrome: 1026 2 00 2      \$190.00  
Brushed Nickel: 1026 2 20 2      \$250.00  
Rough-in required: 1112 2 99 2



**in2aqua EDGE single-lever bidet mixer**  
Chrome: 1025 1 00 2      \$225.00  
Brushed Nickel: 1025 1 20 2      \$290.00



**in2aqua EDGE 4-hole roman tub trim kit**  
Chrome: 1015 2 00 0      \$563.00  
Brushed Nickel: 1015 2 20 0      \$773.00  
Rough-in required: 1003 2 99 2



**in2aqua EDGE pressure balance valve trim kit, with diverter**  
Chrome: 1018 2 00 0      \$178.00  
Brushed Nickel: 1018 2 20 0      \$237.00  
Rough-in required: 1000 2 99 2



**in2aqua EDGE pressure balance valve trim kit, without diverter**  
Chrome: 1017 2 00 0      \$164.00  
Brushed Nickel: 1017 2 20 0      \$221.00  
Rough-in required: 1001 2 99 2



**in2aqua EDGE free standing mixer for tub**  
Chrome: 1102 2 00 2      \$1975.00  
Brushed Nickel: 1102 2 20 2      \$2375.00  
Rough-in required: 1108 2 99 2



**in2aqua EDGE tub spout 1/2"**  
Chrome: 1016 1 00 2      \$85.00  
Brushed Nickel: 1016 1 20 2      \$107.00



**in2aqua EDGE tub spout XL, 1/2"**  
Chrome: 1037 1 00 2      \$119.00  
Brushed Nickel: 1037 1 20 2      \$163.00



**in2aqua thermostatic valve trim kit**  
Chrome: 1040 2 00 0      \$119.00  
Brushed Nickel: 1040 2 20 0      \$153.00  
Rough-in required: 1115 2 99 2



**in2aqua EDGE motion 2-way diverter trim kit, with shutoff**  
Chrome: 1042 2 00 2      \$96.00  
Brushed Nickel: 1042 2 20 2      \$124.00  
Rough-in required: 1114 2 99 2  
or CALGreen option: 1125 2 99 2



**in2aqua 1/2" shut-off/volume control valve, chrome**  
Chrome: 1097 2 00 0      \$83.00  
Brushed Nickel: 1097 2 20 0      \$105.00  
Rough-in required: 1113 2 99 2



in2aqua  
Bath Edge



Chrome



Brushed Nickel

BATH EDGE | Bold forms made of clear harmonious lines that endure

in2aqua Edge one-hole single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- CALGreen
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome**  
1023 1 00 2  
\$307.00

**Brushed Nickel**  
1023 1 20 2  
\$375.00




in2aqua Edge widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop up drain included
- Flowrate 1.2 GPM
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome**  
1014 1 00 2  
\$448.00

**Brushed Nickel**  
1014 1 20 2  
\$595.00



in2aqua Edge one-hole single-lever vessel mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Single handle operation
- Flowrate 1.2 GPM
- CALGreen
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome**  
1024 1 00 2  
\$468.00

**Brushed Nickel**  
1024 1 20 2  
\$595.00





BATH EDGE | Bold forms made of clear harmonious lines that endure




**in2aqua Edge single-hole side-lever  
basin mixer with pop-up**

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation with swivel spout
- Flowrate 1.2 GPM
- CALGreen
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome  
1045 1 00 2  
\$380.00

**Brushed Nickel**  
1045 1 20 2  
\$500.00



**in2aqua Edge 2-hole in-wall  
for wash basin**

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Plasma coated ceramic disc
- Single handle operation
- Installation: 2-hole; wall
- Metal handle, sleeve and escutcheon
- Flowrate 1.2 GPM
- CALGreen, WaterSense
- ASME A12.18.1, CSA B125.1
- NSF/ANSI 61

Chrome  
1026 2 00 2  
\$190.00

**Brushed Nickel**  
1026 2 20 2  
\$250.00

Requires rough-in valve  
1112 2 99 2



**in2aqua Edge single-lever  
bidet mixer**

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Flexible hose technology
- Metal pop-up drain included
- Single handle operation
- Neoperl Flow 1.2 GPM

Chrome  
1025 1 00 2  
\$225.00

**Brushed Nickel**  
1025 1 20 2  
\$290.00

BATH EDGE | Bold forms made of clear harmonious lines that endure


**in2aqua Edge 4-hole roman tub trim kit**

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM

Chrome  
1015 2 00 0  
\$563.00

**Brushed Nickel**  
1015 2 20 0  
\$773.00


Requires rough-in valve  
1003 2 99 2



Chrome  
1018 2 00 0  
\$178.00

**Brushed Nickel**  
1018 2 20 0  
\$237.00

Requires rough-in valve  
1000 2 99 2



Chrome  
1017 2 00 0  
\$164.00

**Brushed Nickel**  
1017 2 20 0  
\$221.00

Requires rough-in valve  
1001 2 99 2



BATH EDGE | Bold forms made of clear harmonious lines that endure

in2aqua Edge motion 2-way diverter trim kit, with shutoff

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent positioning

Chrome  
1042 2 00 2  
\$96.00

Brushed Nickel  
1042 2 20 2  
\$124.00

Requires rough-in valve  
1114 2 99 2

or CALGreen option:  
1125 2 99 2

in2aqua thermostatic valve trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

Chrome  
1040 2 00 0  
\$119.00

Brushed Nickel  
1040 2 20 0  
\$153.00

Requires rough-in valve  
1115 2 99 2

in2aqua 1/2" shut-off/volume control valve

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

Chrome  
1097 2 00 0  
\$83.00

Brushed Nickel  
1097 2 20 0  
\$105.00

Requires rough-in valve  
1113 2 99 2

BATH EDGE | Bold forms made of clear harmonious lines that endure

in2aqua Edge free standing mixer for tub

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal escutcheon
- Swivel aerator
- Integrated hand shower holder
- Flow rate: 8 GPM

Consists of:

- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

Chrome  
1102 2 00 2  
\$1975.00

Brushed Nickel  
1102 2 20 2  
\$2375.00

Requires rough-in valve  
1108 2 99 2

in2aqua Edge tub spout XL, 1/2"

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl aerator
- Connection 1/2"/14 NPT
- ASME A112.18.1, CSA B125.1
- Swivel Neoperl cache aerator

Chrome  
1037 1 00 2  
\$119.00


Brushed Nickel  
1037 1 20 2  
\$163.00

in2aqua Edge tub spout 1/2"

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal construction
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT
- Swivel Neoperl cache aerator

Chrome  
1016 1 00 2  
\$85.00

Brushed Nickel  
1016 1 20 2  
\$107.00





**in2aqua STYLE one-hole single-lever basin mixer**  
Chrome: 1027 1 00 2      \$269.00  
Brushed Nickel: 1027 1 20 2      \$362.00



**in2aqua STYLE widespread**  
Chrome: 1009 1 00 2      \$376.00  
Brushed Nickel: 1009 1 20 2      \$459.00



**in2aqua STYLE one-hole single-lever vessel mixer**  
Chrome: 1028 1 00 2      \$452.00  
Brushed Nickel: 1028 1 20 2      \$574.00



**in2aqua STYLE single-hole side-lever basin mixer with pop-up**  
Chrome: 1046 1 00 2      \$370.00  
Brushed Nickel: 1046 1 20 2      \$490.00



**in2aqua STYLE 2-hole in-wall for wash basin**  
Chrome: 1030 2 00 2      \$180.00  
Brushed Nickel: 1030 2 20 2      \$240.00  
Rough-in required: 1112 2 99 2



**in2aqua STYLE single-lever bidet mixer**  
Chrome: 1029 1 00 2      \$215.00  
Brushed Nickel: 1029 1 20 2      \$280.00



**in2aqua STYLE 4-hole roman tub trim kit**  
Chrome: 1010 2 00 0      \$433.00  
Brushed Nickel: 1010 2 20 0      \$638.00  
Rough-in required: 1002 2 99 2



**in2aqua STYLE pressure balance valve trim kit, with diverter**  
Chrome: 1013 2 00 0      \$139.00  
Brushed Nickel: 1013 2 20 0      \$182.00  
Rough-in required: 1000 2 99 2



**in2aqua STYLE pressure balance valve trim kit, without diverter**  
Chrome: 1012 2 00 0      \$124.00  
Brushed Nickel: 1012 2 20 0      \$164.00  
Rough-in required: 1001 2 99 2



**in2aqua STYLE free standing mixer for tub**  
Chrome: 1105 2 00 2      \$1950.00  
Brushed Nickel: 1105 2 20 2      \$2325.00  
Rough-in required: 1108 2 99 2



**in2aqua STYLE tub spout 1/2"**  
Chrome: 1011 1 00 2      \$59.00  
Brushed Nickel: 1011 1 20 2      \$81.00



**in2aqua STYLE tub spout XL, 1/2"**  
Chrome: 1038 1 00 2      \$129.00  
Brushed Nickel: 1038 1 20 2      \$176.00



**in2aqua thermostatic valve trim kit**  
Chrome: 1040 2 00 0      \$119.00  
Brushed Nickel: 1040 2 20 0      \$153.00  
Rough-in required: 1115 2 99 2



**in2aqua STYLE motion 2-way diverter trim kit, with shutoff**  
Chrome: 1043 2 00 2      \$92.00  
Brushed Nickel: 1043 2 20 2      \$120.00  
Rough-in required: 1114 2 99 2  
or CALGreen rough-in: 1125 2 99 2



**in2aqua 1/2" shut-off/volume control valve, chrome**  
Chrome: 1097 2 00 0      \$83.00  
Brushed Nickel: 1097 2 20 0      \$105.00  
Rough-in required: 1113 2 99 2



in2aqua  
Bath Style



Chrome



Brushed Nickel


BATH STYLE | Creative designs that are light and playful,  
yet powerful and lasting

in2aqua Style one-hole single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- CALGreen
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome**  
1027 1 00 2  
\$296.00

**Brushed Nickel**  
1027 1 20 2  
\$362.00



in2aqua Style widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome**  
1009 1 00 2  
\$376.00

**Brushed Nickel**  
1009 1 20 2  
\$459.00



in2aqua Style one-hole single-lever vessel mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Single handle operation
- Flowrate 1.2 GPM
- CALGreen
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome**  
1028 1 00 2  
\$452.00

**Brushed Nickel**  
1028 1 20 2  
\$574.00





BATH STYLE | Creative designs that are light and playful,  
yet powerful and lasting

BATH STYLE | Creative designs that are light and playful,  
yet powerful and lasting




**in2aqua Style single-hole side-lever  
basin mixer with pop-up**

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation with swivel spout
- Flowrate 1.2 GPM
- CALGreen
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome**  
1046 1 00 2  
\$370.00

**Brushed Nickel**  
1046 1 20 2  
\$490.00



**in2aqua Style 2-hole in-wall  
for wash basin**

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Plasma coated ceramic disc
- Single handle operation
- Installation: 2-hole; wall
- Metal handle, sleeve and escutcheon
- Flowrate 1.2 GPM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome**  
1030 2 00 2  
\$180.00

**Brushed Nickel**  
1030 2 20 2  
\$240.00

**Requires rough-in valve**  
1112 2 99 2



**in2aqua Style single-lever  
bidet mixer**

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Flexible hose technology
- Metal pop-up drain included
- Single handle operation
- Neoperl Flow 1.2 GPM

**Chrome**  
1029 1 00 2  
\$215.00

**Brushed Nickel**  
1029 1 20 2  
\$280.00


**in2aqua Style 4-hole roman tub trim kit**

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 7 GPM

**Chrome**  
1010 2 00 0  
\$433.00

**Brushed Nickel**  
1010 2 20 0  
\$638.00

**Requires rough-in valve**  
1002 2 99 2




**in2aqua Style pressure balance valve  
trim kit, with diverter**

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Automatic water reset to bottom port after shut-off

**Chrome**  
1013 2 00 0  
\$139.00

**Brushed Nickel**  
1013 2 20 0  
\$182.00

**Requires rough-in valve**  
1000 2 99 2




**in2aqua Style pressure balance valve  
trim kit, without diverter**

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

**Chrome**  
1012 2 00 0  
\$124.00

**Brushed Nickel**  
1012 2 20 0  
\$164.00

**Requires rough-in valve**  
1001 2 99 2



BATH STYLE | Creative designs that are light and playful,  
yet powerful and lasting

in2aqua Style motion 2-way  
diverter trim kit,  
with shutoff

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent positioning

Chrome

1043 2 00 2  
\$92.00

Brushed Nickel

1043 2 20 2  
\$120.00

Requires rough-in valve  
1114 2 99 2

or CALGreen option:  
1125 2 99 2

in2aqua thermostatic valve trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

Chrome

1040 2 00 0  
\$119.00

Brushed Nickel

1040 2 20 0  
\$153.00

Requires rough-in valve  
1115 2 992 2

in2aqua ½" shut-off/volume  
control valve

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

Chrome

1097 2 00 0  
\$83.00

Brushed Nickel

1097 2 20 0  
\$105.00

Requires rough-in valve  
1113 2 99 2

BATH STYLE | Creative designs that are light and playful,  
yet powerful and lasting

in2aqua Style free standing mixer for tub

- German Quality, Engineering & Design
- Faucet body, spout and handle constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Metal escutcheon
- Swivel aerator
- Integrated hand shower holder
- Flow rate: 8 GPM

Consists of:

- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

Chrome

1105 2 00 2  
\$1950.00

Brushed Nickel

1105 2 20 2  
\$2325.00

Requires rough-in valve  
1108 2 99 2

in2aqua Style tub spout XL, 1/2"

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome

1038 1 00 2  
\$129.00

Brushed Nickel

1038 1 20 2  
\$176.00

in2aqua Style tub spout 1/2"


- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal construction
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome

1011 1 00 2  
\$59.00

Brushed Nickel

1011 1 20 2  
\$81.00





**in2aqua CLASSIC one-hole single-lever basin mixer**

Chrome: 1019 1 00 2      \$299.00  
Brushed Nickel: 1019 1 20 2      \$367.00



**in2aqua CLASSIC widespread**

Chrome: 1004 1 00 2      \$374.00  
Brushed Nickel: 1004 1 20 2      \$458.00



**in2aqua CLASSIC one-hole single-lever vessel mixer**

Chrome: 1020 1 00 2      \$429.00  
Brushed Nickel: 1020 1 20 2      \$542.00



**in2aqua CLASSIC single-hole side-lever basin mixer with pop-up**

Chrome: 1044 1 00 2      \$360.00  
Brushed Nickel: 1044 1 20 2      \$480.00



**in2aqua CLASSIC 2-hole in-wall for wash basin**

Chrome: 1022 2 00 2      \$170.00  
Brushed Nickel: 1022 2 20 2      \$230.00  
Rough-in required: 1112 2 99 2



**in2aqua CLASSIC single-lever bidet mixer**

Chrome: 1021 1 00 2      \$205.00  
Brushed Nickel: 1021 1 20 2      \$270.00



**in2aqua CLASSIC 4-hole roman tub trim kit**

Chrome: 1005 2 00 0      \$462.00  
Brushed Nickel: 1005 2 20 0      \$689.00  
Rough-in required: 1002 2 99 2



**in2aqua CLASSIC pressure balance valve trim kit, with diverter**

Chrome: 1008 2 00 0      \$162.00  
Brushed Nickel: 1008 2 20 0      \$210.00  
Rough-in required: 1000 2 99 2



**in2aqua CLASSIC pressure balance valve trim kit, without diverter**

Chrome: 1007 2 00 0      \$146.00  
Brushed Nickel: 1007 2 20 0      \$196.00  
Rough-in required: 1001 2 99 2



**in2aqua CLASSIC tub spout 1/2"**

Chrome: 1006 1 00 2      \$74.00  
Brushed Nickel: 1006 1 20 2      \$99.00



**in2aqua CLASSIC tub spout XL, 1/2"**

Chrome: 1036 1 00 2      \$117.00  
Brushed Nickel: 1036 1 20 2      \$161.00



**in2aqua thermostatic valve trim kit**

Chrome: 1040 2 00 0      \$119.00  
Brushed Nickel: 1040 2 20 0      \$153.00  
Rough-in required: 1115 2 99 2



**in2aqua CLASSIC motion 2-way diverter trim kit, with shutoff**

Chrome: 1041 2 00 2      \$92.00  
Brushed Nickel: 1041 2 20 2      \$121.00  
Rough-in required: 1114 2 99 2  
or CALGreen rough-in: 1125 2 99 2



**in2aqua 1/2" shut-off/volume control valve, chrome**

Chrome: 1097 2 00 0      \$83.00  
Brushed Nickel: 1097 2 20 0      \$105.00  
Rough-in required: 1113 2 99 2





# in2aqua Bath Classic



Chrome



Brushed Nickel

BATH CLASSIC | Timeless and elegant designs of yesteryear, crafted with cutting edge technology

## in2aqua Classic one-hole single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- CALGreen
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome**  
1019 1 00 2  
\$299.00

**Brushed Nickel**  
1019 1 20 2  
\$367.00




## in2aqua Classic widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome**  
1004 1 00 2  
\$374.00

**Brushed Nickel**  
1004 1 20 2  
\$458.00



## in2aqua Classic one-hole single-lever vessel mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Single handle operation
- Flowrate 1.2 GPM
- CALGreen
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome**  
1020 1 00 2  
\$429.00

**Brushed Nickel**  
1020 1 20 2  
\$542.00



BATH CLASSIC | Timeless and elegant designs of yesteryear,  
crafted with cutting edge technology

BATH CLASSIC | Timeless and elegant designs of yesteryear,  
crafted with cutting edge technology

**in2aqua Classic single-hole side-lever  
basin mixer with pop-up**

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation with swivel spout
- Flowrate 1.2 GPM
- CALGreen
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome**  
1044 1 00 2  
\$360.00

**Brushed Nickel**  
1044 1 20 2  
\$480.00

**in2aqua Classic 4-hole roman tub trim kit**

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM

**Chrome**  
1005 2 00 0  
\$462.00

**Brushed Nickel**  
1005 2 20 0  
\$689.00

**Requires rough-in valve**  
1002 2 99 2

**in2aqua Classic 2-hole in-wall  
for wash basin**

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Plasma coated ceramic disc
- Single handle operation
- Installation: 2-hole; wall
- Metal handle, sleeve and escutcheon
- Flowrate 1.2 GPM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome**  
1022 2 00 2  
\$170.00

**Brushed Nickel**  
1022 2 20 2  
\$230.00

**Requires rough-in valve**  
1112 2 99 2

**in2aqua Classic pressure balance valve  
trim kit, with diverter**

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Automatic water reset to bottom port after shut-off

**Chrome**  
1008 2 00 0  
\$162.00

**Brushed Nickel**  
1008 2 20 0  
\$210.00

**Requires rough-in valve**  
1000 2 99 2

**in2aqua Classic single-lever  
bidet mixer**

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Flexible hose technology
- Metal pop-up drain included
- Single handle operation
- Neoperl Flow 1.2 GPM

**Chrome**  
1021 1 00 2  
\$205.00

**Brushed Nickel**  
1021 2 20 2  
\$270.00


**in2aqua Classic pressure balance valve  
trim kit, without diverter**

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

**Chrome**  
1007 2 00 0  
\$146.00

**Brushed Nickel**  
1007 2 20 0  
\$196.00

**Requires rough-in valve**  
1001 2 99 2



BATH CLASSIC | Timeless and elegant designs of yesteryear,  
crafted with cutting edge technology



**in2aqua Classic motion 2-way diverter trim kit,  
with shutoff**

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent positioning

**Chrome:**

1041 2 00 2  
\$92.00

**Brushed Nickel:**


1041 2 20 2  
\$121.00

**Requires rough-in valve**

1114 2 99 2

**or CALGreen option:**

1125 2 99 2



**in2aqua thermostatic valve trim**

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

**Chrome**

1040 2 00 0  
\$119.00

**Brushed Nickel**

1040 2 20 0  
\$153.00

**Requires rough-in valve**

1115 2 992 2



**in2aqua 1/2" shut-off/volume  
control valve**

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

**Chrome**

1097 2 00 0  
\$83.00

**Brushed Nickel**

1097 2 20 0  
\$105.00

**Requires rough-in valve**

1113 2 99 2

BATH CLASSIC | Timeless and elegant designs of yesteryear,  
crafted with cutting edge technology

**in2aqua Classic tub spout XL, 1/2"**

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

**Chrome**

1036 1 00 2  
\$117.00

**Brushed Nickel**

1036 1 20 2  
\$161.00



**in2aqua Classic tub spout 1/2"**

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal construction
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

**Chrome**

1006 1 00 2  
\$74.00

**Brushed Nickel**

1006 1 20 2  
\$99.00





# in2aqua Bath Urban Riva

Design fusion that is sensual in its detail

# Bath Urban RIVA X

Playful flow design that evokes nature's vitality



**in2aqua RIVA single-lever basin mixer**

Chrome: 1220 1 00 2 \$360.00  
Brushed Nickel: 1220 1 20 2 \$485.00



**in2aqua RIVA widespread**

Chrome: 1297 1 00 2 \$465.00  
Brushed Nickel: 1297 1 20 2 \$630.00



**in2aqua RIVA 4-hole roman tub trim kit**

Chrome: 1300 2 00 2 \$515.00  
Brushed Nickel: 1300 2 20 2 \$665.00  
Rough-in required: 1003 2 99 2



**in2aqua RIVA X single-lever basin mixer**

Chrome: 1174 1 00 2 \$390.00  
Brushed Nickel: 1174 1 20 2 \$515.00



**in2aqua RIVA X widespread**

Chrome: 1197 1 00 2 \$495.00  
Brushed Nickel: 1197 1 20 2 \$660.00



**in2aqua RIVA X 4-hole roman tub trim kit**

Chrome: 1200 2 00 2 \$545.00  
Brushed Nickel: 1200 2 20 2 \$695.00  
Rough-in required: 1003 2 99 2



**in2aqua RIVA pressure balance valve trim kit, with diverter**

Chrome: 1306 2 00 2 \$210.00  
Brushed Nickel: 1306 2 20 2 \$260.00  
Rough-in required: 1000 2 99 2



**in2aqua RIVA pressure balance valve trim kit, without diverter**

Chrome: 1309 2 00 2 \$180.00  
Brushed Nickel: 1309 2 20 2 \$230.00  
Rough-in required: 1001 2 99 2



**in2aqua thermostatic valve trim kit**

Chrome: 1040 2 00 0 \$119.00  
Brushed Nickel: 1040 2 20 0 \$153.00  
Rough-in required: 1115 2 99 2



**in2aqua RIVA X pressure balance valve trim kit, with diverter**

Chrome: 1206 2 00 2 \$210.00  
Brushed Nickel: 1206 2 20 2 \$260.00  
Rough-in required: 1000 2 99 2



**in2aqua RIVA X pressure balance valve trim kit, without diverter**

Chrome: 1209 2 00 2 \$180.00  
Brushed Nickel: 1209 2 20 2 \$230.00  
Rough-in required: 1001 2 99 2



**in2aqua Urban X thermostatic trim kit, with volume control and diverter**

Chrome: 1212 2 00 2 \$220.00  
Brushed Nickel: 1212 2 20 2 \$290.00  
Rough-in required: 1192 2 99 2 2-way  
Rough-in required: 1193 2 99 2 3-way  
or CALGreen option: 1189 2 99 2 2-way  
or CALGreen option: 1191 2 99 2 3-way



**in2aqua RIVA diverter**

Chrome: 1221 2 00 2 \$85.00  
Brushed Nickel: 1221 2 20 2 \$125.00  
Rough-in required: 1114 2 99 2  
or CALGreen option: 1125 2 99 2



**in2aqua 1/4" shut-off/volume control valve**

Chrome: 1097 2 00 0 \$83.00  
Brushed Nickel: 1097 2 20 0 \$105.00  
Rough-in required: 1113 2 99 2



**in2aqua Urban tub spout**

Chrome: 1190 1 00 2 \$110.00  
Brushed Nickel: 1190 1 20 2 \$145.00



**in2aqua Urban X tub spout**

Chrome: 1217 1 00 2 \$125.00  
Brushed Nickel: 1217 1 20 2 \$165.00



in2aqua  
Bath Riva



Chrome



Brushed Nickel

## BATH RIVA | Design fusion that is sensual in its detail

### in2aqua Riva single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61
- Flowrate 1.2 GPM

#### Chrome

1220 1 00 2  
\$360.00

#### Brushed Nickel

1220 1 20 2  
\$485.00



### in2aqua Riva widespread


- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1297 1 00 2  
\$465.00

#### Brushed Nickel

1297 1 20 2  
\$630.00



### in2aqua Riva 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM

#### Chrome

1300 2 00 2  
\$515.00

#### Brushed Nickel

1300 2 20 2  
\$665.00

#### Requires rough-in valve

1003 2 99 2



in2aqua Riva pressure balance valve trim kit, with diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Automatic water reset to bottom port after shut-off
- ADA compliant
- Anti scald valve with hot water limiter

**Chrome**  
1306 2 00 2  
\$210.00

**Brushed Nickel**  
1306 2 20 2  
\$260.00

**Requires rough-in valve**  
1000 2 99 2

in2aqua Riva pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

**Chrome**  
1309 2 00 2  
\$180.00

**Brushed Nickel**  
1309 2 20 2  
\$230.00

**Requires rough-in valve**  
1001 2 99 2

in2aqua Urban tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

**Chrome**  
1190 1 00 2  
\$110.00

**Brushed Nickel**  
1190 1 20 2  
\$145.00

in2aqua Riva diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent posit

**Chrome**  
1221 2 00 2  
\$85.00

**Brushed Nickel**  
1221 2 20 2  
\$125.00

**Requires rough-in valve**  
1114 2 99 2

**or CALGreen option**  
1125 2 99 2

in2aqua thermostatic valve trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

**Chrome**  
1040 2 00 0  
\$119.00

**Brushed Nickel**  
1040 2 20 0  
\$153.00

**Requires rough-in valve**  
1115 2 99 2


in2aqua ½" shut-off/volume control trim

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

**Chrome**  
1097 2 00 0  
\$83.00

**Brushed Nickel**  
1097 2 20 0  
\$105.00

**Requires rough-in valve**  
1113 2 99 2





in2aqua Riva X single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome  
1174 1 00 2  
\$390.00

Brushed Nickel  
1174 1 20 2  
\$515.00

in2aqua Riva X widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome  
1197 1 00 2  
\$495.00

Brushed Nickel  
1197 1 20 2  
\$660.00

in2aqua RIVA X 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM

Chrome  
1200 2 00 2  
\$545.00

Brushed Nickel  
1200 2 20 2  
\$695.00

Requires rough-in valve  
1113 2 99 2

in2aqua Riva X pressure balance valve trim kit, with diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Automatic water reset to bottom port after shut-off
- ADA compliant
- Anti scald valve with hot water limiter

Chrome  
1206 2 00 2  
\$210.00

Brushed Nickel  
1206 2 20 2  
\$260.00

Requires rough-in valve  
1000 2 99 2

in2aqua Riva X pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

Chrome  
1209 2 00 2  
\$180.00

Brushed Nickel  
1209 2 20 2  
\$230.00

Requires rough-in valve  
1001 2 99 2

in2aqua Urban X thermostatic trim kit, with volume control and diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- ADA compliant
- Fluehs ceramic head valve
- Detent posit
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

Chrome  
1212 2 00 2  
\$220.00

Brushed Nickel  
1212 2 20 2  
\$290.00

Requires rough-in valve  
1192 2 99 2 2-way  
1193 2 99 2 3-way

or CALGreen option  
1189 2 99 2 2-way  
1191 2 99 2 3-way

in2aqua Urban X tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome  
1217 1 00 2  
\$125.00

Brushed Nickel  
1217 1 20 2  
\$165.00



in2aqua

Bath Urban STRATA

Bold accents for strong design character

Bath Urban STRATA X

Harmonious elegance through geometric design



**in2aqua STRATA single-lever basin mixer**  
Chrome: 1218 1 00 2      \$380.00  
Brushed Nickel: 1218 1 20 2      \$515.00



**in2aqua STRATA widespread**  
Chrome: 1298 1 00 2      \$485.00  
Brushed Nickel: 1298 1 20 2      \$645.00



**in2aqua STRATA 4-hole roman tub trim kit**  
Chrome: 1301 2 00 2      \$520.00  
Brushed Nickel: 1301 2 20 2      \$675.00  
Rough-in required: 1003 2 99 2



**in2aqua STRATA X single-lever basin mixer**  
Chrome: 1175 1 00 2      \$410.00  
Brushed Nickel: 1175 1 20 2      \$545.00



**in2aqua STRATA X widespread**  
Chrome: 1198 1 00 2      \$515.00  
Brushed Nickel: 1198 1 20 2      \$675.00



**in2aqua STRATA X 4-hole roman tub trim kit**  
Chrome: 1201 2 00 2      \$550.00  
Brushed Nickel: 1201 2 20 2      \$695.00  
Rough-in required: 1003 2 99 2



**in2aqua STRATA pressure balance valve trim kit, with diverter**  
Chrome: 1307 2 00 2      \$220.00  
Brushed Nickel: 1307 2 20 2      \$270.00  
Rough-in required: 1000 2 99 2



**in2aqua STRATA pressure balance valve trim kit, without diverter**  
Chrome: 1310 2 00 2      \$190.00  
Brushed Nickel: 1310 2 20 2      \$240.00  
Rough-in required: 1001 2 99 2



**in2aqua thermostatic valve trim kit**  
Chrome: 1040 2 00 0      \$119.00  
Brushed Nickel: 1040 2 20 0      \$153.00  
Rough-in required: 1115 2 99 2



**in2aqua STRATA X pressure balance valve trim kit, with diverter**  
Chrome: 1207 2 00 2      \$220.00  
Brushed Nickel: 1207 2 20 2      \$270.00  
Rough-in required: 1000 2 99 2



**in2aqua STRATA X pressure balance valve trim kit, without diverter**  
Chrome: 1210 2 00 2      \$190.00  
Brushed Nickel: 1210 2 20 2      \$240.00  
Rough-in required: 1001 2 99 2



**in2aqua Urban X thermostatic trim kit, with volume control and diverter**  
Chrome: 1212 2 00 2      \$220.00  
Brushed Nickel: 1212 2 20 2      \$290.00  
Rough-in required: 1192 2 99 2 2-way  
Rough-in required: 1193 2 99 2 3-way  
or CALGreen option: 1189 2 99 2 2-way  
or CALGreen option: 1191 2 99 2 3-way



**in2aqua STRATA diverter**  
Chrome: 1219 2 00 2      \$90.00  
Brushed Nickel: 1219 2 20 2      \$120.00  
Rough-in required: 1114 2 99 2  
or CALGreen option: 1125 2 99 2



**in2aqua 1/4" shut-off/volume control valve**  
Chrome: 1097 2 00 0      \$83.00  
Brushed Nickel: 1097 2 20 0      \$105.00  
Rough-in required: 1113 2 99 2



**in2aqua Urban tub spout**  
Chrome: 1190 1 00 2      \$110.00  
Brushed Nickel: 1190 1 20 2      \$145.00



**in2aqua Urban X tub spout**  
Chrome: 1217 1 00 2      \$125.00  
Brushed Nickel: 1217 1 20 2      \$165.00



in2aqua  
Bath Strata



Chrome



Brushed Nickel

## BATH STRATA | Bold accents for strong design character

### in2aqua Strata single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1218 1 00 2  
\$380.00

#### Brushed Nickel

1218 1 20 2  
\$515.00



### in2aqua Strata widespread


- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1298 1 00 2  
\$485.00

#### Brushed Nickel

1298 1 20 2  
\$645.00



### in2aqua Strata 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM

#### Chrome

1301 2 00 2  
\$520.00

#### Brushed Nickel

1301 2 20 2  
\$675.00

#### Requires rough-in valve

1003 2 99 2



in2aqua Strata pressure balance valve trim kit, with diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Automatic water reset to bottom port after shut-off
- ADA compliant
- Anti scald valve with hot water limiter

Chrome  
1307 2 00 2  
\$220.00

Brushed Nickel  
1307 2 20 2  
\$270.00

Requires rough-in valve  
1000 2 99 2

in2aqua Strata pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

Chrome  
1310 2 00 2  
\$190.00

Brushed Nickel  
1310 2 20 2  
\$240.00

Requires rough-in valve  
1001 2 99 2

in2aqua Urban tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome  
1190 1 00 2  
\$110.00

Brushed Nickel  
1190 1 20 2  
\$145.00

in2aqua Strata diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent posit

Chrome  
1219 2 00 2  
\$90.00

Brushed Nickel  
1219 2 20 2  
\$120.00

Requires rough-in valve  
1114 2 99 2

or CALGreen option  
1125 2 99 2

in2aqua thermostatic valve trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

Chrome  
1040 2 00 0  
\$119.00

Brushed Nickel  
1040 2 20 0  
\$153.00

Requires rough-in valve  
1115 2 99 2



in2aqua 1/2" shut-off/volume control trim

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

Chrome  
1097 2 00 0  
\$83.00

Brushed Nickel  
1097 2 20 0  
\$105.00

Requires rough-in valve  
1113 2 99 2





in2aqua Strata X single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- CALGreen, Watersense

Chrome  
1175 1 00 2  
\$410.00

Brushed Nickel  
1175 1 20 2  
\$545.00

in2aqua Strata X widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Flowrate 1.2 GPM

Chrome  
1198 1 00 2  
\$515.00

Brushed Nickel  
1198 1 20 2  
\$675.00

in2aqua Strata X 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- Flowrate 10 GPM

Chrome  
1201 2 00 2  
\$550.00

Brushed Nickel  
1201 2 20 2  
\$695.00

Requires rough-in valve  
1003 2 99 2

in2aqua Strata X pressure balance valve trim kit, with diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Automatic water reset to bottom port after shut-off
- ADA compliant
- Anti scald valve with hot water limiter

Chrome  
1207 2 00 2  
\$220.00

Brushed Nickel  
1207 2 20 2  
\$270.00

Requires rough-in valve  
1000 2 99 2

in2aqua Strata X pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

Chrome  
1210 2 00 2  
\$190.00

Brushed Nickel  
1210 2 20 2  
\$240.00

Requires rough-in valve  
1001 2 99 2

in2aqua Urban X thermostatic trim kit, with volume control and diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- ADA compliant
- Fluehs ceramic head valve
- Detent posit
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

Chrome  
1212 2 00 2  
\$220.00

Brushed Nickel  
1212 2 20 2  
\$290.00

Requires rough-in valve  
1192 2 99 2 2-way  
1193 2 99 2 3-way


or CALGreen option  
1189 2 99 2 2-way  
1191 2 99 2 3-way

in2aqua Urban X tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome  
1217 1 00 2  
\$125.00

Brushed Nickel  
1217 1 20 2  
\$165.00



# in2aqua Bath Urban LANA

Uncompromising minimalism and aesthetic

# Bath Urban LANA X

Individuality assured yet highly functional



**in2aqua LANA single-lever basin mixer**

Chrome: 1222 1 00 2 \$340.00  
Brushed Nickel: 1222 1 20 2 \$448.00



**in2aqua LANA widespread**

Chrome: 1299 1 00 2 \$445.00  
Brushed Nickel: 1299 1 20 2 \$620.00



**in2aqua LANA 4-hole roman tub trim kit**

Chrome: 1302 2 00 2 \$510.00  
Brushed Nickel: 1302 2 20 2 \$655.00  
Rough-in required: 1003 2 99 2



**in2aqua LANA X single-lever basin mixer**

Chrome: 1176 1 00 2 \$370.00  
Brushed Nickel: 1176 1 20 2 \$478.00



**in2aqua LANA X widespread**

Chrome: 1199 1 00 2 \$475.00  
Brushed Nickel: 1199 1 20 2 \$650.00



**in2aqua LANA X 4-hole roman tub trim kit**

Chrome: 1202 2 00 2 \$540.00  
Brushed Nickel: 1202 2 20 2 \$695.00  
Rough-in required: 1003 2 99 2



**in2aqua LANA pressure balance valve trim kit, with diverter**

Chrome: 1308 2 00 2 \$170.00  
Brushed Nickel: 1308 2 20 2 \$230.00  
Rough-in required: 1000 2 99 2



**in2aqua LANA pressure balance valve trim kit, without diverter**

Chrome: 1311 2 00 2 \$160.00  
Brushed Nickel: 1311 2 20 2 \$200.00  
Rough-in required: 1001 2 99 2



**in2aqua thermostatic valve trim kit**

Chrome: 1040 2 00 0 \$119.00  
Brushed Nickel: 1040 2 20 0 \$153.00  
Rough-in required: 1115 2 99 2



**in2aqua LANA X pressure balance valve trim kit, with diverter**

Chrome: 1208 2 00 2 \$170.00  
Brushed Nickel: 1208 2 20 2 \$230.00  
Rough-in required: 1000 2 99 2



**in2aqua LANA X pressure balance valve trim kit, without diverter**

Chrome: 1211 2 00 2 \$160.00  
Brushed Nickel: 1211 2 20 2 \$200.00  
Rough-in required: 1001 2 99 2



**in2aqua Urban X thermostatic trim kit, with volume control and diverter**

Chrome: 1212 2 00 2 \$220.00  
Brushed Nickel: 1212 2 20 2 \$290.00  
Rough-in required: 1192 2 99 2 2-way  
Rough-in required: 1193 2 99 2 3-way  
or CALGreen option: 1189 2 99 2 2-way  
or CALGreen option: 1191 2 99 2 3-way



**in2aqua LANA diverter**

Chrome: 1223 2 00 2 \$90.00  
Brushed Nickel: 1223 2 20 2 \$120.00  
Rough-in required: 1114 2 99 2  
or CALGreen option: 1125 2 99 2



**in2aqua 1/4" shut-off/volume control valve**

Chrome: 1097 2 00 0 \$83.00  
Brushed Nickel: 1097 2 20 0 \$105.00  
Rough-in required: 1113 2 99 2



**in2aqua Urban tub spout**

Chrome: 1190 1 00 2 \$110.00  
Brushed Nickel: 1190 1 20 2 \$145.00



**in2aqua Urban X tub spout**

Chrome: 1217 1 00 2 \$125.00  
Brushed Nickel: 1217 1 20 2 \$165.00



in2aqua  
Bath Lana



Chrome



Brushed Nickel

BATH LANA | Uncompromising minimalism and aesthetic

in2aqua Lana single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- CALGreen, WaterSense


<b>Chrome</b>
1222 1 00 2
\$340.00
<b>Brushed Nickel</b>
1222 1 20 2
\$448.00



in2aqua Lana widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Flowrate 1.2 GPM

<b>Chrome</b>
1299 1 00 2
\$445.00
<b>Brushed Nickel</b>
1299 1 20 2
\$620.00



in2aqua Lana 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- Flowrate 10 GPM

<b>Chrome</b>
1302 2 00 2
\$510.00
<b>Brushed Nickel</b>
1302 2 20 2
\$655.00
<b>Requires rough-in valve</b>
1003 2 99 2



in2aqua Lana pressure balance valve trim kit, with diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Automatic water reset to bottom port after shut-off
- ADA compliant
- Anti scald valve with hot water limiter

**Chrome**  
1308 2 00 2  
\$170.00

**Brushed Nickel**  
1308 2 20 2  
\$230.00

**Requires rough-in valve**  
1000 2 99 2

in2aqua Lana pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

**Chrome**  
1311 2 00 2  
\$160.00

**Brushed Nickel**  
1311 2 20 2  
\$200.00

**Requires rough-in valve**  
1001 2 99 2

in2aqua Urban tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

**Chrome**  
1190 1 00 2  
\$110.00

**Brushed Nickel**  
1190 1 20 2  
\$145.00

in2aqua Lana diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent posit

**Chrome**  
1223 2 00 2  
\$90.00

**Brushed Nickel**  
1223 2 20 2  
\$120.00

**Requires rough-in valve**  
1114 2 99 2

**or CALGreen option**  
1125 2 99 2

in2aqua thermostatic valve trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

**Chrome**  
1040 2 00 0  
\$119.00

**Brushed Nickel**  
1040 2 20 0  
\$153.00

**Requires rough-in valve**  
1115 2 99 2



in2aqua ½" shut-off/  
volume control trim

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

**Chrome**  
1097 2 00 0  
\$83.00

**Brushed Nickel**  
1097 2 20 0  
\$105.00

**Requires rough-in valve**  
1113 2 99 2





**in2aqua Lana X single-lever basin mixer**

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- CALGreen, WaterSense

**Chrome**

1176 1 00 2  
\$370.00

**Brushed Nickel**

1176 1 20 2  
\$478.00

**in2aqua Lana X widespread**

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Flowrate 1.2 GPM

**Chrome**

1199 1 00 2  
\$475.00

**Brushed Nickel**

1199 1 20 2  
\$650.00

**in2aqua Lana X 4-hole roman tub trim kit**

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation - handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- Flowrate 10 GPM

**Chrome**

1202 2 00 2  
\$540.00

**Brushed Nickel**

1202 2 20 2  
\$695.00

**Requires rough-in valve**

1003 2 99 2

**in2aqua Lana X pressure balance valve trim kit, with diverter**

- German Quality, Engineering & Design
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Automatic water reset to bottom port after shut-off
- ADA compliant
- Anti scald valve with hot water limiter

**Chrome**

1208 2 00 2  
\$170.00

**Brushed Nickel**

1208 2 20 2  
\$230.00

**Requires rough-in valve**

1000 2 99 2

**in2aqua Lana X pressure balance valve trim kit, without diverter**

- German Quality, Engineering & Design
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

**Chrome**

1211 2 00 2  
\$160.00

**Brushed Nickel**

1211 2 20 2  
\$200.00

**Requires rough-in valve**

1001 2 99 2

**in2aqua Urban X thermostatic trim kit, with volume control and diverter**

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- ADA compliant
- Fluehs ceramic head valve
- Detent posit
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

**Chrome**

1212 2 00 2  
\$220.00

**Brushed Nickel**

1212 2 20 2  
\$290.00

**Requires rough-in valve**

1192 2 99 2 2-way

1193 2 99 2 3-way

**or CALGreen option**

1189 2 99 2 2-way

1191 2 99 2 3-way

**in2aqua Urban X tub spout**


- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

**Chrome**

1217 1 00 2  
\$125.00

**Brushed Nickel**

1217 1 20 2  
\$165.00



## in2aqua in2itiv Rough-In Mounting System

Patented & award winning technology that  
sets in2aqua technology apart from all  
other rough-ins


in2itiv

Awarded the  
**AIT Innovation Prize**  
"Architecture +  
Technology"

ISH Frankfurt, Germany  
2015

in2aqua

- 1 The rough-in mounting system that allows for easy wall depth adjustments and compensates for uneven mounting surfaces.
- 2 Sturdy clamping system with quick connects. Flame retardant metal mounting system.
- 3 The in2itiv system decouples the valve from the mounting wall thus reducing noise transfer when in operation.
- 4 As an added feature, the polymer box provides extra protection against potential drips that can come from the shower area during operation or maintenance of the valve. The box design and trim kit allow water to safely exit the inner wall to the shower area.





ROUGH-INS in2itiv

in2aqua 4-port pressure balance valve, with diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Built-in service ball stops for convenience
- Designed to prevent cross flow and reduce water hammer
- 1/2" NPT male-C x C universal connections
- Protection against scalding and cold water shock
- Diaphragm which compensates for water pressure fluctuations
- Temperature control within 3.6°F (2°C) of set point despite 50% water pressure drop
- Reversible cartridge allows back to back installation, eliminating additional piping
- Shallow valve body suitable for thin wall installations
- Automatic water reset to bottom port after shut-off
- Proven Tempress cavity technology reduces replacement parts and trouble shooting
- Flow rate: 6.5 GPM at 50 PSI / tub
- Flow rate: 5.3 GPM at 50 PSI / shower
- Approved to ASME A112.18.1, CSA B125, and ASSE 1016 standards
- Connection 1/2"/14 NPT
- Sound decoupled rough in according to DIN 4109

1000 2 99 2  
\$340.00

in2aqua 3-port pressure balance valve, without diverter

- German Quality, Engineering & Design
- Go Pro Lifetime faucet & finish warranty
- Built-in service ball stops for convenience
- Designed to prevent cross flow and reduce water hammer
- 1/2" NPT male-C x C universal connections
- Protection against scalding and cold water shock
- Diaphragm which compensates for water pressure fluctuations
- Temperature control within 3.6°F (2°C) of set point despite 50% water pressure drop
- Reversible cartridge allows back to back installation, eliminating additional piping
- Shallow valve body suitable for thin wall installations
- Proven Tempress cavity technology reduces replacement parts and trouble shooting
- Flow rate: 5.3 GPM at 50 PSI / shower
- Approved to ASME A112.18.1, CSA B125, and ASSE 1016 standards
- Connection 1/2"/14 NPT
- Sound decoupled rough in according to DIN 4109

1001 2 99 2  
\$270.00

ROUGH-INS in2itiv

in2aqua in2itiv thermostatic 3-way valve rough-in

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- All functioning parts made of high-quality brass
- Brass materials are used which are resistant to wear, lime scale and contamination.
- Braided sieves for optimal performance
- The Flühs Eco Drive allows the optimum temp settings
- Fast thermal element shut-down in case of cold water loss
- Fast response time to reduce hot and cold spikes
- Integrated shut off, vollume control and diverter
- ASME A112.18.1, CSA B125 and ASSE 1016 standards compliant
- Flow rate: 7.5 GPM at 45 PSI
- Sound decoupled rough in according to DIN 4109

1193 2 99 2  
\$760.00

or CALGreen compliant option

1191 2 99 2  
\$780.00

Availability: June, 2019

in2aqua in2itiv thermostatic 2-way valve rough-in





- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- All functioning parts made of high-quality brass
- Brass materials are used which are resistant to wear, lime scale and contamination.
- Braided sieves for optimal performance
- The Flühs Eco Drive allows the optimum temp settings
- Fast thermal element shut-down in case of cold water loss
- Fast response time to reduce hot and cold spikes
- Integrated shut off, vollume control and diverter
- Connection 1/2" NPT
- Flow rate: 7.5 GPM at 45 PSI
- ASME A112.18.1, CSA B125 and ASSE 1016 standards compliant
- Sound decoupled rough in according to DIN 4109

1192 2 99 2  
\$700.00

or CALGreen compliant option

1189 2 99 2  
\$720.00

Availability: June, 2019



ROUGH-INS in2itiv

in2aqua in2itiv motion 3 independent functions or  
combo diverter with shut-off rough-in

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Pre-mixed water up to two separate functions
- Positive detent assists user in finding desired setting
- Volume control for each function
- Shut off position included
- Fluehs ceramic disc technology
- Flow rate: 10.5 GPM at 45 PSI
- Connection 1/2" NPT
- ASME A112.18.1, CSA B125 and ASSE 1016 standards compliant
- Sound decoupled rough in according to DIN 4109

1130 2 99 2  
\$260.00

or CALGreen compliant  
Option (no combo)  
1129 2 99 2  
\$265.00

in2aqua in2itiv motion 2 independent functions or  
combo diverter with shut-off rough-in

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Pre-mixed water up to two separate functions
- Positive detent assists user in finding desired setting
- Volume control for each function
- Shut off position included
- Fluehs ceramic disc technology
- Flow rate: 10.5 GPM at 45 PSI
- Connection 1/2" NPT
- ASME A112.18.1, CSA B125 and ASSE 1016 standards compliant
- Sound decoupled rough in according to DIN 4109

1114 2 99 2  
\$225.00

or CALGreen compliant option  
(no combo)  
1125 2 99 2  
\$230.00

ROUGH-INS in2itiv

in2aqua in2itiv thermostatic  
valve rough-in

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- All functioning parts made of high-quality brass.
- European materials are used which are resistant to wear, lime scale and contamination.
- Braided sieves for optimal performance.
- The Flühs Eco Drive allows the optimum temp settings
- Fast thermal element shut-down in case of cold water loss
- Fast response time to reduce hot and cold spikes
- Connection 1/2" NPT
- Flow rate: 7.5 GPM at 45 PSI
- ASME A112.18.1, CSA B125 and ASSE 1016 standards compliant
- Sound decoupled rough in according to DIN 4109

1115 2 99 2  
\$410.00

in2aqua in2itiv ½" shut-off/  
volume control valve rough-in




- German Quality, Engineering & Design
- Go Pro Lifetime faucet & finish warranty
- Sound decoupled rough in according to DIN 4109
- Removable plastic water guard
- Water guard pad included
- Connection: NPT 1/2"
- ASME A112.18.1, CSA B125 and ASSE 1016 standards compliant

1113 2 99 2  
\$160.00

in2aqua in2itiv single-lever  
rough-in for wall mounted  
installation

- German Quality, Engineering & Design
- Go Pro Lifetime faucet & finish warranty
- Sound decoupled rough in according to DIN 4109
- Removable plastic water guard
- Temperature setting on ceramic cartridge for add safety
- Flexible coupling of valve to eliminate stress in system
- Water guard pad included
- Connection: NPT 1/2"
- ASME A112.18.1, CSA B125 and ASSE 1016 standards complian

1112 2 99 2  
\$340.00





ROUGH-INS

in2aqua Edge/Urban 4-hole roman tub rough-in

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Double handle operation - 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- BrassCraft flexible hose technology
- Flow rate: up to 10 GPM
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPSM

1003 2 99 2  
\$376.00

in2aqua Classic/Style 4-hole roman tub rough-in

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Double handle operation - 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- BrassCraft flexible hose technology
- Flow rate: Style-up to 7 GPM
- Flow rate: Classic-up to 10 GPM
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPSM

1002 2 99 2  
\$360.00

in2aqua free standing tub filler rough-in valve

- German Quality, Engineering & Design
- Go Pro Lifetime faucet & finish warranty
- Mud guard with min/max floor depth
- Rough can be installed and rotated to fit pipes
- Trim can be rotated 360 degrees
- ASME A112.18.1, CSA B125.1
- ASSE 1016 standards compliant
- Flowrate 10 GPM

1108 2 99 2  
\$760.00

IN2AQUA ROUGHS WITHOUT IN2ITIV MOUNTING SYSTEM



in2aqua 4-port pressure balance valve, with diverter, without in2itiv rough-in mounting system  
1000 2 98 2 \$290.00



in2aqua 3-port pressure balance valve, without diverter, without in2itiv rough-in mounting system  
1001 2 98 2 \$220.00



in2aqua single-lever rough-in for wall mounted installation, without in2itiv rough-in mounting system  
1112 2 98 2 \$290.00



in2aqua thermostatic 3-way valve rough-in, without in2itiv rough-in mounting system  
1193 2 98 2 \$710.00  
or CALGreen compliant option  
1191 2 98 2 \$730.00

Availability: June, 2019



in2aqua thermostatic 2-way valve rough-in, without in2itiv rough-in mounting system  
1192 2 98 2 \$650.00  
or CALGreen compliant option  
1189 2 98 2 \$670.00

Availability: June, 2019



in2aqua thermostatic valve rough-in, without in2itiv rough-in mounting system  
1115 2 98 2 \$360.00



in2aqua motion 3 independent functions or combo diverter with shut-off rough-in, without in2itiv rough-in mounting system  
1130 2 98 2 \$210.00  
or CALGreen compliant option (no combo)  
1129 2 98 2 \$215.00



in2aqua motion 2 independent functions or combo diverter with shut-off rough-in, without in2itiv rough-in mounting system  
1192 2 98 2 \$175.00  
or CALGreen compliant option (no combo)  
1125 2 98 2 \$180.00



in2aqua 1/2 inch shut-off/volume control valve rough-in, without in2itiv rough-in mounting system  
1113 2 98 2 \$110.00

A MUD GUARD IS INCLUDED WITH ALL IN2AQUA ROUGH-IN VALVES





in2aqua

Shower

Where excellence demands  
function, form & flow






# in2aqua

## Performance Showers

in2aqua's advanced multi port ceramic disc valve diverter combined with our high performance thermostatic valve guarantees an ergonomic and user friendly shower system. Our award winning in2itiv mounting system saves installation costs and reduces sound transfer to the back wall. Equally impressive is in2aqua's shower collection which utilizes Air Technology to enhance the showering experience and save water. All in all, in2aqua showers offer superior quality, performance and versatility.



## SHOWER

### in2aqua hand shower, 5 1/2", 2-spray

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant
- Meets CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- ASME A112.18.1, CSA B125.1
- Connection G1/2"
- CALGreen compliant

<b>Chrome</b>	
4008 1 00 2	\$152.00
<b>Brushed Nickel</b>	
4008 1 20 2	\$243.00



### in2aqua hand shower, 4 1/4", 1-spray

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant
- Meets CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- ASME A112.18.1, CSA B125.1
- Connection G1/2"
- CALGreen compliant

<b>Chrome</b>	
4000 1 00 2	\$71.00
<b>Brushed Nickel</b>	
4000 1 20 2	\$121.00




### in2aqua hand shower, 4 1/4", 2-spray

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant
- Meets CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- ASME A112.18.1, CSA B125.1
- Connection G1/2"
- CALGreen compliant

<b>Chrome</b>	
4001 1 00 2	\$85.00
<b>Brushed Nickel</b>	
4001 1 20 2	\$145.00





## SHOWER

### in2aqua hand shower, 4", 3-spray

- German Quality, Engineering & Design with air technology
- ADA compliant
- Meets CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- ASME A112.18.1, CSA B125.1
- Connection G1/2"
- CALGreen compliant

<b>Chrome</b>	
4013 1 00 2	\$60.00
<b>Brushed Nickel</b>	
4013 1 20 2	\$90.00

### in2aqua hand shower, 4", 1-spray

- German Quality, Engineering & Design with air technology
- ADA compliant
- Meets CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- ASME A112.18.1, CSA B125.1
- Connection G1/2"
- CALGreen compliant

<b>Chrome</b>	
4012 1 00 2	\$45.00
<b>Brushed Nickel</b>	
4012 1 20 2	\$70.00

### in2aqua hand shower stick

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

<b>Chrome</b>	
4019 1 00 2	\$50.00
<b>Brushed Nickel</b>	
4019 1 20 2	\$70.00

## SHOWER

### in2aqua wall outlet

- German Quality, Engineering & Design
- Constructed of solid brass with non metallic escutcheon
- 1/2" NPT wall thread / G1/2" shower thread
- Seals included

<b>Chrome</b>	
4701 1 00 2	\$35.00
<b>Brushed Nickel</b>	
4701 1 20 2	\$58.00

### in2aqua hand shower holder



- German Quality, Engineering & Design
- Constructed of non metallic materials
- Mounting kit included

<b>Chrome</b>	
4703 1 00 0	\$17.00
<b>Brushed Nickel</b>	
4703 1 20 0	\$22.00

### in2aqua wall outlet with swivel hand shower holder

- German Quality, Engineering & Design
- Engineering Standard EN 817, EN 1111
- Made of highly polished stainless steel
- Connection 1/2" NPT
- Seals included
- Integrated water inlet and hand shower holder

<b>Chrome</b>	
4718 1 00 2	\$45.00
<b>Brushed Nickel</b>	
4718 1 20 2	\$72.00





SHOWER

in2aqua flat shower head XL, 12"

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant
- 2.5 GPM flow rate
- Easy to clean silicon nozzles
- 1/2" NPT

<b>Chrome</b>		
4018 1 00 2		\$260.00
<b>Brushed Nickel</b>		
4018 1 20 2		\$340.00

in2aqua flat shower head, 8"

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant
- 2.5 GPM flow rate
- Easy to clean silicon nozzles
- 1/2" NPT

<b>Chrome</b>		
4016 1 00 2		\$140.00
<b>Brushed Nickel</b>		
4016 1 20 2		\$190.00

in2aqua shower head, 7", 1-spray

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant
- Meets CAL Green 1.8 GPM flow rate
- Easy to clean silicon nozzles
- 1/2" NPT
- CALGreen compliant

<b>Chrome</b>		
4004 1 00 2		\$109.00
<b>Brushed Nickel</b>		
4004 1 20 2		\$186.00

SHOWER

in2aqua shower head, 5 1/2", 1-spray

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant
- Meets CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- ASME A112.18.1, CSA B125.1
- Connection G1/2"
- CALGreen compliant

<b>Chrome</b>		
4002 1 00 2		\$93.00
<b>Brushed Nickel</b>		
4002 1 20 2		\$155.00

in2aqua shower head, 4", 3-spray


- German Quality, Engineering & Design with air technology
- ADA compliant
- Meets CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- ASME A112.18.1, CSA B125.1
- Connection G1/2"
- CALGreen compliant

<b>Chrome</b>		
4011 1 00 2		\$65.00
<b>Brushed Nickel</b>		
4011 1 20 2		\$85.00


in2aqua shower head, 4", 1-spray

- German Quality, Engineering & Design with air technology
- ADA compliant
- Meets CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- ASME A112.18.1, CSA B125.1
- Connection G1/2"
- CALGreen compliant

<b>Chrome</b>		
4010 1 00 2		\$45.00
<b>Brushed Nickel</b>		
4010 1 20 2		\$65.00



SHOWER



in2aqua Urban X shower head XL, 12"

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant
- 2.5 GPM flow rate
- Easy to clean silicon nozzles
- 1/2" NPT

<b>Chrome</b>		
4017 1 00 2	\$270.00	
<b>Brushed Nickel</b>		
4017 1 20 2	\$350.00	



in2aqua Urban X shower head, 8"

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant
- Meets CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- 1/2" NPT
- CALGreen compliant

<b>Chrome</b>		
4015 1 00 2	\$148.00	
<b>Brushed Nickel</b>		
4015 1 20 2	\$195.00	



in2aqua Urban X ceiling shower arm XL, 12"

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

<b>Chrome</b>		
4715 1 00 2	\$95.00	
<b>Brushed Nickel</b>		
4715 1 20 2	\$127.00	



in2aqua Urban X ceiling shower arm, 4"

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

<b>Chrome</b>		
4714 1 00 2	\$48.00	
<b>Brushed Nickel</b>		
4714 1 20 2	\$68.00	

SHOWER

in2aqua Urban X shower arm XL, 18"

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

<b>Chrome</b>		
4713 1 00 2	\$140.00	
<b>Brushed Nickel</b>		
4713 1 20 2	\$235.00	



in2aqua Urban X shower arm, 12"

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included


<b>Chrome</b>		
4712 1 00 2	\$90.00	
<b>Brushed Nickel</b>		
4712 1 20 2	\$120.00	



in2aqua Urban X wall outlet

- German Quality, Engineering & Design
- Constructed of solid brass with non metallic escutcheon
- 1/2" NPT wall thread / G1/2" shower thread
- Seals included

<b>Chrome</b>		
4716 1 00 2	\$35.00	
<b>Brushed Nickel</b>		
4716 1 20 2	\$57.00	



in2aqua Urban X hand shower holder & wall outlet

- German Quality, Engineering & Design
- Constructed of non metallic materials
- Mounting kit included

<b>Chrome</b>		
4721 1 00 2	\$42.00	
<b>Brushed Nickel</b>		
4721 1 20 2	\$56.00	



SHOWER

in2aqua shower arm XL, 17 3/4"

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

Chrome	
4708 1 00 2	\$110.00
Brushed Nickel	
4708 1 20 2	\$187.00

in2aqua extended shower arm, 9 1/4"

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

Chrome	
4710 1 00 2	\$87.00
Brushed Nickel	
4710 1 20 2	\$164.00

in2aqua shower arm, 4"

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

Chrome	
4702 1 00 2	\$48.00
Brushed Nickel	
4702 1 20 2	\$75.00

SHOWER

in2aqua ceiling shower arm XL, 12"

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

Chrome	
4711 1 00 2	\$50.00
Brushed Nickel	
4711 1 20 2	\$65.00

in2aqua ceiling shower arm, 4"



- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

Chrome	
4707 1 00 2	\$37.00
Brushed Nickel	
4707 1 20 2	\$63.00

in2aqua body spray

- German Quality, Engineering & Design
- Flowrate 1.8 GPM
- Chrome spray face
- Sleek design
- Easy to clean silicon nozzles
- Connection 1/2" NPT

Chrome	
4700 1 00 2	\$89.00
Brushed Nickel	
4700 1 20 2	\$96.00



SHOWER

in2aqua shower hose, 49" inches

- German Quality, Engineering & Design
- Constructed with brass swivel coupling and no scratch non metallic hose
- Seals included
- Connection G1/2"

Chrome	
4709 1 00 2	\$53.00
Brushed Nickel	
4709 1 20 2	\$70.00

in2aqua shower hose, 68" inches

- German Quality, Engineering & Design
- Constructed with brass swivel coupling and no scratch non metallic hose
- Seals included
- Connection G1/2"

Chrome	
4705 1 00 2	\$55.00
Brushed Nickel	
4705 1 20 2	\$72.00

in2aqua shower hose, 78" inches

- German Quality, Engineering & Design
- Constructed with brass swivel coupling and no scratch non metallic hose
- Seals included
- Connection G1/2"

Chrome	
4706 1 00 2	\$58.00
Brushed Nickel	
4706 1 20 2	\$76.00

SHOWER

in2aqua adjustable wall bar, 23 1/2" up to 31 1/2"

- German Quality, Engineering & Design
- Constructed of solid brass with non metallic slider
- Mounting kit included

Chrome	
4704 1 00 0	\$93.00
Brushed Nickel	
4704 1 20 0	\$161.00

in2aqua Urban X slide bar


- German Quality, Engineering & Design
- Constructed of solid brass with non metallic slider
- Mounting kit included

Chrome	
4717 1 00 2	\$190.00
Brushed Nickel	
4717 1 20 2	\$235.00

in2aqua Urban X hand shower holder

- German Quality, Engineering & Design
- Constructed of non metallic materials
- Mounting kit included

Chrome	
4025 1 00 2	\$21.00
Brushed Nickel	
4025 1 20 2	\$28.00







in2aqua

## Kitchen

Form and function are  
key design elements that  
help define every  
in2aqua kitchen faucet



FORM & FUNCTION



in2aqua Edge single-lever kitchen faucet with swivel spout, pull-out spray  
Chrome: 6010 1 00 2 \$567.00  
Stainless Steel: 6010 1 80 2 \$683.00



in2aqua Edge single-lever kitchen faucet with swivel spout, pull-down spray  
Chrome: 6008 1 00 2 \$651.00  
Stainless Steel: 6008 1 80 2 \$767.00



in2aqua Edge high arc single-lever kitchen faucet with swivel spout, pull-out spray  
Chrome: 6001 1 00 2 \$662.00  
Stainless Steel: 6001 1 80 2 \$777.00



in2aqua Style single-lever kitchen faucet with swivel spout, pull-out spray  
Chrome: 6002 1 00 2 \$557.00  
Stainless Steel: 6002 1 80 2 \$662.00



in2aqua Style single-lever kitchen faucet with swivel spout, pull-down spray  
Chrome: 6009 1 00 2 \$641.00  
Stainless Steel: 6009 1 80 2 \$756.00



in2aqua Classic single-lever kitchen faucet with swivel spout, pull-down spray  
Chrome: 6007 1 00 2 \$609.00  
Stainless Steel: 6007 1 80 2 \$725.00



## KITCHEN

### in2aqua pull-down kitchen faucets

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Spout swivels 150 degrees for increased comfort
- Go Pro lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- ADA compliant
- Locking push button control to switch from regular flow to spray
- 55" retractable metal spray hose
- Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pullout spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- CALGreen compliant
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61 Max 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- Counterweight to help retract metal hose with little effort

### in2aqua Edge single-lever kitchen faucet with swivel spout, pull-down spray

**Chrome**  
6008 1 00 2  
\$651.00

**Stainless Steel**  
6008 1 80 2  
\$767.00



### in2aqua Style single-lever kitchen faucet with swivel spout, pull-down spray

**Chrome**  
6009 1 00 2  
\$641.00

**Stainless Steel**  
6009 1 80 2  
\$756.00



### in2aqua Classic single-lever kitchen faucet with swivel spout, pull-down spray

**Chrome**  
6007 1 00 2  
\$609.00

**Stainless Steel**  
6007 1 80 2  
\$725.00



### in2aqua pull-down kitchen faucets

All pull-down sprays come with a durable non kink metal hose and magnetic lock design that assures the metal pulldown spray will stay in place when not in use. The entire brass spout can be lifted and laid to the side if the kitchen windows open towards the faucet.

Available in chrome or stainless steel optic, all pull-downs feature dual-spray functionality that can be locked in either mode and has a maximum handle position to eliminate back-splash contact. The entire aerator and veggie spray features an anti-lime scale system – a simple wipe of a finger removes build up and maintains optimal water flow; plus the smooth, long-lasting, greaseless ceramic disc cartridge assures drip free performance.





## KITCHEN

### in2aqua Edge high arc single-lever kitchen faucet with swivel spout, pull-out spray

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheons
- Spout swivels 150 degrees for increased comfort
- Go Pro lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- ADA compliant
- Locking push button control to switch from regular flow to spray
- 55" retractable metal spray hose
- Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pull-out spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- CALGreen compliant
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61 Max 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- Counterweight to help retract metal hose with little effort

#### Chrome

6001 1 00 2  
\$662.00

#### Stainless Steel

6001 1 80 2  
\$777.00




## in2aqua pull-out kitchen faucets



In2aqua pull-out kitchen faucets combine innovative design with the functionality and quality that the harshest kitchen environments demand. All pull-outs come with a durable non kink metal hose and optimal ergonomic design that assures the pull-out will stay in place when not in use.

Available in chrome or stainless steel optic, all pull-outs feature dual spray functionality that can be locked in either mode and has a maximum handle position to eliminate back-splash contact. The entire aerator and veggie spray ring is removable and features an anti-lime scale system – a simple wipe of a finger removes build up and maintains optimal water flow; plus the smooth, long-lasting, greaseless ceramic disc cartridge assures drip free performance.





Chrome



Stainless Steel

## Top lever pull-out faucets

in2aqua top lever kitchen faucets have plenty of quality features to offer: a robust 35 mm ceramic cartridge and metal hose, a tarnish free extra hard chrome coating and PVD stainless steel optic.

Additionally, all our kitchen faucets use lead free brass, Fluehs valves, plasma coated greaseless ceramic disc technology, Neoperl aerators, M-Lock and much more. Every high quality component is tested and must meet or exceed in2aqua specifications before being assembled in modern & certified facilities.



## KITCHEN

### in2aqua Edge single-lever kitchen faucet with swivel spout, pull-out spray

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Spout swivels 270 degrees for increased comfort
- Pro installation qualifies for in2aqua's limited lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- ADA compliant
- Low lead compliant - meeting federal and state regulations for lead content
- Locking push button control to switch from regular flow to spray
- Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pull-out spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- Code compliant
- Extra long flexible supply lines (650mm)
- Counterweight to help retract metal hose with little effort
- Max Flowrate 1.8 GPM

#### Chrome

6010 1 00 2  
\$567.00

#### Stainless Steel

6010 1 80 2  
\$683.00



### in2aqua Style single-lever kitchen faucet with swivel spout, pull-out spray


- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheons
- Spout swivels 270 degrees for increased comfort
- Go Pro lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- ADA compliant
- Locking push button control to switch from regular flow to spray
- Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pull-out spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- CALGreen compliant
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61 Max 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- 55" retractable metal spray hose
- Counterweight to help retract metal hose with little effort

#### Chrome

6002 1 00 2  
\$557.00

#### Stainless Steel

6002 1 80 2  
\$662.00



Terms and Conditions

1. Prices - Subject to change without notice.
2. Freight - in2aqua GmbH reserves the right to ship products by our choice of carrier. All shipments are F.O.B. via our point of distribution. Air freight, express and parcel post shipments carry no freight allowance.
3. Deliveries - in2aqua GmbH regrets delays beyond our control caused by strikes, fires, shortage of materials, accidents, transportation delays or acts of God, however we cannot be held responsible for them.
4. Returns - All returned goods are subject to a restock charge. All requests for returns must be handled within 30 days of receipt of product and product must be returned within 45 days after RGA has been issued. All special orders items are sold strictly on a non-returnable, non-refundable basis!

The procedure for returning products ordered is as follows:

1. Product MUST be in original box and box must be in perfect condition.
2. Call to process the “Returned Goods Authorization” (RGA) paperwork. You will receive an email/fax a copy of the RGA.
3. Place a copy of the RGA inside the box prior for shipping it back to point of original distribution. If possible, place the product box and paperwork inside another shipping box to protect the original packaging.
4. Ship the product back to us prepaid.

NOTE: All RGAs must be returned within 45 days. RGAs will be cancelled from our system after 45 days.

5. Labor - in2aqua GmbH will not cover labor charges of any kind. Please see our limited warranty.
6. Claims - All claims must be made within 5 days of invoice.
7. Damage or loss - Any claim for loss or damage should be made to the carrier immediately by the customer. Goods become the responsibility of the carrier when they are accepted by the carrier in good condition from DPD.
8. Product changes - in2aqua GmbH reserves the right to change, discontinue, modify or redesign products without liability for inventory obsolescence.
9. General - The possession of our catalog or price list by anyone is not to be considered as an offer to sell any of the goods shown. This price list supersedes all previous price lists or memorandums. In2aqua's existing trade terms and conditions remain in effect.

Orders, contracts or agreements do not become an obligation of in2aqua until confirmed by in2aqua. The above terms and conditions shall be a part of all such acceptances by in2aqua and shall supersede any conflicting provisions of our customer purchase orders.

In2aqua – Go Pro Limited Lifetime Warranty / Standard Parts Warranty

WHAT IS COVERED BY THE WARRANTY The warranty covers against defects in material or workmanship as follows: in2aqua will replace parts only or, at its discretion, replace any product or part of the product that proves defective due to improper workmanship and/or material, under normal installation, use, service and maintenance. If in2aqua is unable to provide a replacement and repair is not practical or spare parts cannot be sent in a timely fashion, in2aqua may elect to refund the purchase price in exchange for the return of the product.

LENGTH OF WARRANTY Replacement or repaired parts of products will be covered for the term of this warranty, as follows:

(a) Limited Lifetime Warranty - If you are the original purchaser who purchased in2aqua faucets for personal, family or household purposes, and have purchased your product via a registered in2aqua Showroom, this warranty is extended to the original purchaser as long as they own their faucet(s). Accessories such as hand showers, shower heads and shower hoses are covered automatically by the Standard Parts Warranty and do not qualify for an Extended Lifetime Warranty.

(b) Standard Parts Warranty - This warranty is valid for 2 years from the original purchase date.

CONDITIONS AND EXCLUSIONS In any case, this warranty shall only be valid if installation and maintenance have been duly conducted in accordance with the operating instructions and generally accepted installation practices, the operating instructions have been complied with and the in2aqua products have been used in line with the technical and maintenance instructions provided by in2aqua. Installation, usage and maintenance instructions are provided with all products or available on the in2aqua official website.

THIS WARRANTY DOES NOT COVER, AND IN2AQUA WILL NOT PAY FOR:

- (a) Conditions, malfunctions or damage not resulting from defects in material or workmanship.
- (b) Conditions, malfunctions or damage resulting from (1) normal wear and tear, improper installation, improper maintenance, misuse, abuse, negligence, accident or alteration; (2) the use of abrasive or caustic cleaning agents or “no-rinse” cleaning products, or the use of the product in any manner contrary to the product instructions; or (3) conditions in the home such as excessive water pressure, water hammer or corrosion in the water lines.
- (c) Labor and other expenses for disconnection, de-installation, or return of the product for warranty service (including but not limited to proper packaging and shipping costs), or for installation or reinstallation of the product.
- (d) Products purchased through non registered showrooms.

Any costs that arise from the handling charges, dispatch and transportation of warranty parts shall be borne by the consumer. The consumer must also bear any costs, including all labor costs, arising from the inspection of the product, as well as the costs of de-installing and re-installing the product.

In requesting warranty service, you will need to provide: (1) The original showroom sales receipt or online registration form. (2) A photo(s) and written description of the problem.

If requested, delivery of the product or the defective part, postage prepaid and carefully packed and insured, to: the address provided to you by in2aqua at the time of the return. When warranty conditions are satisfied, any repaired or replacement product or part will be no charge.



Web tools

All in2aqua products are viewable online and in2aqua helps facilitate sales through professional registered showrooms.

- Bill of Material
- 360 degree product viewing
- DXF zipfiles
- Instruction sheets
- Spec sheets

And much more....

# in2aqua

**in2aqua GmbH**  
Koenigstrasse 26  
70173 Stuttgart  
Germany

[www.in2aqua.com](http://www.in2aqua.com)