## inzaqua Armaturen aus Leidenschaft

Smart luxury

made in Germany

Pricebook 2021



#### Smart luxury

in2aqua was developed with a keen sense of environmental responsibility and the will to push technological and design boundaries to reach its goal. For this reason, all our faucets have received a high efficiency rating. The result is a designer product that is highly functional yet promotes sustainable usage. Our faucets are user friendly and in2aqua is committed to developing the technology of tomorrow today. All our products must balance Function, Form & Flow. This philosophy sets a high quality standard throughout our company and enables our showrooms to offer luxury products at an elegant price point.

Founder & Managing Director Christopher Marshall





#### Made in Germany

At in2aqua, we strive for the best possible quality. Currently, most of our faucet assortment is made in Germany. We feel this dedication to quality is crucial for building customer trust in our products.

## in2aqua

1.	About in2aqua		03
	1.2	Made in Germany	04
	1.3	Index	05
	1.4	Design	
	1.5	Stellar Faucets	
2.	Products		08
	2.1 Bath LIFESTYLES		09
		2.1.1 EDGE	10
		2.1.2 STYLE	16
		2.1.3 CLASSIC	22
	2.2 Bath URBAN		28
		2.2.1 RIVA	28
		2.2.2 STRATA	32
		2.2.3 LANA	36
		2.2.4 RIVA X	40
		2.2.5 STRATA X	44
		2.2.6 LANA X	48
	2.3 ROUGH-IN MOUNTNG SYSTEM		52
		2.3.1 ROUGH-INS IN2ITIV	52
		2.3.2 ROUGH-INS	60
		2.3.3 ROUGHS WITHOUT IN2ITIV	61
		2.3.4 THERM & DIVERTER DIAGRAMS	
	2.4 Shower		64
	2.5 Ki	tchen	78
3.	Terms	and Conditions	90



## in2aqua

## Stellar faucets made with quality components

Pure water is the foundation of all life. At in2aqua, we strive to create stellar products that are made for the user in the most safe and reliable way. We are committed to design excellence and improving our high quality on a continuous basis.

All our products are engineered with EN 817, EN 1111, NSF/ ANSI61, ASME A112.18.1-2012, CSA B125.1-12 in mind and meet or exceed North American standards.









## in2aqua

## Bath

Each in2aqua collection emphasizes individuality and sets a new quality competence for bathroom design excellence



in<mark>2aqua</mark> Bath EDGE





Chrome

Brushed Nicke

#### in2aqua Edge one-hole single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Edge widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop up drain included
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Edge one-hole single-lever vessel mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome** 1024 1 00 2 \$492.00

#### Brushed Nickel


1024 1 20 2 \$625.00

**Chrome** 1023 1 00 2 \$323.00

#### Brushed Nickel

1023 1 20 2 \$394.00








**Chrome** 1014 1 00 2 \$471.00

#### Brushed Nickel

1014 1 20 2 \$625.00

## 153 mm 9 80 mm 214.5 mm 0 64 mm 0 64 mm





#### in2aqua Edge single-hole side-lever basin mixer with pop-up

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation with swivel spout
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### **Chrome** 1045 1 00 2 \$399.00

#### Brushed Nickel

1045 1 20 2 \$525.00

#### in2aqua Edge 2-hole in-wall for wash basin

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Plasma coated ceramic disc
- Single handle operation
- Installation: 2-hole; wall
- Metal handle, sleeve and escutcheon
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome** 1026 2 00 2

\$200.00

#### Brushed Nickel

1026 2 20 2 \$263.00

#### **Requires rough-in valve** 1112 2 99 2

1112 2 99 2 \$355.00

#### in2aqua Edge single-lever bidet mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Flexible hose technology
- Metal pop-up drain included
- Single handle operation
- Neoperl Flow 1.2 GPM

#### Chrome

1025 1 00 2 \$236.00

#### Brushed Nickel

1025 1 20 2 \$305.00

12

#### in2aqua Edge pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

**Chrome** 1318 2 00 0 \$190.00

#### Brushed Nickel

1318 2 20 0 \$260.00

**Requires rough-in valve** 1195 2 99 2 \$380.00

or CALGreen option 1196 2 99 2 \$387.00 0.7 cm \* (sharee) 2 sm \*

#### in2aqua Edge pressure balance valve trim kit, with diverter

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Automatic water reset to bottom port after shut-off

**Chrome** 1018 2 00 0 \$187.00

**Brushed Nickel** 1018 2 20 0 \$249.00

#### **Requires rough-in valve** 1000 2 99 2 \$355.00

8764'

#### in2aqua Edge pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter


**Chrome** 1017 2 00 0 \$172.00

#### Brushed Nickel

\$232.00

**Requires rough-in valve** 1001 2 99 2 \$280.00

**or Eurobalance option:** 1194 2 99 2 \$305.00





#### in2aqua Edge motion 2-way or 3-way diverter trim kit, with shutoff

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Single handle operation
- · Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent positioning

**Chrome** 1042 2 00 2 \$101.00

#### Brushed Nickel

1042 2 20 2 \$130.00

#### Requires rough-in valve

2-way 1114 2 99 2 \$234.00 3-way 1130 2 99 2 \$271.00

#### or CALGreen option (no combo)

2-way 1125 2 99 2 \$239.00 3-way 1129 2 99 2 \$276.00

## 5 se\*

#### in2aqua thermostatic valve trim kit

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

#### Chrome

1040 2 00 0 \$125.00

#### Brushed Nickel

1040 2 20 0 \$161.00

#### Requires rough-in valve

1115 2 99 2 \$428.00

## 0 59 mm (2 5157

#### in2aqua ½" shut-off/volume control trim kit

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

**Chrome** 1097 2 00 0

\$87.00

#### Brushed Nickel

\$110.00

#### Requires rough-in valve

1113 2 99 2 \$166.00

#### in2aqua Edge free standing mixer for tub

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

#### in2aqua Edge 4-hole roman tub trim kit

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Spout made of solid brass construction
- Metal handles and escutcheons
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

#### in2aqua Edge tub spout XL, 1/2"

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

#### in2aqua Edge tub spout 1/2"

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

1102 2 00 2 \$1500.00

Chrome

#### Brushed Nickel

1102 2 20 2 \$1750.00

#### Requires rough-in valve

1108 2 99 2 \$680.00





89-1616 \* -32 1216 (\$34 -1754 mm)





\$591.00 Brushed Nickel 1015 2 20 0

Chrome

\$812.00

1015 2 00 0

#### **Requires rough-in valve** 1003 2 99 2

\$395.00

**Chrome** 1037 1 00 2 \$125.00

Brushed Nickel 1037 1 20 2 \$171.00

**Chrome** 1016 1 00 2 \$89.00

Brushed Nickel 1016 1 20 2 \$113.00



in<mark>2aqua</mark> Bath STYLE





Chrome

Brushed Nicke

#### in2aqua Style one-hole single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Style widespread

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Connection 1/2"/14 NPSM
- Neoperl aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Style one-hole single-lever vessel mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome** 1028 1 00 2 \$475.00

#### Brushed Nickel

1028 1 20 2 \$603.00

**Chrome** 1027 1 00 2 \$311.00

#### Brushed Nickel








#### Brushed Nickel

1009 1 20 2 \$482.00



## 12 mai<sup>2</sup> 13" 10 ans"







18

#### in2aqua Style single-hole side-lever basin mixer with pop-up

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation with swivel spout
- Flowrate 1.2 GPM
- Neoperl aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome** 1046 1 00 2 \$389.00

#### Brushed Nickel

1046 1 20 2 \$515.00

#### in2aqua Style 2-hole in-wall for wash basin

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Plasma coated ceramic disc
- Single handle operation
- Installation: 2-hole; wall
- Metal handle, sleeve and escutcheon
- Flowrate 1.2 GPM
- Neoperl aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### **Chrome** 1030 2 00 2

\$189.00

#### Brushed Nickel

1030 2 20 2 \$252.00

#### Requires rough-in valve

1112 2 99 2 \$355.00

#### in2aqua Style single-lever bidet mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Flexible hose technology
- Metal pop-up drain included
- Single handle operation
- Neoperl Flow 1.2 GPM

#### Chrome

1029 1 00 2 \$226.00

#### Brushed Nickel

1029 1 20 2 \$294.00

#### in2aqua Style pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

**Chrome** 1319 2 00 0 \$160.00

#### Brushed Nickel

\$200.00

**Requires rough-in valve** 1195 2 99 2 \$380.00

or CALGreen option 1196 2 99 2 \$387.00




#### in2aqua Style pressure balance valve trim kit, with diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- · Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- · Automatic water reset to bottom port after shut-off

**Chrome** 1013 2 00 0 \$146.00

Brushed Nickel 1013 2 20 0 \$191.00

**Requires rough-in valve** 1000 2 99 2 \$355.00



#### in2aqua Style pressure balance valve trim kit, without diverter


- German Quality, Engineering & Design
- Metal handle and escutcheon
- · Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- · Anti scald valve with hot water limiter

**Chrome** 1012 2 00 0 \$130.00

Brushed Nickel 1012 2 20 0 \$172.00

**Requires rough-in valve** 1001 2 99 2 \$280.00

**or Eurobalance option:** 1194 2 99 2 \$305.00





#### in2aqua Style motion 2-way or 3-way diverter trim kit, with shutoff

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Single handle operation
- · Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent positioning

**Chrome** 1043 2 00 2 \$97.00

#### Brushed Nickel

1043 2 20 2 \$126.00

#### Requires rough-in valve

2-way 1114 2 99 2 \$234.00 3-way 1130 2 99 2 \$271.00

#### or CALGreen option (no combo)

2-way 1125 2 99 2 \$239.00 3-way 1129 2 99 2 \$276.00



#### in2aqua thermostatic valve trim kit

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

#### Chrome

1040 2 00 0 \$125.00

#### Brushed Nickel

1040 2 20 0 \$161.00

#### Requires rough-in valve

1115 2 99 2 \$428.00



#### in2aqua ½" shut-off/volume control trim kit

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

Chrome

1097 2 00 0 \$87.00

#### Brushed Nickel

1097 2 20 0 \$110.00

#### Requires rough-in valve

1113 2 99 2 \$166.00

#### in2aqua Style 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 7 GPM
- Neoperl aerator

**Chrome** 1010 2 00 0 \$455.00

**Brushed Nickel** 1010 2 20 0 \$670.00

**Requires rough-in valve** 1002 2 99 2 \$378.00



#### in2aqua Style tub spout XL, 1/2"

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

#### Chrome

1038 1 00 2 \$136.00

**Brushed Nickel** 1038 1 20 2 \$185.00



#### in2aqua Style tub spout 1/2"

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

**Chrome** 1011 1 00 2 \$62.00

**Brushed Nickel** 1011 1 20 2 \$85.00





## in<mark>2aqua</mark> Bath CLASSIC



Chrome

Brushed Nicke

#### BATH CLASSIC | Timeless and elegant designs of yesteryear, crafted with cutting edge technology

#### in2aqua Classic one-hole single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl cache' aerator
- CALGreen. WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Classic widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Neoperl cache' aerator
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Classic one-hole single-lever vessel mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl cache' aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome** 1004 1 00 2 \$392.00

**Chrome** 1019 1 00 2 \$314.00


Brushed Nickel


1019 1 20 2

\$384.00

#### Brushed Nickel

1004 1 20 2 \$481.00








#### Brushed Nickel

1020 1 20 2 \$569.00

# 34 dow"

## BATH CLASSIC | Timeless and elegant designs of yesteryear, crafted with cutting edge technology

## 144 mm 150<sup>-0</sup> 00 mm 181,5 mm 282 mm 0 55 mm





#### in2aqua Classic single-hole side-lever basin mixer with pop-up

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation with swivel spout
- Flowrate 1.2 GPM
- Neoperl cache' aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

**Chrome** 1044 1 00 2 \$378.00

#### Brushed Nickel

1044 1 20 2 \$504.00

#### in2aqua Classic 2-hole in-wall for wash basin

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Plasma coated ceramic disc
- Single handle operation
- Installation: 2-hole; wall
- Metal handle, sleeve and escutcheon
- Flowrate 1.2 GPM
- Neoperl cache' aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### **Chrome** 1022 2 00 2

\$179.00

#### **Brushed Nickel** 1022 2 20 2

\$242.00

#### Requires rough-in valve

1112 2 99 2 \$355.00

#### in2aqua Classic single-lever bidet mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- · Go Pro lifetime faucet & finish warranty
- Flexible hose technology
- Metal pop-up drain included
- Single handle operation
- Neoperl Flow 1.2 GPM

#### Chrome

1021 1 00 2 \$215.00

#### Brushed Nickel

\$284.00

#### BATH CLASSIC | Timeless and elegant designs of yesteryear, crafted with cutting edge technology

#### in2aqua Classic pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

**Chrome** 1320 2 00 0 \$180.00

#### Brushed Nickel

\$240.00

**Requires rough-in valve** 1195 2 99 2 \$380.00

or CALGreen option 1196 2 99 2 \$387.00



#### in2aqua Classic pressure balance valve trim kit, with diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- · Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- · Anti scald valve with hot water limiter
- · Automatic water reset to bottom port after shut-off

#### **Chrome** 1008 2 00 0 \$170.00

#### Brushed Nickel

\$221.00

**Requires rough-in valve** 1000 2 99 2 \$355.00



#### in2aqua Classic pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- · Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- · Anti scald valve with hot water limiter

**Chrome** 1007 2 00 0 \$154.00

Brushed Nickel 1007 2 20 0 \$206.00

**Requires rough-in valve** 1001 2 99 2 \$280.00

**or Eurobalance option:** 1194 2 99 2 \$305.00



## BATH CLASSIC | Timeless and elegant designs of yesteryear, crafted with cutting edge technology



#### in2aqua Classic motion 2-way or 3-way diverter trim kit, with shutoff

German Quality, Engineering & Design

in2aqua thermostatic valve trim

• German Quality, Engineering & Design

• Go Pro lifetime faucet & finish warranty

• Safety button for hot water with override

Metal handle and escutcheon with diverter knob

- Go Pro lifetime faucet & finish warranty
- Single handle operation
- · Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent positioning

**Chrome:** 1041 2 00 2 \$97.00

#### Brushed Nickel:

1041 2 20 2 \$127.00

#### Requires rough-in valve

2-way 1114 2 99 2 \$234.00 3-way 1130 2 99 2 \$271.00

#### or CALGreen option (no combo)

2-way 1125 2 99 2 \$239.00 3-way 1129 2 99 2 \$276.00

#### Chrome

1040 2 00 0 \$125.00

#### Brushed Nickel

1040 2 20 0 \$161.00

#### Requires rough-in valve

1115 2 99 2 \$428.00

## 0.59 mm (2.5%?)

#### in2aqua ½" shut-off/volume control trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

#### Chrome

1097 2 00 0 \$87.00

#### Brushed Nickel

1097 2 20 0 \$110.00

#### Requires rough-in valve

1113 2 99 2 \$166.00

26

514

#### BATH CLASSIC | Timeless and elegant designs of yesteryear, crafted with cutting edge technology

#### in2aqua Classic 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- Neoperl cache' aerator


#### in2aqua Classic tub spout XL, 1/2"

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl cache' aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

**Chrome** 1005 2 00 0 \$485.00

**Brushed Nickel** 1005 2 20 0 \$724.00

**Requires rough-in valve** 1002 2 99 2 \$378.00





#### in2aqua Classic tub spout 1/2"

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl cache' aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

**Chrome** 1006 1 00 2 \$78.00

**Brushed Nickel** 1006 1 20 2 \$103.00



Chrome 1036 1 00 2 \$123.00

**Brushed Nickel** 1036 1 20 2 \$169.00



in<mark>2aqua</mark> Bath RIVA





Chrome

Brushed Nicke

#### BATH RIVA | Design fusion that is sensual in its detail

#### in2aqua Riva single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Cascading waterfall stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Riva widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Riva 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

**Chrome** 1300 2 00 2 \$541.00

Brushed Nickel

1300 2 20 2 \$698.00

Requires rough-in valve

1003 2 99 2 \$395.00


\$509.00

Chrome 1220 1 00 2 \$378.00

Brushed Nickel

1220 1 20 2









#### Brushed Nickel

Chrome

\$488.00

1297 1 00 2

#### 1297 1 20 2 \$662.00

#### BATH RIVA | Design fusion that is sensual in its detail



#### in2aqua Riva pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set
   port after shut off

#### in2aqua Riva pressure balance valve trim kit, with diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Automatic water reset to bottom port after shut-off
- ADA compliant
- Anti scald valve with hot water limiter

#### in2aqua Riva pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

#### in2aqua Urban tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

#### **Chrome** 1312 2 00 0

\$230.00

#### Brushed Nickel

1312 2 20 0 \$280.00

**Requires rough-in valve** 1195 2 99 2 \$380.00

or CALGreen option 1196 2 99 2 \$387.00

#### Chrome

1306 2 00 2 \$221.00

**Brushed Nickel** 1306 2 20 2 \$273.00

**Requires rough-in valve** 1000 2 99 2 \$355.00

#### Chrome

1309 2 00 2 \$189.00

#### Brushed Nickel

1309 2 20 2 \$241.00

#### **Requires rough-in valve** 1001 2 99 2 \$280.00

**or Eurobalance option:** 1194 2 99 2 \$305.00

#### Chrome

1190 1 00 2 \$116.00

Brushed Nickel 1190 1 20 2

\$152.00

#### BATH RIVA | Design fusion that is sensual in its detail

#### in2aqua Riva 2-way or 3-way diverter trim kit, with shutoff

in2aqua thermostatic valve trim kit

Safety button for hot water with override

Metal handle and escutcheon with diverter knob

 German Quality, Engineering & Design Go Pro lifetime faucet & finish warranty

in2aqua 1/2" shut-off/volume

German Quality, Engineering & Design

Go Pro lifetime faucet & finish warranty

Metal handle and escutcheon with diverter knob

control trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- All metal escutcheon and handle .
- ADA compliant
- Fluehs ceramic head valve .
- Detent posit .

.

.

.

#### Chrome 1221 2 00 2 \$89.00

#### **Brushed Nickel** 1221 2 20 2

#### \$131.00

#### Requires rough-in valve

2-way 1114 2 99 2 \$234.00 3-way 1130 2 99 2 \$271.00

#### or CALGreen option (no combo)

2-way 1125 2 99 2 \$239.00 3-way 1129 2 99 2 \$276.00

#### Chrome

1040 2 00 0 \$125.00

#### Brushed Nickel 1040 2 20 0

#### \$161.00

Requires rough-in valve 1115 2 99 2 \$428.00

#### Chrome

1097 2 00 0 \$87.00

#### Brushed Nickel 1097 2 20 0 \$110.00

#### Requires rough-in valve 1113 2 99 2

1103 2 00 2 \$1525.00

#### German Quality, Engineering & Design Go Pro lifetime faucet & finish warranty

Faucet body, spout and handle constructed of solid brass

in2aqua Riva free standing mixer for tub

- Integrated pressure balance valve .
- Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- Neoperl pivoting laminar stream .
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose .

# 0 3 1516 (100 mm)

3 3/16\* 5 18





\$166.00

Chrome

Brushed Nickel 1103 2 20 2

\$1775.00

Requires rough-in valve 1108 2 99 2 \$680.00



in<mark>2</mark>aqua Bath STRATA



Brushed Nic

#### BATH STRATA | Bold accents for strong design character

#### in2aqua Strata single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Strata widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Strata 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

**Chrome** 1301 2 00 2 \$546.00

Brushed Nickel

1301 2 20 2 \$709.00

Requires rough-in valve

1003 2 99 2 \$395.00

**Brushed Nickel** 1218 1 20 2 \$541.00

Chrome 1218 1 00 2 \$399.00


**Chrome** 1298 1 00 2 \$509.00

Brushed Nickel

1298 1 20 2


\$667.00







#### BATH STRATA | Bold accents for strong design character



#### in2aqua Strata pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

#### in2aqua Strata pressure balance valve trim kit, with diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Automatic water reset to bottom port after shut-off .
- ADA compliant
- Anti scald valve with hot water limiter

#### in2aqua Strata pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

#### in2aqua Urban tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

#### Chrome 1314 2 00 0

\$240.00

#### Brushed Nickel

13142200 \$290.00

Requires rough-in valve 1195 2 99 2 \$380.00

or CALGreen option 11962992 \$387.00

#### Chrome

1307 2 00 2 \$231.00

**Brushed Nickel** 1307 2 20 2 \$284.00

Requires rough-in valve 1000 2 99 2 \$355.00

#### Chrome

1310 2 00 2 \$200.00

#### Brushed Nickel

1310 2 20 2 \$252.00

#### Requires rough-in valve 1001 2 99 2

\$280.00

#### or Eurobalance option: 1194 2 99 2 \$305.00

#### Chrome

1190 1 00 2 \$116.00

#### **Brushed Nickel**

1190 1 20 2 \$152.00

#### BATH STRATA | Bold accents for strong design character

#### in2aqua Strata 2-way or 3-way diverter trim kit, with shutoff

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty

in2aqua thermostatic valve trim kit

Metal handle and escutcheon with diverter knob

Safety button for hot water with override

 German Quality, Engineering & Design Go Pro lifetime faucet & finish warranty

in2aqua 1/2" shut-off/volume

German Quality, Engineering & Design

Go Pro lifetime faucet & finish warranty

German Quality, Engineering & Design Go Pro lifetime faucet & finish warranty

Integrated pressure balance valve

Swivel hand shower holder Metal escutcheon

Metal handle and escutcheon with diverter knob

in2aqua Strata free standing mixer for tub

• Faucet body, spout and handle constructed of solid brass

control trim kit

- Single handle operation
- Volume control and diverter
- · All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve .
- Detent posit

.

.

#### Chrome 1219 2 00 2 \$95.00

#### **Brushed Nickel**

#### 1219 2 20 2 \$126.00

#### Requires rough-in valve

2-way 1114 2 99 2 \$234.00 3-way 1130 2 99 2 \$271.00

#### or CALGreen option (no combo)

2-way 1125 2 99 2 \$239.00 3-way 1129 2 99 2 \$276.00

#### Chrome

1040 2 00 0 \$125.00

#### Brushed Nickel 1040 2 20 0 \$161.00

Requires rough-in valve 1115 2 99 2 \$428.00

#### Chrome

1097 2 00 0 \$87.00

#### Brushed Nickel

1097 2 20 0 \$110.00

#### Requires rough-in valve 1113 2 99 2 \$166.00

1106 2 00 2 \$1550.00

**Brushed Nickel** 1106 2 20 2

\$1800.00

Requires rough-in valve 1108 2 99 2 \$680.00

(100 mm)

3 3/16 5 18'









#### Neoperl pivoting laminar stream Metal 1-spray hand shower 1.8 GPM

. Polymer no scratch hose

Flow rate: 6 GPM

•

Chrome



in<mark>2aqua</mark> Bath LANA





Chrome

Brushed Nicke

# BATH LANA | Uncompromising minimalism and aesthetic

#### in2aqua Lana single-lever basin mixer

- German Quality, Engineering & Design .
- Faucet body constructed of solid brass .
- . Metal handle and escutcheon
- . Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included . .
- Single handle operation
- . Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Lana widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass .
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves .
- ADA compliant .
- Fluehs valving (made in Germany) .
- Neoperl flexible hose technology
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Lana 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- · Go Pro lifetime faucet & finish warranty
- Double handle operation -. handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower • with air technology
- Flowrate 10 GPM .
- Neoperl pivoting laminar stream .

Chrome 1302 2 00 2 \$536.00

Chrome 1222 1 00 2 \$357.00

**Brushed Nickel** 

1222 1 20 2

\$471.00

Chrome 1299 1 00 2 \$467.00

**Brushed Nickel** 


1299 1 20 2

\$651.00

**Brushed Nickel** 1302 2 20 2 \$688.00

Requires rough-in valve 1003 2 99 2 \$395.00

6 13/16" (172,7 mm




4 15:52\* (111,6 mm)

3 14" (95.1 mm)





# BATH LANA | Uncompromising minimalism and aesthetic



# in2aqua Lana pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set
   port after shut off

# in2aqua Lana pressure balance valve trim kit, with diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Automatic water reset to bottom port after shut-off
- ADA compliant
- Anti scald valve with hot water limiter

#### in2aqua Lana pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- · Go Pro lifetime faucet & finish warranty
  - Single handle operation
- ADA compliant
- · Anti scald valve with hot water limiter

#### in2aqua Urban tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

#### **Chrome** 1313 2 00 0

\$180.00

#### Brushed Nickel

1313 2 20 0 \$240.00

**Requires rough-in valve** 1195 2 99 2 \$380.00

or CALGreen option 1196 2 99 2 \$387.00

#### Chrome

1308 2 00 2 \$179.00

**Brushed Nickel** 1308 2 20 2 \$242.00

**Requires rough-in valve** 1000 2 99 2 \$355.00

#### Chrome

1311 2 00 2 \$168.00

#### Brushed Nickel

1311 2 20 2 \$210.00

**Requires rough-in valve** 1001 2 99 2 \$280.00

**or Eurobalance option:** 1194 2 99 2 \$305.00

#### Chrome

1190 1 00 2 \$116.00

Brushed Nickel 1190 1 20 2 \$152.00

# BATH LANA | Uncompromising minimalism and aesthetic

# in2aqua Lana 2-way or 3-way diverter trim kit, with shutoff

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent posit

#### **Chrome** 1223 2 00 2 \$95.00

#### Brushed Nickel

#### 1223 2 20 2 \$126.00

#### Requires rough-in valve

2-way 1114 2 99 2 \$234.00 3-way 1130 2 99 2 \$271.00

#### or CALGreen option (no combo)

2-way 1125 2 99 2 \$239.00 3-way 1129 2 99 2 \$276.00

#### Chrome

1040 2 00 0 \$125.00

#### **Brushed Nickel** 1040 2 20 0

#### \$161.00

**Requires rough-in valve** 1115 2 99 2 \$428.00

#### Chrome

1097 2 00 0 \$87.00

#### Brushed Nickel 1097 2 20 0 \$110.00

#### **Requires rough-in valve** 1113 2 99 2 \$166.00

#### Chrome


1107 2 00 2 \$1500.00

#### S Brushed Nickel

1107 2 20 2 \$1750.00

**Requires rough-in valve** 1108 2 99 2 \$680.00 0 3 tole\* (500 mm) 2 1180\* (500 mm) 0 3 tole\*

5 18"





#### in2aqua thermostatic valve trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

# in2aqua ½" shut-off/volume control trim lit

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

#### in2aqua Lana free standing mixer for tub

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose



# in2aqua Bath RIVA X







## BATH RIVA X | Playful flow design that evokes nature's vitality

#### in2aqua Riva X single-lever basin mixer

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Cascading waterfall stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Riva X widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- · Go Pro lifetime faucet & finish warranty
- Double handle operation -
- handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua RIVA X 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- · Go Pro lifetime faucet & finish warranty
- Double handle operation -
- handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

**Chrome** 1174 1 00 2 \$410.00

Brushed Nickel 1174 1 20 2 \$541.00

Matte Black 1174 1 70 2 \$570.00



Brushed Nickel 1197 1 20 2 \$693.00

Matte Black 1197 1 70 2 \$720.00

**Chrome** 1200 2 00 2 \$572.00


Brushed Nickel 1200 2 20 2 \$730.00

Matte Black

\$760.00

**Requires rough-in valve** 1003 2 99 2 \$395.00







# BATH RIVA X | Playful flow design that evokes nature's vitality



#### in2aqua Riva X pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design .
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

in2aqua Riva X pressure balance valve trim kit, with diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- . Automatic water reset to bottom port after shut-off
- ADA compliant .
- Anti scald valve with hot water limiter

Chrome 1315 2 00 0 \$180.00

#### **Brushed Nickel**

1315 2 20 0 \$230.00

#### Matte Black

1315 2 70 0 \$250.00

#### Requires rough-in valve

1195 2 99 2 \$380.00

#### or CALGreen option

1196 2 99 2 \$387.00

#### Chrome

1206 2 00 2 \$221.00

#### Brushed Nickel

1206 2 20 2 \$273.00

#### Matte Black

1206 2 70 2 \$280.00

Requires rough-in valve 1000 2 99 2 \$355.00

### Chrome

1209 2 00 2 \$189.00

Brushed Nickel 1209 2 20 2 \$242.00

Matte Black 1209 2 70 2

\$260.00

Requires rough-in valve 1001 2 99 2 \$280.00

### or Eurobalance option:

1194 2 99 2 \$305.00





#### in2aqua Riva X pressure balance valve trim kit, without diverter

- .
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

German Quality, Engineering & Design

### BATH RIVA X | Playful flow design that evokes nature's vitality

# in2aqua Urban X thermostatic trim kit, with volume control and diverter

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- ADA compliant
- Fluehs ceramic head valve
- Detent posit
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

#### in2aqua Riva X free standing mixer for tub

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

#### in2aqua Urban X tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- · Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

#### **Chrome** 1212 2 00 2 \$231.00

#### Brushed Nickel 1212 2 20 2 \$305.00

#### Matte Black 1212 2 70 2 \$310.00

#### Requires rough-in valve

2-way 1192 2 99 2 \$733.00 3-way 1193 2 99 2 \$796.00

#### or CALGreen option

2-way 1189 2 99 2 \$754.00 3-way 1191 2 99 2 \$817.00

### Chrome

1109 2 00 2 \$1550.00

#### Brushed Nickel

1109 2 20 2 \$1800.00

#### Matte Black

1109 2 70 2 \$1875.00


#### Requires rough-in valve


1108 2 99 2 \$680.00

#### **Chrome** 1217 1 00 2 \$131.00


**Brushed Nickel** 1217 1 20 2 \$173.00

Matte Black 1217 1 70 2 \$185.00









# in2aqua Bath STRATA X







Matte Black

# BATH STRATA X | Harmonious elegance through geometric design

#### in2aqua Strata X single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Strata X widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- · Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Strata X 4-hole roman tub trim kit


- German Quality, Engineering & Design
- · Spout made of solid brass construction
- Metal handles and escutcheons
- · Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

**Chrome** 1175 1 00 2 \$431.00

Brushed Nickel 1175 1 20 2 \$572.00

Matte Black 1175 1 70 2 \$610.00







**Chrome** 1201 2 00 2 \$578.00

Brushed Nickel 1201 2 20 2 \$730.00

#### Matte Black

1201 2 70 2 \$760.00

**Requires rough-in valve** 1003 2 99 2 \$395.00

#### Chrome

1198 1 00 2 \$541.00

Brushed Nickel 1198 1 20 2 \$709.00

Matte Black 1198 1 70 2 \$720.00

## BATH STRATA X | Harmonious elegance through geometric design



#### in2aqua Strata X pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

in2aqua Strata X pressure balance valve trim kit, with diverter

- German Quality, Engineering & Design .
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Automatic water reset to bottom port after shut-off
- ADA compliant
- Anti scald valve with hot water limiter

#### Chrome 1317 2 00 0 \$190.00

#### **Brushed Nickel**

1317 2 20 0 \$240.00

#### Matte Black

1317 2 70 0 \$280.00

#### Requires rough-in valve

1195 2 99 2 \$380.00

#### or CALGreen option

1196 2 99 2 \$387.00

#### Chrome

1207 2 00 2 \$231.00

#### Brushed Nickel

1207 2 20 2 \$284.00

#### Matte Black

1207 2 70 2 \$310.00

#### Requires rough-in valve 1000 2 99 2 \$355.00

#### Chrome

1210 2 00 2 \$200.00

Brushed Nickel 1210 2 20 2 \$252.00

Matte Black 1210 2 70 2 \$260.00

Requires rough-in valve 1001 2 99 2 \$280.00

#### or Eurobalance option: 1194 2 99 2

\$305.00





- in2aqua Strata X pressure balance
- valve trim kit, without diverter
- German Quality, Engineering & Design .
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- . Single handle operation
- . ADA compliant
- Anti scald valve with hot water limiter

## BATH STRATA X | Harmonious elegance through geometric design

#### in2aqua Urban X thermostatic trim kit, with volume control and diverter

- . German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty .
- Single handle operation .
- Volume control and diverter
- ADA compliant
- Fluehs ceramic head valve
- Detent posit
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override .

#### in2aqua Strata X free standing mixer for tub

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- Swivel hand shower holder
- Metal escutcheon .
- Flow rate: 6 GPM .
- Neoperl pivoting laminar stream .
- Metal 1-spray hand shower 1.8 GPM .
- . Polymer no scratch hose

#### in2aqua Urban X tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass .
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT .

Chrome 1212 2 00 2 \$231.00

#### **Brushed Nickel** 1212 2 20 2

#### \$305.00

#### Matte Black 1212 2 70 2

\$310.00

### Requires rough-in valve

2-way 1192 2 99 2 \$733.00 3-way 1193 2 99 2 \$796.00

#### or CALGreen option

2-way 1189 2 99 2 \$754.00 3-way 1191 2 99 2 \$817.00

Chrome 1110 2 00 2 \$1650.00

#### **Brushed Nickel**

1110 2 20 2 \$1900.00

#### Matte Black

1110 2 70 2 \$1975.00

#### Requires rough-in valve 1108 2 99 2

\$680.00

#### Chrome 1217 1 00 2


\$131.00

#### **Brushed Nickel**

1217 1 20 2 \$173.00

#### Matte Black 1217 1 70 2

\$185.00











in<mark>2</mark>aqua Bath LANA X







Chrome

Brushed Nicke

Matte Black

# BATH LANA X | Individuality assured yet highly functional

#### in2aqua Lana X single-lever basin mixer

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Lana X widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- · Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Lana X 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

**Chrome** 1176 1 00 2 \$389.00

Brushed Nickel 1176 1 20 2 \$502.00

Matte Black 1176 1 70 2 \$520.00

Chrome

1199 1 00 2 \$499.00

1199 1 20 2

Matte Black


1199 1 70 2

\$710.00

\$683.00

Brushed Nickel







**Chrome** 1202 2 00 2 \$567.00

Brushed Nickel 1202 2 20 2 \$730.00

Matte Black 1202 2 70 2 \$760.00

**Requires rough-in valve** 1003 2 99 2 \$395.00

# BATH LANA X | Individuality assured yet highly functional



# in2aqua Lana X pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set
   port after shut off

in2aqua Lana X pressure balance valve trim kit, with diverter

- German Quality, Engineering & Design
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- · Automatic water reset to bottom port after shut-off
- ADA compliant
- Anti scald valve with hot water limiter

**Chrome** 1316 2 00 0 \$190.00

#### Brushed Nickel

1316 2 20 0 \$250.00

#### Matte Black

1316 2 70 0 \$275.00

#### Requires rough-in valve

1195 2 99 2 \$380.00

or CALGreen option

1196 2 99 2 \$387.00

#### Chrome

1208 2 00 2 \$179.00

**Brushed Nickel** 1208 2 20 2

\$242.00

Matte Black 1208 2 70 2 \$255.00

**Requires rough-in valve** 1000 2 99 2 \$355.00

**Chrome** 1211 2 00 2 \$168.00

Brushed Nickel

1211 2 20 2 \$210.00

Matte Black 1211 2 70 2 \$220.00

**Requires rough-in valve** 1001 2 99 2 \$280.00

## or Eurobalance option:

1194 2 99 2 \$305.00





#### in2aqua Lana X pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handles and escutcheons
  - Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

## BATH LANA X | Individuality assured yet highly functional

# in2aqua Urban X thermostatic trim kit, with volume control and diverter

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- ADA compliant
- Fluehs ceramic head valve
- Detent posit
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

#### **Chrome** 1212 2 00 2 \$231.00

#### Brushed Nickel

#### 1212 2 20 2 \$305.00

#### Matte Black 1212 2 70 2 \$310.00

#### Requires rough-in valve

2-way 1192 2 99 2 \$733.00 3-way 1193 2 99 2 \$796.00

#### or CALGreen option

2-way 1189 2 99 2 \$754.00 3-way 1191 2 99 2 \$817.00

Chrome

1111 2 00 2 \$1525.00

1111 2 20 2

Matte Black

1111 2 70 2

1108 2 99 2 \$680.00

Requires rough-in valve

\$1850.00

\$1775.00

Brushed Nickel

#### in2aqua Lana X free standing mixer for tub

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

#### in2aqua Urban X tub spout


- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT


#### Chrome

1217 1 00 2 \$131.00

Brushed Nickel 1217 1 20 2 \$173.00

Matte Black 1217 1 70 2 \$185.00







# in2aqua <mark>in2itiv</mark> Rough-In Mounting System

Patented & award winning technology that sets in2aqua technology apart from all other rough-ins


# in2itiv

Awarded the
AIT Innovation Prize


"Architecture + Technology"

ISH Frankfurt, Germany

in2aqua



- Sturdy clamping system with quick connects. Flame retardant metal mounting system.
- 3 The in2itiv system decouples the valve from the mounting wall thus reducing noise transfer when in operation.
- As an added feature, the polymer box provides extra protection against potential drips that can come from the shower area during operation or maintenance of the valve. The box design and trim kit allow water to safely exit the inner wall to the shower area.



PCI




00

pG





Thin Wall Adapter








# in2aqua

# in2aqua eurobalance

The perfect balance of function, form & flow



# in2aqua 4-port pressure balance valve (eurobalance), with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Built-in service ball stops for convenience
- Designed to prevent cross flow and reduce
   water hammer
- 1/2" NPT female connections
- · Protection against scalding and cold water shock
- Stainless steel piston compensates for water
   pressure fluctuations
- Cold water supply failure .05 gpm within 5 seconds
- Temperature control within 3°F (1.78°C) of set point
- Reversible cartridge allows back to back installation, eliminating additional piping
- Shallow valve body suitable for thin wall installations
- Manual diverter allows for setting to stay in place after use
- Proven technology reduces replacement parts and trouble shooting
- Flow rate: 6 GPM at 50 PSI / tub
- Flow rate: 4.6 GPM at 50 PSI / shower
- Approved to ASME A112.18.1, CSA B125, and ASSE 1016 standards

# in2aqua 3-port pressure balance valve (eurobalance), without diverter

- German Quality, Engineering & Design
- · Go Pro Lifetime faucet & finish warranty
- · Built-in service ball stops for convenience
- Designed to prevent cross flow and reduce water hammer
- 1/2" NPT female connections
- Protection against scalding and cold water shock
- Stainless steel piston compensates for water
   pressure fluctuations
- Cold water supply failure .05 gpm within 5 seconds
- Temperature control within 3°F (1.78°C) of set point
- Reversible cartridge allows back to back installation, eliminating additional piping
- Shallow valve body suitable for thin wall installations
- Proven technology reduces replacement parts
   and trouble shooting
- · Flow rate: 4.6 GPM at 50 PSI / shower
- Approved to ASME A112.18.1, CSA B125, and ASSE 1016 standards


1195 2 99 2 \$380.00


#### or CALGreen compliant option

1196 2 99 2 \$387.00


1194 2 99 2

\$305.00









# in2aqua 4-port pressure balance valve, with diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Built-in service ball stops for convenience
- Designed to prevent cross flow and reduce water hammer
- 1/2" NPT male-C x C universal connections
- Protection against scalding and cold water shock
- Diaphragm which compensates for water pressure fluctuations
- Temperature control within 3.6°F (2°C) of set point despite 50% water pressure drop
- Reversible cartridge allows back to back installation, eliminating additional piping
- Shallow valve body suitable for thin wall installations
- · Automatic water reset to bottom port after shut-off
- Proven Tempress cavity technology reduces replacement
  parts and trouble shooting
- Flow rate: 6.5 GPM at 50 PSI / tub
- Flow rate: 5.3 GPM at 50 PSI / shower
- Approved to ASME A112.18.1, CSA B125, and ASSE 1016 standards
- Connection 1/2"/14 NPT
- Sound decoupled rough in according to DIN 4109
   \$355.00

1000 2 99 2

1001 2 99 2

\$280.00

160.rm (\* usu\*) (8 - 150 nm (2 u\* - 5 nm\*) (8 - 150 mm) (

# in2aqua 3-port pressure balance valve, without diverter

- German Quality, Engineering & Design
- · Go Pro Lifetime faucet & finish warranty
- Built-in service ball stops for convenience
- Designed to prevent cross flow and reduce water hammer
- 1/2" NPT male-C x C universal connections
- Protection against scalding and cold water shock
- Diaphragm which compensates for water pressure fluctuations
- Temperature control within 3.6°F (2°C) of set point despite 50% water pressure drop
- Reversible cartridge allows back to back installation, eliminating additional piping
- Shallow valve body suitable for thin wall installations
- Proven Tempress cavity technology reduces replacement
  parts and trouble shooting
- · Flow rate: 5.3 GPM at 50 PSI / shower
- Approved to ASME A112.18.1, CSA B125,
- and ASSE 1016 standards
- Connection 1/2"/14 NPT
- Sound decoupled rough in according to DIN 4109

# in2aqua in2itiv thermostatic 3-way valve rough-in

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- All functioning parts made of high-quality brass
- Brass materials are used which are resistant to wear, lime scale and contamination.
- Braided sieves for optimal performance
- The Flühs Eco Drive allows the optimum temp settings
- Fast thermal element shut-down in case of cold water loss
- Fast response time to reduce hot and cold spikes
- Integrated shut off, vollume control and diverter
- ASME A112.18.1, CSA B125 and ASSE 1016 standards compliant
- Flow rate: 7.5 GPM at 45 PSI
- Sound decoupled rough in according to DIN 4109

1193 2 99 2 \$796.00

or CALGreen compliant option 1191 2 99 2 \$817.00


# in2aqua in2itiv thermostatic 2-way valve rough-in


- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- All functioning parts made of high-quality brass
- Brass materials are used which are resistant to wear, lime scale and contamination.
- Braided sieves for optimal performance
- The Flühs Eco Drive allows the optimum temp settings
- Fast thermal element shut-down in case of cold water loss
- Fast response time to reduce hot and cold spikes
- · Integrated shut off, vollume control and diverter
- Connection 1/2" NPT
- Flow rate: 7.5 GPM at 45 PSI
- ASME A112.18.1, CSA B125 and ASSE 1016 standards compliant
- Sound decoupled rough in according to DIN 4109

1192 2 99 2 \$733.00

**or CALGreen compliant option** 1189 2 99 2 \$754.00







min. 112 mm - max. 164,5 m/ (min. 4 7/16" - max. 6 1/2")


# in2aqua in2itiv motion 3 independent functions or combo diverter with shut-off rough-in

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Pre-mixed water up to three separate functions
- Positive detent assists user in finding desired setting
- Volume control for each function
- Shut off position included
- Fluehs ceramic disc technology
- Flow rate: 10.5 GPM at 45 PSI
- Connection 1/2" NPT
- ASME A112.18.1, CSA B125
   and ASSE 1016 standards compliant
- Sound decoupled rough in according to DIN 4109

1130 2 99 2 \$271.00

or CALGreen compliant option (no combo)

1129 2 99 2 \$276.00



# in2aqua in2itiv motion 2 independent functions or combo diverter with shut-off rough-in

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Pre-mixed water up to two separate functions
- · Positive detent assists user in finding desired setting
- Volume control for each function
- Shut off position included
- Fluehs ceramic disc technology
- Flow rate: 10.5 GPM at 45 PSI
- Connection 1/2" NPT
- ASME A112.18.1, CSA B125
  and ASSE 1016 standards compliant
- Sound decoupled rough in according to DIN 4109

1114 2 99 2 \$234.00

or CALGreen compliant option (no combo) 1125 2 99 2 \$239.00

# in2aqua in2itiv thermostatic valve rough-in

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- All functioning parts made of high-quality brass.
- European materials are used which are resistant to wear, lime scale and contamination.
- · Braided sieves for optimal performance.
- The Flühs Eco Drive allows the optimum temp settings
- Fast thermal element shut-down in case of cold water loss
- Fast response time to reduce hot and cold spikes
- Connection 1/2" NPT
- · Flow rate: 7.5 GPM at 45 PSI
- ASME A112.18.1, CSA B125
   and ASSE 1016 standards compliant
- Sound decoupled rough in according to DIN 4109

1115 2 99 2 \$428.00


#### in2aqua in2itiv ½" shut-off/ volume control valve rough-in


- German Quality, Engineering & Design
- · Go Pro Lifetime faucet & finish warranty
- Sound decoupled rough in according to DIN 4109
- Removable plastic water guard
- Water guard pad included
- Connection: NPT 1/2"
- ASME A112.18.1, CSA B125
   and ASSE 1016 standards compliant


1113 2 99 2 \$166.00

#### in2aqua in2itiv single-lever rough-in for wall mounted installation

- German Quality, Engineering & Design
- Go Pro Lifetime faucet & finish warranty
- Sound decoupled rough in according to DIN 4109
- Removable plastic water guard
- · Temperature setting on ceramic cartridge for add saftety
- Flexible coupling of valve to eliminate stress in system
- Water guard pad included
- Connection: NPT 1/2"
- ASME A112.18.1, CSA B125
   and ASSE 1016 standards compliant
   \$355.00







# North America 0 1 1764" Europe M32 mm North America 0 1 764" Europe M28 mm North America 1/2" /14 NPSM Europe G 1/2"



#### in2aqua Edge/Urban 4-hole roman tub rough-in

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Double handle operation 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- BrassCraft flexible hose technology
- Flow rate: up to 10 GPM
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPSM

1003 2 99 2 \$395.00



#### in2aqua Classic/Style 4-hole roman tub rough-in

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Double handle operation 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- BrassCraft flexible hose technology
- Flow rate: Style-up to 7 GPM
- Flow rate: Classic-up to 10 GPM
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPSM

1002 2 99 2 \$378.00

#### floor nax, in:aqua floor nin. metters diment diment metters diment metters diment diment

# in2aqua free standing tub filler rough-in valve

- German Quality, Engineering & Design
- Go Pro Lifetime faucet & finish warranty
- Adjustable to accommodate uneven floors
- Mud guard with min/max floor depth
- Rough can be installed and rotated to fit pipes
- Trim can be rotated 360 degrees
- ASME A112.18.1, CSA B125.1
- ASSE 1016 standards compliant
- Flowrate 6 GPM

1108 2 99 2 \$680.00

### IN2AQUA ROUGHS WITHOUT IN2ITIV MOUNTING SYSTEM



in2aqua 4-port pressure balance valve (Eurobalance), with manual div=rter, without in2itiv rough in mountise system 1195 2 98 2 \$330.00 or CALGreen compliant option 1196 2 98 2 \$337.00



in2aqua 3-port pressure balance valve (Eurobalance), without manual diverter, without in2itiv rough in mounting system 1194 2 98 2 \$255.00



in2aqua single-lever rough-in for wall mounted installation, without in2itiv rough-in mounting system 1112 2 98 2 \$305.00



in2aqua 4-port pressure balance valve, with diverter, without in2itiv rough-in mounting system 1000 2 98 2 \$305.00



in2aqua 3-port pressure balance valve, without diverter, without in2itiv rough-in mounting system 1001 2 98 2 \$230.00



in2aqua ½" shut-off/volume control valve rough-in, without in2itiv rough-in mounting system 1113 2 98 2 \$116.00



in2aqua thermostatic 3-way valve rough-in, without in2itiv rough-in mounting system 1193 2 98 2 \$746.00 or CALGreen compliant option 1191 2 98 2 \$767.00



in2aqua motion 3 independen functions or combo diverter with shut-off rough-in, without in2itiv rough-in mounting system 1130 2 98 2 \$221.00 or CALGreen compliant option (no combo) 1129 2 98 2 \$226.00



in2aqua thermostatic 2-way valve rough-in, without in2itiv rough-in mounting system 1192 2 98 2 \$683.00 or CALGreen compliant option 1189 2 98 2 \$704.00



in2aqua thermostatic valve rough-in, without in2itiv rough-in mounting system 1115 2 98 2 \$378.00






in2aqua motion 2 independen functions or combo diverter withshut-off rough-in, without in2itiv rough-in mounting system 1114 2 98 2 \$184.00 or CALGreen compliant option (no combo) 1125 2 98 2 \$189.00


A MUD GUARD IS INCLUDED WITH ALL IN2AQUA ROUGH-IN VALVES

## WATER FLOW FOR THERMOSTATIC 2-WAY DIVERTERS

### **1114 2 99 2** HANDLE POSITION & WATER FLOW




**1125 2 99 2** HANDLE POSITION & WATER FLOW (CALGREEN COMPLIANT)




### WATER FLOW FOR THERMOSTATIC 3-WAY DIVERTERS





**1129 2 99 2** HANDLE POSITION & WATER FLOW (CALGREEN COMPLIANT)



# in2aqua

# Shower

Where excellence demands function, form & flow







Chrome

in29408

Matte Black

# in2aqua

# Performance Showers

in2aqua's advanced multi port ceramic disc valve diverter combined with our high performance thermostatic valve guarantees an ergonomic and user friendly shower system. Our award winning in2itiv mounting system saves installation costs and reduces sound transfer to the back wall. Equally impressive is in2aqua's shower collection which utilizes Air Technology to enhance the showering experience and save water. All in all, in2aqua showers offer superior quality, performance and versatility.





#### in2aqua hand shower, 5<sup>1/2</sup>", 2-spray

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant

CALGreen 1.	8 GPM flow rate	Chrome	
<ul> <li>Easy to clear</li> </ul>	n silicon nozzles	4008 1 00 2	\$160.00
• ASME A112.1	18.1, CSA B125.1		
Connection	G1/2"	Brushed Nickel	

4008 1 20 2

\$255.00

0 4 sar 0 4 sar 9 sone\*

04

8 11/16"

15/18



- German Quality, Engineering & Design with air technology
- Chrome spray face

Connection G1/2"

•	ADA compliant		
•	CALGreen 1.8 GPM flow rate	Chrome	
•	Easy to clean silicon nozzles	4000 1 00 2	\$75.00
•	ASME A112.18.1, CSA B125.1		

Brushed Nickel 4000 1 20 2 \$127.00

#### in2aqua hand shower, 4 <sup>1/4</sup> ", 2-spray

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant

•	CALGreen 1.8 GPM flow rate	Chrome	
•	Easy to clean silicon nozzles	4001 1 00 2	\$89.00
	ASME A112.18.1. CSA B125.1		

- Connection G1/2
- **Brushed Nickel** 4001 1 20 2 \$152.00

0 1/2

#### in2aqua hand shower, 4", 3-spray

- German Quality, Engineering & Design with air technology
- ADA compliant
- CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- ASME A112.18.1, CSA B125.1
   Connection G1/2"
   Brushed Nickel 4013 1 20 2
   \$95.00







### in2aqua hand shower, 4", 1-spray

- German Quality, Engineering & Design with air technology
- ADA compliant
- CALGreen 1.8 GPM flow rate

#### • Easy to clean silicon nozzles

<ul><li>ASME A112.18.1, (</li><li>Connection G1/2"</li></ul>	<b>Chrome</b> 4012 1 00 2	\$47.00
	Brushed Nickel	¢74.00
	4012 1 20 2	\$74.00

#### in2aqua hand shower stick

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- CALGreen 1.8 GPM flow rate
- ASME A112.18.1, CSA B125.1
- 1/2" NPTSeal inclu

<b>Chrome</b> 4019 1 00 2	\$53.00
<b>Brushed Nickel</b> 4019 1 20 2	\$74.00
<b>Matte Black</b> 4019 1 70 2	\$65.00
	4019 1 00 2 Brushed Nickel 4019 1 20 2 Matte Black

(011.81\* (0300mm)

## SHOWER

#### in2aqua flat shower head XL, 12"

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant
- 2.5 GPM flow rate Chrome • Easy to clean silicon nozzles • 1/2" NPT 4018 1 00 2
  - Brushed Nickel 4018 1 20 2 \$357.00





- German Quality, Engineering & Design with air technology

•	Easy to clean silicon nozzles	Chrome	
•	1/2" NPT	4016 1 00 2	\$147.00

Brushed Nickel 4016 1 20 2

\$200.00

\$273.00



(0787 ·

### in2aqua shower head, 7", 1-spray

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant
- CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- 1/2" NPT

Chrome	
4004 1 00 2	\$115.00

Brushed Nickel	
4004 1 20 2	\$196.00

#### in2aqua shower head, 5<sup>1/2</sup>", 1-spray

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant

•	CALGreen 1.8 GPM flow rate		
•	Easy to clean silicon nozzles	Chrome	
·	ASME A112.18.1, CSA B125.1	4002 1 00 2	\$98.00
•	Connection G1/2"		
		Brushed Nickel	
		4002 1 20 2	\$163.00



#### in2aqua shower head, 4", 3-spray

- German Quality, Engineering & Design with air technology
- ADA compliant
- CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- ASME A112.18.1, CSA B125.1
- Connection G1/2"

Brushed Nickel
4011 1 20 2

Chrome

4011 1 00 2



#### in2aqua shower head, 4", 1-spray

- German Quality, Engineering & Design with air technology
- ADA compliant
- CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- ASME A112.18.1, CSA B125.1
- Connection G1/2"

Chrome	
4010 1 00 2	\$47.00

**Brushed Nickel** 4010 1 20 2

\$68.00

\$68.00

\$89.00



#### in2aqua Urban X shower head XL, 12"

- German Quality, Engineering & Design with air technology
  - Chrome spray face
- ADA compliant

•	2.5 GPM flow rate	Chrome	
•	Easy to clean silicon nozzles	4017 1 00 2	\$284.00
•	1/2" NPT		
		Brushed Nickel	
		4017 1 20 2	\$368.00

11.81 \* x11.81 \* (300mms300mm)

#### in2aqua Urban X shower head, 8"

- German Quality, Engineering & Design with air technology
- Chrome spray face
- ADA compliant
- CALGreen 1.8 GPM flow rate

		Brushed Nickel	
		40101002	\$150.00
	1/2" NPT	4015 1 00 2	\$156.00
•	Easy to clean silicon nozzles	Chrome	



#### in2aqua Urban X shower head, 10"

- German Quality, Engineering & Design with air technology
- ADA compliant
- CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- 1/2" NPT

Matte Black 4020 1 70 2


4015 1 20 2

\$160.00

\$205.00


#### in2aqua Urban X shower arm XL, 18"

	German Quality, Engineering & Design	Chrome	
·	Constructed of solid brass with	4713 1 00 2	\$147.00
	metal escutcheon		
•	1/2" NPT	Brushed Nickel	
·	Seals included	4713 1 20 2	\$247.00



#### in2aqua Urban X shower arm, 12"

German Quality, Engineering & Design Constructed of solid brass with	<b>Chrome</b> 4712 1 00 2	\$95.00
metal escutcheon 1/2" NPT Seals included	<b>Brushed Nickel</b> 4712 1 20 2	\$126.00
	<b>Matte Black</b> 4712 1 70 2	\$180.00



#### in2aqua Urban X ceiling shower arm XL, 12"

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

<b>Chrome</b> 4715 1 00 2	\$100.00
<b>Brushed Nickel</b> 4715 1 20 2	\$134.00
<b>Matte Black</b> 4715 1 70 2	\$180.00



#### in2aqua Urban X ceiling shower arm, 4"

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon

•	1/2" NPT		
	Seals included	<b>Chrome</b> 4714 1 00 2	\$51.00
		<b>Brushed Nickel</b> 4714 1 20 2	\$72.00
		Matte Black	
		4714 1 70 2	\$95.00



#### in2aqua shower arm XL, 17 <sup>3/4</sup>"

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT

1 9/16\*

• Seals included

<b>Chrome</b> 4708 1 00 2	\$116.00
Brushed Nickel	\$197.00



17 34

8238

#### in2aqua extended shower arm, 9 <sup>1/4</sup> "

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

<b>Chrome</b> 4710 1 00 2	\$92.00
<b>Brushed Nickel</b> 4710 1 20 2	\$172.00

#### in2aqua shower arm, 4"

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

Chrome	
4702 1 00 2	\$51.00

**Brushed Nickel** 4702 1 20 2

\$79.00



#### in2aqua ceiling shower arm XL, 12"


- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

**Chrome** 4711 1 00 2

\$53.00

\$68.00

**Brushed Nickel** 4711 1 20 2



#### in2aqua ceiling shower arm, 4"

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

<b>Chrome</b> 4707 1 00 2	\$39.00
Brushed Nickel	\$66.00



#### in2aqua body spray

- German Quality, Engineering & Design
- Flowrate 1.8 GPM
- Chrome spray face
- Sleek design
- Easy to clean silicon nozzles
- Connection 1/2" NPT

**Chrome** 4700 1 00 2

\$94.00

**Brushed Nickel** 4700 1 20 2

\$101.00







#### in2aqua wall outlet

- German Quality, Engineering & Design
- Constructed of solid brass with non metallic escutcheon
- Backflow preventer
- 1/2" NPT wall thread / G1/2" shower thread
- Seals included

<b>Chrome</b> 4701 1 00 2	\$37.00
<b>Brushed Nickel</b> 4701 1 20 2	\$61.00

#### in2aqua hand shower holder

- German Quality, Engineering & Design
- Constructed of non metallic materials
- Mounting kit included

<b>Chrome</b> 4703 1 00 0	\$18.00
Brushed Nickel	
4703 1 20 0	\$23.00

#### in2aqua wall outlet with swivel hand shower holder

- German Quality, Engineering & Design
- Engineering Standard EN 817, EN 1111
- Made of highly polished stainless steel
- Connection 1/2" NPT
- Seals included
- Integrated water inlet and hand shower holder

Chrome	
4718 1 00 2	\$47.00

**Brushed Nickel** 4718 1 20 2

\$76.00



#### in2aqua Urban X wall outlet

- German Quality, Engineering & Design
- Constructed of solid brass with non metallic escutcheon
- Backflow preventer
- 1/2" NPT wall thread / G1/2" shower thread
- Seals included

<b>Chrome</b> 4716 1 00 2	\$37.00
<b>Brushed Nickel</b> 4716 1 20 2	\$60.00
<b>Matte Black</b>	\$48.00



#### in2aqua Urban X hand shower holder

- German Quality, Engineering & Design
- Constructed of non metallic materials
- Mounting kit included

<b>Chrome</b> 4025 1 00 2	\$22.00
<b>Brushed Nickel</b> 4025 1 20 2	\$30.00
<b>Matte Black</b> 4025 1 70 2	\$33.00





#### in2aqua Urban X hand shower holder & wall outlet

- German Quality, Engineering & Design
- Constructed of non metallic materials
- Mounting kit included

<b>Chrome</b> 4721 1 00 2	\$44.00
<b>Brushed Nickel</b> 4721 1 20 2	\$59.00
<b>Matte Black</b> 4721 1 70 2	\$49.00







# in2aqua adjustable wall bar, 23 $^{\prime\prime2}$ up to 31 $^{\prime\prime2}$ "

- German Quality, Engineering & Design
- Constructed of solid brass with non metallic slider
- Mounting kit included

<b>Chrome</b> 4704 1 00 0	\$98.00
<b>Brushed Nickel</b> 4704 1 20 0	\$169.00

#### in2aqua Urban X slide bar

- German Quality, Engineering & Design
- Constructed of solid brass with non metallic slider
- Mounting kit included

<b>Chrome</b> 4717 1 00 2	\$200.00
<b>Brushed Nickel</b> 4717 1 20 2	\$247.00
<b>Matte Black</b> 4717 1 70 2	\$330.00

#### in2aqua shower hose, 49" inches

- German Quality, Engineering & Design
- Constructed with brass swivel coupling and no scratch non metallic hose
- Seals included
- Connection G1/2"

Chro	m	e	
4709	1	00	2

**Brushed Nickel** 4709 1 20 2

\$56.00

\$74.00

\$76.00

\$74.00



#### in2aqua shower hose, 68" inches

- German Quality, Engineering & Design
- Constructed with brass swivel coupling
   and no scratch non metallic hose
- Seals included
- Connection G1/2"

Chrome	
4705 1 00 2	\$58.00

**Brushed Nickel** 4705 1 20 2

**Matte Black** 4705 1 70 2



#### in2aqua shower hose, 78" inches

- German Quality, Engineering & Design
- Constructed with brass swivel coupling
- and no scratch non metallic hose
- Seals includedConnection G1/2"

**Chrome** 4706 1 00 2

**Brushed Nickel** 4706 1 20 2

\$80.00

\$61.00

706 1 20 2

**Matte Black** 4706 1 70 2

\$78.00








# in2aqua

# Kitchen

Form and function are key design elements that help define every in2aqua kitchen faucet







# in2aqua two-handle pull down kitchen faucet

All pull-down sprays come with a durable non kink metal hose and magnetic lock design that assures the metal pulldown spray will stay in place when not in use. The entire brass spout can be lifted and laid to the side if the kitchen windows open towards the faucet.

Available in chrome or stainless steel optic, all pull-downs feature dual-spray functionality that can be locked in either mode and has a maximum handle position to eliminate back-splash contact. The entire aerator and veggie spray features an anti-lime scale system – a simple wipe of a finger removes build up and maintains optimal water flow; plus the smooth, long-lasting, greaseless ceramic disc cartridge assures drip free performance.

#### in2aqua Edge two-lever handle kitchen faucet with swivel spout, pull-down spray

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheon
- Spout swivels 150 degrees for increased comfort
- Go Pro lifetime faucet & finish warranty
- Two-lever handle operation utilizing greaseless ceramic disc technology
- ADA compliant
- Locking push button control to switch from regular flow to spray
- 55" retractable metal spray hose
- Neoperl flexible hose technology 9/16"-24 UNEF
  High Performance 2 function with non-metallic pullout spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- Counterweight to help retract metal hose
   with little effort

#### in2aqua Edge two-knurl handle kitchen faucet with swivel spout, pull-down spray

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheon
- Spout swivels 150 degrees for increased comfort
- Go Pro lifetime faucet & finish warranty
- Two-knurled handle operation utilizing greaseless ceramic disc technology
- ADA compliant
- Locking push button control to switch from regular flow to spray
- 55" retractable metal spray hose
- Neoperl flexible hose technology 9/16"-24 UNEF
  High Performance 2 function with non-metallic
- pullout spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- Counterweight to help retract metal hose
   with little effort

**Chrome** 6022 1 00 2 \$720.00

**Stainless Steel** 6022 1 80 2

\$850.00

#### Matte Black

6022 1 70 2 \$940.00

Matte Black/Brushed Gold 6022 1 76 2 \$970.00

**Chrome** 6023 1 00 2 \$750.00

#### **Stainless Steel** 6023 1 80 2 \$970.00









# in2aqua pull-down kitchen faucets

All pull-down sprays come with a durable non kink metal hose and magnetic lock design that assures the metal pulldown spray will stay in place when not in use. The entire brass spout can be lifted and laid to the side if the kitchen windows open towards the faucet.

Available in chrome or stainless steel optic, all pull-downs feature dual-spray functionality that can be locked in either mode and has a maximum handle position to eliminate back-splash contact. The entire aerator and veggie spray features an anti-lime scale system – a simple wipe of a finger removes build up and maintains optimal water flow; plus the smooth, long-lasting, greaseless ceramic disc cartridge assures drip free performance.

#### in2aqua pull-down kitchen faucets

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Spout swivels 150 degrees for increased comfort
- Go Pro lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- ADA compliant
- Locking push button control to switch from regular flow to spray
- 55" retractable metal spray hose
- Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pullout spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- Counterweight to help retract metal hose with little effort

in2aqua Edge singlelever kitchen faucet with swivel spout, pull-down spray

Chrome

6008 1 00 2 \$684.00 Stainless Steel

6008 1 80 2

\$806.00

in2aqua Style singlelever kitchen faucet with swivel spout, pull-down spray

**Chrome** 6009 1 00 2 \$673.00

**Stainless Steel** 6009 1 80 2 \$794.00

in2aqua Classic singlelever kitchen faucet with swivel spout, pull-down spray

**Chrome** 6007 1 00 2 \$640.00

**Stainless Steel** 6007 1 80 2 \$761.00











# in2aqua pull-out kitchen faucets

In2aqua pull-out kitchen faucets combine innovative design with the functionality and quality that the harshest kitchen environments demand. All pull-outs come with a durable non kink metal hose and optimal ergonomic design that assures the pull-out will stay in place when not in use.

Available in chrome or stainless steel optic, all pull-outs feature dual spray functionality that can be locked in either mode and has a maximum handle position to eliminate back-splash contact. The entire aerator and veggie spray ring is removable and features an anti-lime scale system – a simple wipe of a finger removes build up and maintains optimal water flow; plus the smooth, long-lasting, greaseless ceramic disc cartridge assures drip free performance.

#### in2aqua Edge high arc single-lever kitchen faucet with swivel spout, pull-out spray

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheons
- Spout swivels 150 degrees for increased comfort
- Go Pro lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- ADA compliant
- Locking push button control to switch from regular flow to spray
- 55" retractable metal spray hose
- Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pull-out spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61 Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- Counterweight to help retract metal hose with little effort

**Chrome** 6001 1 00 2 \$695.00

#### Stainless Steel

6001 1 80 2 \$816.00







# Top lever pull-out faucets

in2aqua top lever kitchen faucets have plenty of quality features to offer: a robust 35 mm ceramic cartridge and metal hose, a tarnish free extra hard chrome coating and PVD stainless steel optic.

Additionally, all our kitchen faucets use lead free brass, Fluehs valves, plasma coated greaseless ceramic disc technology, Neoperl aerators, M-Lock and much more. Every high quality component is tested and must meet or exceed in2aqua specifications before being assembled in modern & certified facilities.

## in2aqua Edge single-lever kitchen faucet with swivel spout, pull-out spray

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- · Spout swivels 270 degrees for increased comfort
- Pro installation qualifies for in2aqua's limited lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- ADA compliant
- Low lead compliant meeting federal and state regulations for lead content
- Locking push button control to switch from regular flow to spray
- Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pull-out spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- Code compliant
- Extra long flexible supply lines (25 1/2")
- · Counterweight to help retract metal hose with little effort
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM

## in2aqua Style single-lever kitchen faucet with swivel spout, pull-out spray

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheons
- Spout swivels 270 degrees for increased comfort
- Go Pro lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- ADA compliant
- Locking push button control to switch from regular flow to spray
- Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pull-out spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- 55" retractable metal spray hose
- Counterweight to help retract
- metal hose with little effort

**Chrome** 6002 1 00 2 \$585.00

### **Stainless Steel** 6002 1 80 2


\$695.00



### **Stainless Steel** 6010 1 80 2

\$717.00









# in2aqua swivel spout kitchen and prep faucets

in2aqua top lever kitchen faucets have plenty of quality features to offer: a robust 25 mm ceramic cartridge and metal hose, a tarnish free extra hard chrome coating and PVD stainless steel optic.

Additionally, all our kitchen faucets use lead free brass, Fluehs valves, plasma coated greaseless ceramic disc technology, Neoperl aerators, M-Lock and much more. Every high quality component is tested and must meet or exceed in2aqua specifications before being assembled in modern & certified facilities.


# in2aqua Edge XL single-lever kitchen faucet with swivel spout

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Spout swivels 150 degrees for increased ease of use
- Pro installation qualifies for in2aqua's limited lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- ADA compliant
- Low lead compliant meeting federal and state regulations for lead content
- Neoperl flexible hose technology 9/16"-24 UNEF
- Code compliant
- Extra long flexible supply lines (25 1/2")
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM

#### **Chrome** 6006 1 00 2 \$510.00

#### Stainless Steel

6006 1 80 2 \$620.00



## in2aqua Edge single-lever kitchen prep faucet with swivel spout

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Spout swivels 150 degrees for increased ease of use
- Pro installation qualifies for in2aqua's limited lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- ADA compliant
- Low lead compliant meeting federal and state regulations for lead content
- Neoperl flexible hose technology 9/16"-24 UNEF
- Code compliant
- Extra long flexible supply lines (25 1/2")
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM

**Chrome** 6004 1 00 2 \$425.00

#### Stainless Steel

6004 1 80 2 \$520.00



# Terms and Conditions

- 1. Prices Subject to change without notice.
- 2. Freight in2aqua GmbH reserves the right to ship products by our choice of carrier. All shipments are F.O.B. via our point of distribution.
- 3. Deliveries in2aqua GmbH regrets delays beyond our control caused by strikes, fires, shortage of materials, accidents, transportation delays or acts of God, however we cannot be held responsible for them.
- 4. Returns All returned goods are subject to a restocking charge.
- 5. Special Orders Special order products are not returnable and not refundable.

#### The procedure for returning products ordered is as follows:

- 1. Product Condition Product MUST be in original box and box must be in LIKE-NEW CONDITION.
- 2. **Returned Goods Authorization (RGA)** Product returns prior to shipping will not be accepted without a returned goods authorization. Telephone customer service to obtain an RGA. You will receive an email/fax a copy of the RGA.
- 3. Packaging Place a copy of the RGA inside the box prior to shipping it back to point of original distribution. If possible, place the product box and paperwork inside another shipping box to protect the original packaging.
- 4. Shipping Ship the product back to us prepaid.
- 5. Time Period for Returns All requests to return products must be received within 10 days of invoice.
- 6. Damage or loss in Shipping Any claim for loss or damage should be made to the carrier immediately by the customer. Products become the responsibility of the carrier when they are accepted by the carrier in good condition from DPD.
- 7. **Product Changes** in2aqua GmbH reserves the right to change, discontinue, modify or redesign products without liability for inventory obsolescence.
- 8. General The possession of our catalog or price list by any person is not an offer to sell any of the goods shown. This price list supersedes all previous price lists or memoranda. in2aqua 's existing trade terms and conditions remain in effect. Orders, contracts or agreements do not become an obligation of in2aqua until confirmed by in2aqua.

### The above terms and conditions shall be a part of all such acceptances by in2aqua and shall supersede any conflicting provisions of our customer purchase orders.

#### in2aqua Warranty (U.S/Canada)

To obtain a copy of our current warranty please write us at:

in2aqua GmbH Koenigstrasse 26 70173 Stuttgart Germany

or

access our warranty information online via www.in2aqua.com

or

simply call us at (800) 257-6051 to request a copy of our warranty by email.

## Web tools

All in2aqua products are viewable online and in2aqua helps facilitate sales through professional registered showrooms.

- Bill of Material
- 360 degree product viewing
- DXF zip files
- Instruction sheets
- Spec sheets
- Shower configurator
- Create and save projects

And much more....

$\mathcal{F}_{f_{\mathcal{L}}}$	1. TE.	Ŀ	E		
stigating alreads of the stigating alreads of the	nine standing administ section 200 section ince	name voe name by solar part of worth with	nggantas canig at an un un un un un un un un un	100000 100000 10000	
				T.	
1		1	$r_{fx_{i}}$	$T_{f_{t_{\tau}}}$	

www.in2aqua.com

# in2aqua

#### in2aqua GmbH

Koenigstrasse 26 70173 Stuttgart Germany

www.in2aqua.com