
In 2a quality and the second s

Smart luxury

made in Germany



Pricebook 2022



Smart luxury

in2aqua was developed with a keen sense of environmental responsibility and the will to push technological and design boundaries to reach its goal. For this reason, all our faucets have received a high efficiency rating. The result is a designer product that is highly functional yet promotes sustainable usage. Our faucets are user friendly and in2aqua is committed to developing the technology of tomorrow today. All our products must balance Function, Form & Flow. This philosophy sets a high quality standard throughout our company and enables our showrooms to offer luxury products at an elegant price point.

Founder & Managing Director Christopher Marshall





Made in Germany

At in2aqua, we strive for the best possible quality. Currently, most of our faucet assortment is made in Germany. We feel this dedication to quality is crucial for building customer trust in our products.

in2aqua


1.	About in2aqua		03
	1.2	Made in Germany	04
	1.3	Index	05
	1.4	Design	06
	1.5	Stellar Faucets	09
2.	Products		10
	2.1 Bath LIFESTYLES		11
	2.1.1 EDGE		12
		2.1.2 STYLE	18
		2.1.3 CLASSIC	24
	2.2 Bath URBAN		30
		2.2.1 RIVA	30
		2.2.2 STRATA	36
		2.2.3 LANA	42
		2.2.4 RIVA X	48
		2.2.5 STRATA X	54
		2.2.6 LANA X	60
	2.3 ROUGH-IN MOUNTNG SYSTEM		66
		2.3.1 ROUGH-INS IN2ITIV	69
		2.3.2 ROUGH-INS	72
		2.3.3 ROUGHS WITHOUT IN2ITIV	74
		2.3.4 THERM & DIVERTER DIAGRAMS	76
	2.4 Shower		78
	2.5 Kitchen		92
2	Torms	and Conditions	10



WERKSDESIGN



Volker Schumann of WERKSDESIGN



WERKSDESIGN supports in2aqua with strategic product design solutions. Like an integrated department, the team is led by Volker Schumann who develops innovative products in close cooperation with its clients and covers everything from simple designs to complex systems. WERKSDESIGN has supported international lifestyle brands like ADIDAS, AUDI,

NIKE, SONY and VOLKSWAGEN from their Berlin, Germany office since 2004.

WERKSDESIGN has won several prestigious international recognitions such as the iF and red dot design awards.





in2aqua

Stellar faucets made with quality components

Pure water is the foundation of all life. At in2aqua, we strive to create stellar products that are made for the user in the most safe and reliable way. We are committed to design excellence and improving our high quality on a continuous basis.

All our products are engineered with EN 817, EN 1111, NSF/ANSI61, ASME A112.18.1-2012, CSA B125.1-12 in mind and meet or exceed North American standards.









in2aqua

Bath

Each in2aqua collection emphasizes individuality and sets a new quality competence for bathroom design excellence



in2aqua Bath EDGE



in2aqua

Chrome

Brushed Nickel

in2aqua Edge one-hole single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

in2aqua Edge widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop up drain included
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

in2aqua Edge one-hole single-lever vessel mixer


- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome 1023 1 00 2

\$523.00

Brushed Nickel

1023 1 20 2 \$594.00




4 3/8"

Chrome 1014 1 00 2

\$671.00

Brushed Nickel 1014 1 20 2

\$825.00




Chrome


1024 1 00 2 \$692.00

Brushed Nickel

1024 1 20 2 \$825.00









in2aqua Edge single-hole side-lever basin mixer with pop-up

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation with swivel spout
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1045 1 00 2 \$599.00

Brushed Nickel

1045 1 20 2 \$725.00

in2aqua Edge 2-hole in-wall for wash basin

- · German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Plasma coated ceramic disc
- Single handle operationInstallation: 2-hole; wall
- Metal handle, sleeve and escutcheon
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1026 2 00 2 \$300.00

Brushed Nickel

1026 2 20 2 \$363.00

Requires rough-in valve

1112 2 99 2 \$455.00

in2aqua Edge single-lever bidet mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Flexible hose technology
- Metal pop-up drain included
- Single handle operation
- Neoperl Flow 1.2 GPM

Chrome

1025 1 00 2 \$436.00

Brushed Nickel

1025 1 20 2 \$505.00

in2aqua Edge pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

Chrome

1318 2 00 0 \$290.00

Brushed Nickel

1318 2 20 0 \$360.00

Requires rough-in valve

1195 2 99 2 \$480.00

or CALGreen option

1196 2 99 2 \$497.00



in2aqua Edge pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

Chrome


1017 2 00 0 \$272.00


Brushed Nickel

1017 2 20 0 \$332.00

Requires rough-in valve

1194 2 99 2 \$405.00





in2aqua Edge motion 2-way or 3-way diverter trim kit, with shutoff

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent positioning

Chrome

1042 2 00 2 \$151.00

Brushed Nickel

1042 2 20 2 \$181.00

Requires rough-in valve

2-way 1114 2 99 2 \$284.00 3-way 1130 2 99 2 \$321.00

or CALGreen option (no combo)

2-way 1125 2 99 2 \$289.00 3-way 1129 2 99 2 \$326.00



in2aqua thermostatic valve trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

Chrome

1040 2 00 0 \$225.00

Brushed Nickel

1040 2 20 0 \$261.00

Requires rough-in valve

1115 2 99 2 \$528.00



in2aqua ½" shut-off/volume control trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

Chrome

1097 2 00 0 \$137.00

Brushed Nickel

1097 2 20 0 \$160.00

Requires rough-in valve

1113 2 99 2 \$236.00

in2aqua Edge free standing mixer for tub

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

Chrome

1102 2 00 2 \$1800.00

Brushed Nickel

1102 2 20 2 \$2050.00

Requires rough-in valve

1108 2 99 2 \$780.00

in2aqua Edge 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout made of solid brass construction
- Metal handles and escutcheons
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

Chrome

1015 2 00 0 \$791.00

Brushed Nickel

1015 2 20 0 \$1012.00

Requires rough-in valve

1003 2 99 2 \$495.00



29 11/16 * -32 13/16 * (834 -1754 mm)

in2aqua Edge tub spout XL, 1/2"


- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome

1037 1 00 2 \$175.00

Brushed Nickel

1037 1 20 2 \$221.00



in2aqua Edge tub spout 1/2"

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT


Chrome

1016 1 00 2 \$139.00

Brushed Nickel

1016 1 20 2 \$163.00





in2aqua Bath STYLE





in2aqua Style one-hole single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1027 1 00 2 \$511.00

Brushed Nickel

1027 1 20 2 \$580.00

in2aqua Style widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Connection 1/2"/14 NPSM
- Neoperl aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1009 1 00 2 \$595.00

Brushed Nickel

1009 1 20 2 \$682.00

in2aqua Style one-hole single-lever vessel mixer


- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61


Chrome

1028 1 00 2 \$675.00

Brushed Nickel


1028 1 20 2 \$803.00







156,5 mm 9° 90 mm 219 mm 266 mm





BATH STYLE | Creative designs that are light and playful, yet powerful and lasting

in2aqua Style single-hole side-lever basin mixer with pop-up

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation with swivel spout
- Flowrate 1.2 GPM
- · Neoperl aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1046 1 00 2 \$589.00

Brushed Nickel

1046 1 20 2 \$715.00

in2aqua Style 2-hole in-wall for wash basin

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Plasma coated ceramic disc
- Single handle operation
- Installation: 2-hole; wall
- Metal handle, sleeve and escutcheon
- Flowrate 1.2 GPM
- · Neoperl aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome 1030 2 00 2

\$289.00

Brushed Nickel

1030 2 20 2 \$352.00

Requires rough-in valve

1112 2 99 2 \$455.00

in2aqua Style single-lever bidet mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- · Flexible hose technology
- Metal pop-up drain included
- Single handle operation
- Neoperl Flow 1.2 GPM

Chrome

1029 1 00 2 \$426.00

Brushed Nickel

1029 1 20 2 \$494.00

in2aqua Style pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

Chrome

1319 2 00 0 \$260.00

Brushed Nickel

1319 2 20 0 \$300.00

Requires rough-in valve

1195 2 99 2 \$480.00

or CALGreen option

1196 2 99 2 \$497.00



in2aqua Style pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

Chrome


1012 2 00 0 \$210.00

Brushed Nickel

1012 2 20 0 \$240.00

Requires rough-in valve

1194 2 99 2 \$405.00





in2aqua Style motion 2-way or 3-way diverter trim kit, with shutoff

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent positioning

Chrome

1043 2 00 2 \$147.00

Brushed Nickel

1043 2 20 2 \$176.00

Requires rough-in valve

2-way 1114 2 99 2 \$284.00 3-way 1130 2 99 2 \$321.00

or CALGreen option (no combo)

2-way 1125 2 99 2 \$289.00 3-way 1129 2 99 2 \$326.00



in2aqua thermostatic valve trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

Chrome

1040 2 00 0 \$225.00

Brushed Nickel

1040 2 20 0 \$261.00

Requires rough-in valve

1115 2 99 2 \$528.00



in2aqua ½" shut-off/volume control trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

Chrome

1097 2 00 0 \$137.00

Brushed Nickel

1097 2 20 0 \$160.00

Requires rough-in valve

1113 2 99 2 \$236.00

in2aqua Style 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 7 GPM
- Neoperl aerator

Chrome


1010 2 00 0 \$655.00

Brushed Nickel

1010 2 20 0 \$870.00

Requires rough-in valve

1002 2 99 2 \$478.00



in2aqua Style tub spout XL, 1/2"

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome

1038 1 00 2 \$186.00

Brushed Nickel

1038 1 20 2 \$235.00



in2aqua Style tub spout 1/2"

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome

1011 1 00 2 \$112.00

Brushed Nickel

1011 1 20 2 \$135.00





in2aqua Bath CLASSIC



in2aqua Classic one-hole single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl cache' aerator
- CALGreen. WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1019 1 00 2 \$514.00

Brushed Nickel

1019 1 20 2 \$584.00

in2aqua Classic widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- · Neoperl cache' aerator
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1004 1 00 2 \$592.00

Brushed Nickel

1004 1 20 2 \$681.00

in2aqua Classic one-hole single-lever vessel mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl cache' aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61


Chrome

1020 1 00 2 \$651.00

Brushed Nickel


1020 1 20 2 \$769.00














in2aqua Classic single-hole side-lever basin mixer with pop-up

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation with swivel spout
- Flowrate 1.2 GPM
- Neoperl cache' aerator
- · CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1044 1 00 2 \$578.00

Brushed Nickel

1044 1 20 2 \$704.00

in2aqua Classic 2-hole in-wall for wash basin

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Plasma coated ceramic disc
- Single handle operation
- Installation: 2-hole; wall
- Metal handle, sleeve and escutcheon
- Flowrate 1.2 GPM
- Neoperl cache' aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome 1022 2 00 2

\$279.00

Brushed Nickel

1022 2 20 2 \$342.00

Requires rough-in valve

1112 2 99 2 \$455.00

in2aqua Classic single-lever bidet mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- · Go Pro lifetime faucet & finish warranty
- Flexible hose technology
- Metal pop-up drain included
- Single handle operation
- Neoperl Flow 1.2 GPM

Chrome

1021 1 00 2 \$415.00

Brushed Nickel

1021 1 20 2 \$484.00

in2aqua Classic pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

Chrome

1320 2 00 0 \$280.00

Brushed Nickel

1320 2 20 0 \$340.00

Requires rough-in valve

1195 2 99 2 \$480.00

or CALGreen option

1196 2 99 2 \$497.00

in2aqua Classic pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

Chrome

1007 2 00 0 \$254.00

Brushed Nickel

1007 2 20 0 \$306.00

Requires rough-in valve

1194 2 99 2 \$405.00











in2aqua Classic motion 2-way or 3-way diverter trim kit, with shutoff

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent positioning

Chrome:

1041 2 00 2 \$147.00

Brushed Nickel:

1041 2 20 2 \$177.00

Requires rough-in valve

2-way 1114 2 99 2 \$284.00 3-way 1130 2 99 2 \$321.00

or CALGreen option (no combo)

2-way 1125 2 99 2 \$289.00 3-way 1129 2 99 2 \$326.00

in2aqua thermostatic valve trim

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

Chrome

1040 2 00 0 \$225.00

Brushed Nickel

1040 2 20 0 \$261.00

Requires rough-in valve

1115 2 99 2 \$528.00

in2aqua ½" shut-off/volume control trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

Chrome

1097 2 00 0 \$137.00

Brushed Nickel

1097 2 20 0 \$160.00

Requires rough-in valve

1113 2 99 2 \$236.00

in2aqua Classic 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- Neoperl cache' aerator

Chrome


1005 2 00 0 \$685.00

Brushed Nickel

1005 2 20 0 \$924.00

Requires rough-in valve

1002 2 99 2 \$478.00



in2aqua Classic tub spout XL, 1/2"

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl cache' aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome

1036 1 00 2 \$173.00

Brushed Nickel

1036 1 20 2 \$219.00



in2aqua Classic tub spout 1/2"


- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl cache' aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT


Chrome

1006 1 00 2 \$128.00

Brushed Nickel

1006 1 20 2 \$153.00





in<mark>2</mark>aqua Bath RIVA







Matte Black

in2aqua Riva single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Cascading waterfall stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1220 1 00 2 \$578.00

Brushed Nickel

1220 1 20 2 \$709.00

Matte Black

1220 1 70 2 \$759.00

in2aqua Riva single-lever joystick basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal joystick handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Cascading waterfall stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1323 1 00 2 \$578.00

Brushed Nickel

1323 1 20 2 \$709.00

Matte Black

1323 1 70 2 \$759.00

in2aqua Riva widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61


Chrome 1297 1 00 2 \$688.00

Brushed Nickel


1297 1 20 2 \$862.00

Matte Black

1297 1 70 2 \$912.00









2 9/16 " (82 mm) 1 9/16 "

(40 mm)

BATH RIVA | Design fusion that is sensual in its detail

in2aqua Riva pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

Chrome

1312 2 00 0 \$280.00

Brushed Nickel

1312 2 20 0 \$330.00

Matte Black


1312 2 70 0 \$360.00

Requires rough-in valve

1195 2 99 2 \$480.00

or CALGreen option

1196 2 99 2 \$497.00



in2aqua Riva pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

Chrome

1309 2 00 2 \$239.00

Brushed Nickel

1309 2 20 2 \$291.00

Matte Black

1309 2 70 2 \$321.00

Requires rough-in valve

1194 2 99 2 \$405.00

Ø76/16"

(188 mm)

in2aqua Urban thermostatic valve trim kit with 1 push-button

- Push-button on/off control for 1 outlet
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle
- CALGreen

Chrome

1401 2 00 0 \$371.00

Brushed Nickel

1401 2 20 0 \$423.00

Matte Black

1401 2 70 0 \$473.00

Requires rough-in valve

1493 2 98 2 \$524.00

in2aqua Urban thermostatic valve trim

- Push-button on/off control for 2 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop

kit with 2 push-button

- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

Chrome

1402 2 00 0 \$391.00

Brushed Nickel

1402 2 20 0 \$443.00

Matte Black

1402 2 70 0 \$493.00

Requires rough-in valve

1493 2 98 2 \$524.00

in2aqua Urban thermostatic valve trim kit with 3 push-button

- Push-button on/off control for 3 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

Chrome

1403 2 00 0 \$411.00

Brushed Nickel

1403 2 20 0 \$463.00

Matte Black

1403 2 70 0 \$503.00

Requires rough-in valve

1493 2 98 2 \$524.00









in2aqua Urban thermostatic valve trim kit with integrated stop, volume control and manual diverter

- Thermostatic cartridge, shut-off/diverter valve
- Volume control and diverter for 2 independent outlets with pipe loop
- Anti-scald 100°safety stop
- Metal trim and handles
- CALGreen

Chrome

1408 2 00 0 \$420.00

Brushed Nickel


1408 2 20 0 \$463.00

Matte Black

1408 2 70 0 \$503.00

Requires rough-in valve

1491 2 98 2 \$540.00



in2aqua Urban tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome

1224 1 00 2 \$120.00

Brushed Nickel

1224 1 20 2 \$155.00

Matte Black

1224 1 70 2 \$190.00

in2aqua Riva 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

Chrome

1300 2 00 2 \$741.00

Brushed Nickel

1300 2 20 2 \$898.00

Matte Black

1300 2 70 2 \$948.00

Requires rough-in valve

1003 2 99 2 \$495.00



in2aqua Riva free standing mixer for tub

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

Chrome

1103 2 00 2 \$1825.00

Brushed Nickel

1103 2 20 2 \$2150.00

Matte Black

1103 2 70 2 \$2210.00

Requires rough-in valve

1108 2 99 2 \$780.00





in**2**aqua Bath STRATA







Matte Black

in2aqua Strata single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1218 1 00 2 \$599.00

Brushed Nickel

1218 1 20 2 \$641.00

Matte Black

1218 1 70 2 \$691.00

in2aqua Strata single-lever joystick basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal joystick handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1324 1 00 2 \$599.00

Brushed Nickel

1324 1 20 2 \$641.00

Matte Black

1324 1 70 2 \$691.00

in2aqua Strata SLM single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1170 1 00 2 \$435.00

Brushed Nickel

1170 1 20 2 \$620.00

Matte Black

1170 1 70 2 \$670.00








4 7/16" (113 mm) 8" ± Flex (203 mm) 5 9/32" (117,8 mm) 5 9/32" (134 mm) 0 2 1/8" (53,8 mm)





BATH STRATA | Bold accents for strong design character

in2aqua Strata widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1298 1 00 2 \$709.00

Brushed Nickel

1298 1 20 2 \$891.00

Matte Black

1298 1 70 2 \$941.00

in2aqua Strata pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

Chrome

1314 2 00 0 \$290.00

Brushed Nickel

1314 2 20 0 \$340.00

Matte Black

1314 2 70 0 \$390.00

Requires rough-in valve

1195 2 99 2 \$480.00

or CALGreen option

1196 2 99 2 \$497.00

in2aqua Strata pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

Chrome

1310 2 00 2 \$250.00

Brushed Nickel

1310 2 20 2 \$302.00

Matte Black

1310 2 70 2 \$352.00

Requires rough-in valve

1194 2 99 2 \$405.00

in2aqua Urban thermostatic valve trim kit with 1 push-button

- Push-button on/off control for 1 outlet
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle
- CALGreen

Chrome

1401 2 00 0 \$371.00

Brushed Nickel

1401 2 20 0 \$423.00

Matte Black

1401 2 70 0 \$473.00

Requires rough-in valve

1493 2 98 2 \$524.00



in2aqua Urban thermostatic valve trim kit with 2 push-button

- Push-button on/off control for 2 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

Chrome

1402 2 00 0 \$391.00

Brushed Nickel

1402 2 20 0 \$443.00

Matte Black

1402 2 70 0 \$493.00

Requires rough-in valve

1493 2 98 2 \$524.00



in2aqua Urban thermostatic valve trim kit with 3 push-button

- Push-button on/off control for 3 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off
 button
- All metal trim, buttons and handle

Chrome

1403 2 00 0 \$411.00

Brushed Nickel

1403 2 20 0 \$463.00

Matte Black

1403 2 70 0 \$503.00

Requires rough-in valve

1493 2 98 2 \$524.00



Ø 7 7/8* (200 mm) 3 5/32* (80 mm)

in2aqua Urban thermostatic valve trim kit with integrated stop, volume control and manual diverter

- Thermostatic cartridge, shut-off/diverter valve
- Volume control and diverter for 2 independent outlets with pipe loop
- Anti-scald 100°safety stop
- Metal trim and handles
- CALGreen

Chrome

1408 2 00 0 \$420.00

Brushed Nickel

1408 2 20 0 \$463.00

Matte Black

1408 2 70 0 \$503.00

Requires rough-in valve

1491 2 98 2 \$540.00



in2aqua Strata 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

Chrome

1301 2 00 2 \$846.00

Brushed Nickel

1301 2 20 2 \$1009.00

Matte Black

1301 2 70 2 \$1048.00

Requires rough-in valve

1003 2 99 2 \$495.00

in2aqua Strata free standing mixer for tub

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

Chrome

1106 2 00 2 \$1850.00

Brushed Nickel


1106 2 20 2 \$2200.00

Matte Black

1106 2 70 2 \$2270.00

Requires rough-in valve

1108 2 99 2 \$780. 00



in2aqua Urban tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome


1224 1 00 2 \$120.00


Brushed Nickel

1224 1 20 2 \$155.00

Matte Black

1224 1 70 2 \$190.00





in**2**aqua Bath LANA







Matte Black

in2aqua Lana single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1222 1 00 2 \$599.00

Brushed Nickel

1222 1 20 2 \$641.00

Matte Black

1222 1 70 2 \$721.00

in2aqua Lana single-lever joystick basin mixer

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal joystick handle and escutcheon
- · Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1322 1 00 2 \$599.00

Brushed Nickel

1322 1 20 2 \$641.00

Matte Black

1322 1 70 2 \$721.00

in2aqua Lana widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome


1299 1 00 2 \$767.00

Brushed Nickel


1299 1 20 2 \$951.00

Matte Black

1299 1 70 2 \$1001.00









in2aqua Lana pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

Chrome

1313 2 00 0 \$270.00

Brushed Nickel

1313 2 20 0 \$310.00

Matte Black


1313 2 70 0 \$340.00

Requires rough-in valve

1195 2 99 2 \$480.00

or CALGreen option

1196 2 99 2 \$497.00



in2aqua Lana pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

Chrome

1311 2 00 2 \$228.00

Brushed Nickel

1311 2 20 2 \$262.00

Matte Black

1311 2 70 2 \$290.00

Requires rough-in valve

1194 2 99 2 \$405.00

in2aqua Urban thermostatic valve trim kit with 1 push-button

- Push-button on/off control for 1 outlet
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle
- CALGreen

Chrome

1401 2 00 0 \$371.00

Brushed Nickel

1401 2 20 0 \$423.00

Matte Black

1401 2 70 0 \$473.00

Requires rough-in valve

1493 2 98 2 \$524.00

in2aqua Urban thermostatic valve trim kit with 2 push-button

- Push-button on/off control for 2 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

Chrome

1402 2 00 0 \$391.00

Brushed Nickel

1402 2 20 0 \$443.00

Matte Black

1402 2 70 0 \$493.00

Requires rough-in valve

1493 2 98 2 \$524.00

in2aqua Urban thermostatic valve trim kit with 3 push-button

- Push-button on/off control for 3 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

Chrome

1403 2 00 0 \$411.00

Brushed Nickel

1403 2 20 0 \$463.00

Matte Black

1403 2 70 0 \$503.00

Requires rough-in valve

1493 2 98 2 \$524.00









in2aqua Urban thermostatic valve trim kit with integrated stop, volume control and manual diverter

- Thermostatic cartridge, shut-off/diverter valve
- Volume control and diverter for 2 independent outlets with pipe loop
- Anti-scald 100°safety stop
- Metal trim and handles
- CALGreen

Chrome

1408 2 00 0 \$420.00

Brushed Nickel


1408 2 20 0 \$463.00

Matte Black

1408 2 70 0 \$503.00

Requires rough-in valve

1491 2 98 2 \$540.00



in2aqua Urban tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome

1224 1 00 2 \$120.00

Brushed Nickel

1224 1 20 2 \$155.00

Matte Black

1224 1 70 2 \$190.00

in2aqua Lana 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

Chrome

1302 2 00 2 \$836.00

Brushed Nickel


1302 2 20 2 \$988.00

Matte Black

1302 2 70 2 \$1038.00

Requires rough-in valve

1003 2 99 2 \$495.00



in2aqua Lana free standing mixer for tub

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- · Polymer no scratch hose

Chrome

1107 2 00 2 \$1800.00

Brushed Nickel

1107 2 20 2 \$2050.00

Matte Black

1107 2 70 2 \$2100.00

Requires rough-in valve

1108 2 99 2 \$780.00





in<mark>2</mark>aqua Bath RIVA X





in2aqua Riva X single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Cascading waterfall stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1174 1 00 2 \$610.00

Brushed Nickel

1174 1 20 2 \$741.00

Matte Black

1174 1 70 2 \$770.00

in2aqua Riva X single-lever joystick basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal joystick handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Cascading waterfall stream
- · CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1420 1 00 2

Brushed Nickel

\$741.00

Matte Black

1420 1 70 2 \$770.00

in2aqua Riva X widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1

NSF/ANSI 61

\$610.00

1420 1 20 2

Chrome

1197 1 00 2 \$820.00

Brushed Nickel


1197 1 20 2 \$993.00

Matte Black


1197 1 70 2 \$1020.00











in2aqua Riva X pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

Chrome

1315 2 00 0 \$260.00

Brushed Nickel

1315 2 20 0 \$310.00

Matte Black

1315 2 70 0 \$330.00

Requires rough-in valve

1195 2 99 2 \$480.00

or CALGreen option

1196 2 99 2 \$497.00

in2aqua Riva X pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

Chrome

1209 2 00 2 \$239.00

Brushed Nickel

1209 2 20 2 \$292.00

Matte Black

1209 2 70 2 \$310.00

Requires rough-in valve

1194 2 99 2 \$405.00

in2aqua Urban X thermostatic valve trim kit with 1 push-button

- Push-button on/off control for 1 outlet
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle
- CALGreen

in2aqua Urban X thermostatic valve trim kit with 2 push-button

- Push-button on/off control for 2 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

in2aqua Urban X thermostatic valve trim kit with 3 push-button

- Push-button on/off control for 3 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

Chrome

1441 2 00 0 \$391.00

Brushed Nickel

1441 2 20 0 \$443.00

Matte Black

1441 2 70 0 \$493.00

Requires rough-in valve

1493 2 98 2 \$524.00

Chrome

1442 2 00 0 \$411.00

Brushed Nickel

1442 2 20 0 \$463.00

Matte Black

1442 2 70 0 \$513.00

Requires rough-in valve

1493 2 98 2 \$524.00

Chrome

1443 2 00 0 \$431.00

Brushed Nickel

1443 2 20 0 \$483.00

Matte Black

1443 2 70 0 \$523.00

Requires rough-in valve

1493 2 98 2 \$524.00









in2aqua Urban X thermostatic trim kit, with integrated stop, volume control and manual diverter

- Thermostatic cartridge, shut-off/diverter valve
- Volume control and diverter for 2 independent outlets with pipe loop
- Anti-scald 100°safety stop
- Metal trim and handles
- CALGreen

Chrome 1448 2 00

1448 2 00 0 \$420.00

Brushed Nickel


1448 2 20 0 \$463.00

Matte Black

1448 2 70 0 \$503.00

Requires rough-in valve

1491 2 98 2 \$540.00



in2aqua Urban X tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome 1225 1 00 2

\$140.00

Brushed Nickel

1225 1 20 2 \$175.00

Matte Black

1225 1 70 2 \$225.00

in2aqua RIVA X 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

Chrome

1200 2 00 2 \$872.00

Brushed Nickel

1200 2 20 2 \$1030.00

Matte Black

1200 2 70 2 \$1060.00

Requires rough-in valve

1003 2 99 2 \$495.00



in2aqua Riva X free standing mixer for tub

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- · Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

Chrome

1109 2 00 2 \$1850.00

Brushed Nickel

1109 2 20 2 \$2100.00


Matte Black

1109 2 70 2 \$2175.00

Requires rough-in valve

1108 2 99 2 \$780.00





in<mark>2</mark>aqua Bath STRATA X



in2aqua Strata X single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1175 1 00 2 \$631.00

Brushed Nickel

1175 1 20 2 \$772.00

Matte Black

1175 1 70 2 \$810.00

in2aqua Strata X single-lever joystick basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal joystick handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1418 1 00 2

Brushed Nickel

1418 1 20 2 \$772.00

Matte Black

1418 1 70 2 \$810.00

in2aqua Strata X SLM single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

\$631.00

Chrome


1172 1 00 2 \$455.00

Brushed Nickel

1172 1 20 2 \$640.00


Matte Black

1172 1 70 2 \$690.00














in2aqua Strata X widespread

- · German Quality, Engineering & Design
- · Faucet body constructed of solid brass
- Metal handles and escutcheons
- · Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- · ADA compliant
- Fluehs valving (made in Germany)
- · Neoperl flexible hose technology
- · Metal pop-up drain included
- · Flowrate 1.2 GPM
- · Neoperl pivoting laminar stream
- · Connection 1/2"/14 NPSM
- · CALGreen, WaterSense
- · ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1198 1 00 2 \$841.00

Brushed Nickel

1198 1 20 2 \$1009.00

Matte Black

1198 1 70 2 \$1020.00

in2aqua Strata X pressure balance valve trim kit, with manual diverter

- · German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- · Metal handle and escutcheon
- · Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

Chrome

1317 2 00 0 \$270.00

Brushed Nickel

1317 2 20 0 \$320.00

Matte Black

1317 2 70 0 \$360.00

Requires rough-in valve

1195 2 99 2 \$480.00

or CALGreen option

1196 2 99 2 \$497.00

in2aqua Strata X pressure balance valve trim kit, without diverter

- · German Quality, Engineering & Design
- · Metal handle and escutcheon
- · Go Pro lifetime faucet & finish warranty
- · Single handle operation
- ADA compliant
- · Anti scald valve with hot water limiter

Chrome

1210 2 00 2 \$250.00

Brushed Nickel

1210 2 20 2 \$302.00

Matte Black

1210 2 70 2 \$310.00

Requires rough-in valve

1194 2 99 2 \$405.00

in2aqua Urban X thermostatic valve trim kit with 1 push-button

- Push-button on/off control for 1 outlet
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle
- CALGreen

in2aqua Urban X thermostatic valve trim kit with 2 push-button

- Push-button on/off control for 2 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

Chrome

Chrome

1441 2 00 0 \$391.00

1441 2 20 0

Matte Black

1441 2 70 0 \$493.00

1493 2 98 2 \$524.00

Requires rough-in valve

\$443.00

Brushed Nickel

1442 2 00 0 \$411.00

Brushed Nickel

1442 2 20 0 \$463.00

Matte Black

1442 2 70 0 \$513.00

Requires rough-in valve

1493 2 98 2 \$524.00

in2aqua Urban X thermostatic valve trim kit with 3 push-button

- Push-button on/off control for 3 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

Chrome

1443 2 00 0 \$431.00

Brushed Nickel

1443 2 20 0 \$483.00

Matte Black

1443 2 70 0 \$523.00

Requires rough-in valve

1493 2 98 2 \$524.00









in2aqua Urban X thermostatic trim kit, with integrated stop, volume control and manual diverter

- Thermostatic cartridge, shut-off/diverter valve
- Volume control and diverter for 2 independent outlets with pipe loop
- Anti-scald 100°safety stop
- Metal trim and handles
- CALGreen

Chrome 1448 2 00 0 \$420.00

Brushed Nickel

1448 2 20 0 \$463.00

Matte Black

1448 2 70 0 \$503.00

Requires rough-in valve

1491 2 98 2 \$540.00



in2aqua Strata X 4-hole roman tub trim kit

- · German Quality, Engineering & Design
- Spout made of solid brass construction
- · Metal handles and escutcheons
- · Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- · ADA compliant
- Includes performance hand shower with air technology
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

Chrome 1201 2 00 2 \$878.00

Brushed Nickel

1201 2 20 2 \$1030.00

Matte Black

1201 2 70 2 \$1060.00

Requires rough-in valve

1003 2 99 2 \$495.00

in2aqua Strata X free standing mixer for tub

- · German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- · Integrated pressure balance valve
- Swivel hand shower holder
- · Metal escutcheon
- Flow rate: 6 GPM
- · Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- · Polymer no scratch hose

Chrome

1110 2 00 2 \$1950.00

Brushed Nickel


1110 2 20 2 \$2200.00

Matte Black

1110 2 70 2 \$2275.00

Requires rough-in valve

1108 2 99 2 \$780.00



in2aqua Urban X tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome


1225 1 00 2 \$140.00


Brushed Nickel

1225 1 20 2 \$175.00

Matte Black

1225 1 70 2





in<mark>2</mark>aqua Bath LANA X







in2aqua Lana X single-lever basin mixer

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- · Metal pop-up drain included
- · Single handle operation
- · Flowrate 1.2 GPM
- · Neoperl pivoting laminar stream
- · CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1176 1 00 2 \$589.00

Brushed Nickel

1176 1 20 2 \$702.00

Matte Black

1176 1 70 2 \$770.00

in2aqua Lana X single-lever joystick basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal joystick handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- · Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1422 1 00 2 \$589.00

Brushed Nickel

1422 1 20 2 \$702.00

Matte Black

1422 1 70 2 \$770.00

in2aqua Lana X widespread

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- · Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- · Neoperl flexible hose technology
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- · CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome

1199 1 00 2 \$799.00

Brushed Nickel


1199 1 20 2 \$983.00

Matte Black

1199 1 70 2 \$1010.00











in2aqua Lana X pressure balance valve trim kit, with manual diverter

- · German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- · Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

Chrome 1316 2 00 0 \$270.00

Brushed Nickel

1316 2 20 0 \$330.00

Matte Black


1316 2 70 0 \$355.00

Requires rough-in valve

1195 2 99 2 \$480.00

or CALGreen option

1196 2 99 2 \$497.00



in2aqua Lana X pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

Chrome

1211 2 00 2 \$218.00

Brushed Nickel

1211 2 20 2 \$260.00

Matte Black

1211 2 70 2 \$270.00

Requires rough-in valve

1194 2 99 2 \$405.00

in2aqua Urban X thermostatic valve trim kit with 1 push-button

- Push-button on/off control for 1 outlet
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle
- CALGreen

in2aqua Urban X thermostatic valve trim kit with 2 push-button

- Push-button on/off control for 2 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

Chrome

Chrome

1441 2 00 0 \$391.00

Brushed Nickel

1441 2 20 0

Matte Black

1441 2 70 0

1493 2 98 2 \$524.00

Requires rough-in valve

\$493.00

\$443.00

1442 2 00 0 \$411.00

Brushed Nickel

1442 2 20 0 \$463.00

Matte Black

1442 2 70 0 \$513.00

Requires rough-in valve

1493 2 98 2 \$524.00

in2aqua Urban X thermostatic valve trim kit with 3 push-button

- Push-button on/off control for 3 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

Chrome

1443 2 00 0 \$431.00

Brushed Nickel

1443 2 20 0 \$483.00

Matte Black

1443 2 70 0 \$523.00

Requires rough-in valve

1493 2 98 2 \$524.00









in2aqua Urban X thermostatic trim kit, with integrated stop, volume control and manual diverter

- Thermostatic cartridge, shut-off/diverter valve
- Volume control and diverter for 2 independent outlets with pipe loop
- Anti-scald 100°safety stop
- Metal trim and handles
- CALGreen

Chrome 1448 2 00 0 \$420.00

Brushed Nickel


1448 2 20 0 \$463.00

Matte Black

1448 2 70 0 \$503.00

Requires rough-in valve

1491 2 98 2 \$540.00



in2aqua Urban X tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

Chrome

1225 1 00 2 \$140.00

Brushed Nickel

1225 1 20 2 \$175.00

Matte Black

1225 1 70 2 \$225.00

in2aqua Lana X 4-hole roman tub trim kit

- · German Quality, Engineering & Design
- · Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- · ADA compliant
- Includes performance hand shower with air technology
- · Flowrate 10 GPM
- · Neoperl pivoting laminar stream

Chrome

1202 2 00 2 \$867.00

Brushed Nickel

1202 2 20 2 \$1030.00

Matte Black

1202 2 70 2 \$1060.00

Requires rough-in valve

1003 2 99 2 \$495.00



in2aqua Lana X free standing mixer for tub

- · German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- · Integrated pressure balance valve
- · Swivel hand shower holder
- · Metal escutcheon
- Flow rate: 6 GPM
- · Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- · Polymer no scratch hose

Chrome

1111 2 00 2 \$1825.00

Brushed Nickel


1111 2 20 2 \$2075.00

Matte Black

1111 2 70 2 \$2150.00

Requires rough-in valve

1108 2 99 2 \$780.00





Patented & award winning technology that sets in2aqua technology apart from all other rough-ins

in2itiv


Awarded the **AIT Innovation Prize**

"Architecture + Technology"

ISH Frankfurt, Germany



- The rough-in mounting system that allows for easy wall depth adjustments and compensates for uneven mounting surfaces.
- 2 Sturdy clamping system with quick connects. Flame retardant metal mounting system.
- The in2itiv system decouples the valve from the mounting wall thus reducing noise transfer when in operation.
- As an added feature, the polymer box provides extra protection against potential drips that can come from the shower area during operation or maintenance of the valve. The box design and trim kit allow water to safely exit the inner wall to the shower area.













Thin Wall Adapter






in2aqua

in2aqua eurobalance

The perfect balance of function, form & flow






ROUGH-INS in 2 it iv

in2aqua 4-port pressure balance valve (eurobalance), with manual diverter

- · German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Built-in service ball stops for convenience
- Designed to prevent cross flow and reduce water hammer
- 1/2" NPT female connections
- · Protection against scalding and cold water shock
- Stainless steel piston compensates for water pressure fluctuations
- Cold water supply failure .05 gpm within 5 seconds
- Temperature control within 3°F (1.78°C) of set point
- Reversible cartridge allows back to back installation, eliminating additional piping
- Shallow valve body suitable for thin wall installations
- Manual diverter allows for setting to stay in place after use
- Proven technology reduces replacement parts and trouble shooting
- · Flow rate: 6 GPM at 50 PSI / tub
- Flow rate: 4.6 GPM at 50 PSI / shower
- Approved to ASME A112.18.1, CSA B125, and ASSE 1016 standards

1195 2 99 2 \$480.00


or CALGreen compliant option 1196 2 99 2 \$497.00




in2aqua 3-port pressure balance valve (eurobalance), without diverter


- · German Quality, Engineering & Design
- · Go Pro Lifetime faucet & finish warranty
- · Built-in service ball stops for convenience
- Designed to prevent cross flow and reduce water hammer
- 1/2" NPT female connections
- · Protection against scalding and cold water shock
- Stainless steel piston compensates for water pressure fluctuations
- Cold water supply failure .05 gpm within 5 seconds
- Temperature control within 3°F (1.78°C) of set point
- Reversible cartridge allows back to back installation, eliminating additional piping
- Shallow valve body suitable for thin wall installations
- Proven technology reduces replacement parts and trouble shooting
- Flow rate: 4.6 GPM at 50 PSI / shower
- Approved to ASME A112.18.1, CSA B125, and ASSE 1016 standards


1194 2 99 2 \$405.00



ROUGH-INS in 2 it iv







in2aqua in2itiv thermostatic valve rough-in

- · German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- · All functioning parts made of high-quality brass.
- European materials are used which are resistant to wear, lime scale and contamination.
- Braided sieves for optimal performance.
- The Flühs Eco Drive allows the optimum temp settings
- · Fast thermal element shut-down in case of cold water loss
- Fast response time to reduce hot and cold spikes
- · Connection 1/2" NPT
- Flow rate: 7.5 GPM at 45 PSI
- ASME A112.18.1, CSA B125

 and ASSE 1016 standards complia

and ASSE 1016 standards compliant

1115 2 99 2 \$528.00

Sound decoupled rough in according to DIN 4109 \$528

in2aqua in2itiv motion 3 independent functions or combo diverter with shut-off rough-in

- · German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Pre-mixed water up to three separate functions
- Positive detent assists user in finding desired setting
- Volume control for each function
- Shut off position included

 The base arranged diseases because
- · Fluehs ceramic disc technology
- Flow rate: 10.5 GPM at 45 PSI
- Connection 1/2" NPTASME A112.18.1, CSA B125
- and ASSE 1016 standards compliant

- Sound decoupled rough in according to DIN 4109

1130 2 99 2 \$321.00

or CALGreen compliant option

(no combo) 1129 2 99 2 \$326.00

in2aqua in2itiv motion 2 independent functions or combo diverter with shut-off rough-in

- · German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Pre-mixed water up to two separate functions
- Positive detent assists user in finding desired setting
- Volume control for each function
- Shut off position included
- Fluehs ceramic disc technology
- Flow rate: 10.5 GPM at 45 PSI
- Connection 1/2" NPT
- ASME A112.18.1, CSA B125
- and ASSE 1016 standards compliant
- Sound decoupled rough in according to DIN 4109

1114 2 99 2

\$284.00

or CALGreen compliant option (no combo)

1125 2 99 2 \$289.00

ROUGH-INS in 2 itiv

in2aqua in2itiv ½" shut-off/ volume control valve rough-in


- · German Quality, Engineering & Design
- Go Pro Lifetime faucet & finish warranty
- Sound decoupled rough in according to DIN 4109
- Removable plastic water guard
- Water guard pad included
- · Connection: NPT 1/2"
- ASME A112.18.1, CSA B125
 and ASSE 1016 standards compliant


1113 2 99 2 \$236.00

in2aqua in2itiv single-lever rough-in for wall mounted installation

- · German Quality, Engineering & Design
- Go Pro Lifetime faucet & finish warranty
- Sound decoupled rough in according to DIN 4109
- · Removable plastic water guard
- \cdot $\;$ Temperature setting on ceramic cartridge for add saftety
- Flexible coupling of valve to eliminate stress in system
- · Water guard pad included
- · Connection: NPT 1/2"
- ASME A112.18.1, CSA B125 and ASSE 1016 standards compliant

1112 2 99 2 \$455.00






in2aqua

in2aqua eurotherm

The perfect balance of function, form & flow



ROUGH-INS in 2 itiv

in2aqua thermostatic valve (eurotherm) with push-button control/start & stop

- Push-button on/off control for 1 and up to 3 outlets
- · Outlets may be operated simultaneously
- Flow: 7.1 GPM (26.8 L/Min) Ttl. / 5.1 GPM (19.3 L/Min) per outlet
- · Anti-scald 100°safety stop
- Forged brass body with 3/4" inlets / 1/2" outlets
- · Vernet thermostatic control cartridge
- Service box and mud guard with integrated balance tool for optimal installation and rough alignment

• 1 push-button is CALGreen

1493 2 98 2 \$524.00

in2aqua thermostatic valve (eurotherm) with integrated stop, volume control and manual diverter

- Manual diverter for 2 independent outlets
- Flow: 6.9 GPM (26.1 L/Min) per outlet
- Anti-scald 100°safety stop
- Forged brass body with 3/4" inlets / 1/2" outlets
- · Vernet thermostatic control cartridge
- Service box and mud guard with integrated balance tool for optimal installation and rough alignment

· CALGreen

1491 2 98 2 \$540.00





ROUGH-INS



in2aqua Edge/Urban 4-hole roman tub rough-in

- · German Quality, Engineering & Design
- · Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Double handle operation 1/4 turn valves
- · ADA compliant
- Fluehs valving (made in Germany)
- · BrassCraft flexible hose technology
- Flow rate: up to 10 GPM
- ASME A112.18.1, CSA B125.1
- · Connection 1/2"/14 NPSM

1003 2 99 2 \$495.00




in2aqua Classic/Style 4-hole roman tub rough-in

- · German Quality, Engineering & Design
- · Faucet body constructed of solid brass
- · Go Pro lifetime faucet & finish warranty
- Double handle operation 1/4 turn valves
- · ADA compliant
- · Fluehs valving (made in Germany)
- BrassCraft flexible hose technology
- Flow rate: Style-up to 7 GPM
- Flow rate: Classic-up to 10 GPM
- ASME A112.18.1, CSA B125.1

· Connection 1/2"/14 NPSM

1002 2 99 2 \$478.00



in2aqua free standing tub filler rough-in valve

- German Quality, Engineering & Design
- · Go Pro Lifetime faucet & finish warranty
- Adjustable to accommodate uneven floors
- Mud guard with min/max floor depth
- Rough can be installed and rotated to fit pipes
- Trim can be rotated 360 degrees
- ASME A112.18.1, CSA B125.1
- · ASSE 1016 standards compliant
- · Flowrate 6 GPM

1108 2 99 2 \$780.00

IN2AQUA ROUGHS WITHOUT IN2ITIV MOUNTING SYSTEM



in2aqua 4-port pressure balance valve (Eurobalance), with manual diverter, without in2itiv rough in mounting system

1195 2 98 2

\$430.00

or CALGreen compliant option

1196 2 98 2 \$447.00



in2aqua 3-port pressure balance valve (Eurobalance), without manual diverter, without in2itiv rough in mounting system

11942982 \$355.00



in2aqua single-lever rough-in for wall mounted installation, without in2itiv rough-in mounting system

1112 2 98 2 \$405.00



in2aqua motion 3 independent functions or combo diverter with shut-off rough-in, without in2itiv rough-in mounting system

1130 2 98 2

\$271

or CALGreen compliant option

1129 2 98 2



in2aqua motion 2 independent functions or combo diverter with shut-off rough-in, without in2itiv rough-in mounting system

1114 2 98 2

or CALGreen compliant option 1125 2 98 2 \$239



in2aqua ½" shut-off/volume control valve rough-in, without in2itiv rough-in mounting system

1113 2 98 2 \$186.00



in2aqua thermostatic valve (eurotherm) with push-button, without in2itiv rough-in mounting system

1493 2 98 2 \$524.00



in2aqua thermostatic valve (eurotherm) with manual diverter, without in2itiv rough-in mounting system

1491 2 98 2 \$ 540.00



in2aqua thermostatic valve rough-in, without in2itiv rough-in mounting system


1115 2 98 2 \$478.00

A MUD GUARD IS INCLUDED WITH ALL IN2AQUA ROUGH-IN VALVES


WATER FLOW FOR THERMOSTATIC 2-WAY DIVERTERS

1114 2 99 2 HANDLE POSITION & WATER FLOW






1125 2 99 2 HANDLE POSITION & WATER FLOW (CALGREEN COMPLIANT)




WATER FLOW FOR THERMOSTATIC 3-WAY DIVERTERS

1130 2 99 2 HANDLE POSITION & WATER FLOW





1129 2 99 2 HANDLE POSITION & WATER FLOW (CALGREEN COMPLIANT)



in2aqua

Shower

Where excellence demands function, form & flow







Chrome

Brushed Nickel



Matte Black

in2aqua

Performance Showers

in2aqua's advanced multi port ceramic disc valve diverter combined with our high performance thermostatic valve guarantees an ergonomic and user friendly shower system. Our award winning in2itiv mounting system saves installation costs and reduces sound transfer to the back wall. Equally impressive is in2aqua's shower collection which utilizes Air Technology to enhance the showering experience and save water. All in all, in2aqua showers offer superior quality, performance and versatility.









in2aqua hand shower, 5 ^{1/2}", 2-spray

- · German Quality, Engineering & Design with air technology
- · Chrome spray face
- · ADA compliant
- CALGreen 1.8 GPM flow rate
 Easy to clean silicon nozzles
 ASME A112.18.1, CSA B125.1
- Connection G1/2" Brushed Nickel

4008 1 20 2 \$254.00

\$214.00

\$257.00

in2aqua hand shower, 4 1/4", 1-spray

- · German Quality, Engineering & Design with air technology
- · Chrome spray face
- · ADA compliant

CALGreen 1.8 GPM flow rate	Chrome	
Easy to clean silicon nozzles	4000 1 00 2	\$126.00
ASME A112.18.1, CSA B125.1		
Connection G1/2"	Brushed Nickel	

4000 1 20 2

in2aqua hand shower, 4 1/4", 2-spray

- · German Quality, Engineering & Design with air technology
- · Chrome spray face
- ADA compliant

	CALGreen 1.8 GPM flow rate	Chrome	
	Easy to clean silicon nozzles	4001 1 00 2	\$151.00
•	ASME A112.18.1, CSA B125.1		
	Connection G1/2"	Brushed Nickel	

4001 1 20 2

in2aqua hand shower, 4", 3-spray

- German Quality, Engineering & Design with air technology
- · ADA compliant
- · CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- ASME A112.18.1, CSA B125.1

Connection G1/2"

Chrome 4013 1 00 2

\$130.00

Brushed Nickel

4013 1 20 2 \$162.00

in2aqua hand shower, 4", 1-spray

- · German Quality, Engineering & Design with air technology
- · ADA compliant
- CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles

	,
٠	ASME A112.18.1, CSA B125.1
	Connection G1/2"

Chrome 4012 1 00 2

\$97.00

Brushed Nickel

4012 1 20 2 \$139.00


in2aqua hand shower stick

- · German Quality, Engineering & Design
- · Constructed of solid brass with metal escutcheon
- · CALGreen 1.8 GPM flow rate
- ASME A112.18.1, CSA B125.1
- 1/2" NPT

Seal included	Chrome 4019 1 00 2	\$89.00
	Brushed Nickel 4019 1 20 2	\$124.00
	Matte Black	\$119.00









in2aqua flat shower head XL, 12"

- German Quality, Engineering & Design with air technology
- · Chrome spray face
- ADA compliant
- 2.5 GPM flow rate
- Easy to clean silicon nozzles Chrome

• 1/2" NPT 4018 1 00 2 \$394.00

Brushed Nickel

4018 1 20 2 \$630.00



in2aqua flat shower head, 8"


- German Quality, Engineering & Design with air technology
- · Chrome spray face
- · ADA compliant
- 2.5 GPM flow rate

 • Easy to clean silicon nozzles
 Chrome

 • 1/2" NPT
 4016 1 00 2
 \$252.00

Brushed Nickel 4016 1 20 2 \$302.00

in2aqua Urban shower head, 10"



- · German Quality, Engineering & Design with air technology
- · ADA compliant
- · CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- 1/2" NPT

Matte Black

4026 1 70 2 \$185.00

in2aqua shower head, 7", 1-spray

- · German Quality, Engineering & Design with air technology
- · Chrome spray face
- · ADA compliant

٠	CALGreen 1.8 GPM flow rate	Chrome
	Easy to clean silicon nozzles	4004 1 00 2

• 1/2" NPT

Brushed Nickel

4004 1 20 2 \$283.00

\$194.00

\$165.00

\$98.00

in2aqua shower head, 5 1/2", 1-spray

- · German Quality, Engineering & Design with air technology
- · Chrome spray face
- ADA compliant
- · CALGreen 1.8 GPM flow rate

•	Easy to clean silicon nozzles	Chrome
	ASME A112.18.1, CSA B125.1	4002 1 00 2

· Connection G1/2"

Brushed Nickel4002 1 20 2 \$235.00

in2aqua shower head, 4", 3-spray

- · German Quality, Engineering & Design with air technology
- · ADA compliant
- · CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- ASME A112.18.1, CSA B125.1

Connection G1/2"

Chrome

4011 1 00 2

Brushed Nickel

4011 1 20 2 \$139.00

in2aqua shower head, 4", 1-spray

- · German Quality, Engineering & Design with air technology
- · ADA compliant
- · CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles
- ASME A112.18.1, CSA B125.1
- · Connection G1/2"

Chrome

4010 1 00 2 \$77.00

Brushed Nickel


4010 1 20 2 \$106.00
















in2aqua Urban X shower head XL, 12"

- · German Quality, Engineering & Design with air technology
- · Chrome spray face
- · ADA compliant
- 2.5 GPM flow rate

• Easy to clean silicon nozzles

• 1/2" NPT

Chrome

4017 1 00 2 \$406.00

Brushed Nickel

4017 1 20 2 \$650.00

in2aqua Urban X shower head, 8"

- German Quality, Engineering & Design with air technology
- · Chrome spray face
- · ADA compliant
- · CALGreen 1.8 GPM flow rate

Easy to clean silicon nozzles1/2" NPT

Chrome

4015 1 00 2 \$261.00

Brushed Nickel

4015 1 20 2 \$321.00

in2aqua Urban X shower head, 10"

- German Quality, Engineering & Design with air technology
- · ADA compliant
- · CALGreen 1.8 GPM flow rate
- Easy to clean silicon nozzles

· 1/2" NPT

Matte Black

4020 1 70 2

\$251.00

in2aqua Urban X shower arm XL, 18"

German Quality, Engineering & Design	Chrome	
Constructed of solid brass with	4713 1 00 2	\$236.00
metal escutcheon		
1/2" NPT	Brushed Nickel	
Seals included	4713 1 20 2	\$370.00



in2aqua Urban X shower arm, 12"

•	German Quality, Engineering & Design	Chrome	
	Constructed of solid brass with	4712 1 00 2	\$178.00
	metal escutcheon		
	1/2" NPT	Brushed Nickel	
•	Seals included	4712 1 20 2	\$228.00
		Matte Black	
		4712 1 70 2	\$286.00



in2aqua Urban X ceiling shower arm XL, 12"

- German Quality, Engineering & Design
- · Constructed of solid brass with metal escutcheon
- 1/2" NPT
- · Seals included

Chrome 4715 1 00 2	\$173.00
Brushed Nickel 4715 1 20 2	\$255.00
Matte Black	\$257.00



in2aqua Urban X ceiling shower arm, 4"

- · German Quality, Engineering & Design
- · Constructed of solid brass with metal escutcheon

٠	1/2" NPT		
•	Seals included	Chrome 4714 1 00 2	\$96.00
		Brushed Nickel 4714 1 20 2	\$124.00
		Matte Black 4714 1 70 2	\$169.00











in2aqua shower arm XL, 17 3/4"

- · German Quality, Engineering & Design
- · Constructed of solid brass with metal escutcheon
- 1/2" NPT

Seals included	Chrome 4708 1 00 2	\$206.00
	Brushed Nickel 4708 1 20 2	\$284.00
	Matte Black	\$240.00

in2aqua extended shower arm, 9 1/4"

- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- · 1/2" NPT
- · Seals included

Chrome	
4710 1 00 2	\$142.00
Brushed Nickel	
4710 1 20 2	\$189.00
Matte Black	
4710 1 70 2	\$215.00

in2aqua shower arm, 6"

- · German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT

Seals included	Chrome 4722 1 00 2	\$91.00
	Brushed Nickel 4722 1 20 2	\$121.00
	Matte Black 4722 1 70 2	\$131.00

in2aqua shower arm, 4"

- · German Quality, Engineering & Design
- · Constructed of solid brass with metal escutcheon
- 1/2" NPT
- · Seals included

Chrome 4702 1 00 2	\$71.00
Brushed Nickel	
4702 1 20 2	\$108.00

in2aqua ceiling shower arm XL, 12"

- · German Quality, Engineering & Design
- · Constructed of solid brass with metal escutcheon
- · 1/2" NPT
- · Seals included

Chrome 4711 1 00 2	\$109.00
Brushed Nickel 4711 1 20 2	\$162.00
Matte Black 4711 1 70 2	\$170.00

in2aqua ceiling shower arm, 4"


- German Quality, Engineering & Design
- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- · Seals included

4707 1 00) 2	\$75.00
Brushed 4707 1 20		\$118.00
Matte Bl 4707 1 70		\$140.00


in2aqua body spray

- · German Quality, Engineering & Design
- Flowrate 1.8 GPM
- · Chrome spray face
- Sleek design
- Easy to clean silicon nozzles
- Connection 1/2" NPT

Chrome 4700 1 00 2	\$181.00
Brushed Nickel	
4700 1 20 2	\$195.00













in2aqua wall outlet

- · German Quality, Engineering & Design
- · Constructed of solid brass with non metallic escutcheon
- · Backflow preventer
- 1/2" NPT wall thread / G1/2" shower thread
- · Seals included

4701 1 00 2	\$69.00
Brushed Nickel 4701 1 20 2	\$103.00
Matte Black	
4701 1 70 2	\$150.00

in2aqua hand shower holder

- · German Quality, Engineering & Design
- · Constructed of non metallic materials
- Mounting kit included

Chrome 4703 1 00 0	\$36.00
Brushed Nickel 4703 1 20 0	\$47.00
Matte Black 4703 1 70 0	\$84.00

in2aqua wall outlet with swivel hand shower holder


- · German Quality, Engineering & Design
- Engineering Standard EN 817, EN 1111
- Made of highly polished stainless steel
- · Connection 1/2" NPT
- · Seals included
- · Integrated water inlet and hand shower holder

Chrome	
4718 1 00 2	\$88.00
Brushed Nickel	
4718 1 20 2	\$127.00

in2aqua Urban X wall outlet

- · German Quality, Engineering & Design
- · Constructed of solid brass with non metallic escutcheon
- · Backflow preventer
- 1/2" NPT wall thread / G1/2" shower thread
- · Seals included

4716 1 00 2	\$74.00
Brushed Nickel 4716 1 20 2	\$102.00
Matte Black 4716 1 70 2	\$89.00



- German Quality, Engineering & Design
- $\boldsymbol{\cdot}$ Constructed of non metallic materials
- · Mounting kit included

Chrome 4025 1 00 2	\$21.00
Brushed Nickel 4025 1 20 2	\$41.00
Matte Black 4025 1 70 2	\$26.00

in2aqua Urban X hand shower holder & wall outlet

- German Quality, Engineering & Design
- · Constructed of non metallic materials
- · Mounting kit included


Chrome 4721 1 00 2	\$88.00
Brushed Nickel 4721 1 20 2	\$116.00
Matte Black 4721 1 70 2	\$89.00











in2aqua adjustable wall bar, 23 $^{1/2}$ " up to 31 $^{1/2}$ "

- German Quality, Engineering & DesignConstructed of solid brass with non metallic slider
- · Mounting kit included

4704 1 00 0	\$165.00
Brushed Nickel 4704 1 20 0	\$243.00
Matte Black 4704 1 70 2	\$259.00

in2aqua Urban X slide bar

- German Quality, Engineering & DesignConstructed of solid brass with non metallic slider
- · Mounting kit included

Chrome 4717 1 00 2	\$289.00
Brushed Nickel 4717 1 20 2	\$457.00
Matte Black	
4717 1 70 2	\$585.00

in2aqua shower hose, 49" inches

- · German Quality, Engineering & Design
- Constructed with brass swivel coupling and no scratch non metallic hose
- · Seals included
- · Connection G1/2"

Cilionie	
4709 1 00 2	\$83.00
Brushed Nickel	
4709 1 20 2	\$87.00



- German Quality, Engineering & Design
- Constructed with brass swivel coupling and no scratch non metallic hose
- · Seals included
- · Connection G1/2"

Chrome 4705 1 00 2	\$102.00
Brushed Nickel 4705 1 20 2	\$129.00
Matte Black 4705 1 70 2	\$135.00

in2aqua shower hose, 78" inches


- · German Quality, Engineering & Design
- Constructed with brass swivel coupling and no scratch non metallic hose
- · Seals included
- · Connection G1/2"

Chrome	
4706 1 00 2	\$107.00
Brushed Nickel	
4706 1 20 2	\$134.00
Matte Black	
4706 1 70 2	\$140.00











in2aqua

Kitchen

Form and function are key design elements that help define every in2aqua kitchen faucet







in 2 aqua two-handle pull down kitchen faucet

All pull-down sprays come with a durable non kink metal hose and magnetic lock design that assures the metal pulldown spray will stay in place when not in use. The entire brass spout can be lifted and laid to the side if the kitchen windows open towards the faucet.

Available in chrome or stainless steel optic, all pull-downs feature dual-spray functionality that can be locked in either mode and has a maximum handle position to eliminate back-splash contact. The entire aerator and veggie spray features an anti-lime scale system – a simple wipe of a finger removes build up and maintains optimal water flow; plus the smooth, long-lasting, greaseless ceramic disc cartridge assures drip free performance.

KITCHEN

in2aqua Edge two-lever handle kitchen faucet with swivel spout, pull-down spray

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- · Metal handles and escutcheon
- Spout swivels 150 degrees for increased comfort
- · Go Pro lifetime faucet & finish warranty
- Two-lever handle operation utilizing greaseless ceramic disc technology
- ADA compliant
- Locking push button control to switch from regular flow to spray
- 55" retractable metal spray hose
- · Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pullout spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- · CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- Counterweight to help retract metal hose with little effort

Chrome

6022 1 00 2 \$820.00

Stainless Steel

6022 1 80 2 \$950.00

Matte Black

6022 1 70 2 \$1040.00

Matte Black/Brushed Gold

6022 1 76 2 \$1070.00



in2aqua Edge two-knurl handle kitchen faucet with swivel spout, pull-down spray

- · German Quality, Engineering & Design
- · Faucet body constructed of solid brass
- · Metal handles and escutcheon
- Spout swivels 150 degrees for increased comfort
- Go Pro lifetime faucet & finish warranty
- Two-knurled handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Locking push button control to switch from regular flow to spray
- 55" retractable metal spray hose
- Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pullout spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- · CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- Counterweight to help retract metal hose with little effort


Chrome

6023 1 00 2 \$770.00

Stainless Steel

6023 1 80 2 \$900.00







in2aqua pull-down kitchen faucets

All pull-down sprays come with a durable non kink metal hose and magnetic lock design that assures the metal pulldown spray will stay in place when not in use. The entire brass spout can be lifted and laid to the side if the kitchen windows open towards the faucet.

Available in chrome or stainless steel optic, all pull-downs feature dual-spray functionality that can be locked in either mode and has a maximum handle position to eliminate back-splash contact. The entire aerator and veggie spray features an anti-lime scale system – a simple wipe of a finger removes build up and maintains optimal water flow; plus the smooth, long-lasting, greaseless ceramic disc cartridge assures drip free performance.

KITCHEN

in2aqua pull-down kitchen faucets

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- · Metal handle and escutcheon
- Spout swivels 150 degrees for increased comfort
- · Go Pro lifetime faucet & finish warranty
- · Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Locking push button control to switch from regular flow to spray
- 55" retractable metal spray hose
- · Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pullout spray with position lock
- · Easy to clean silicon nozzles that can be easily cleaned inside & out
- · CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- · Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- · Counterweight to help retract metal hose with little effort

in2aqua Edge singlelever kitchen faucet with swivel spout, pull-down spray

Chrome

6008 1 00 2 \$784.00

Stainless Steel

6008 1 80 2 \$906.00

in2aqua Style singlelever kitchen faucet with swivel spout, pull-down spray

Chrome

6009 1 00 2 \$773.00

Stainless Steel

6009 1 80 2 \$994.00

in2aqua Classic singlelever kitchen faucet

Chrome

6007 1 00 2

Stainless Steel

6007 1 80 2 \$861.00







\$740.00



in2aqua pull-out kitchen faucets



In2aqua pull-out kitchen faucets combine innovative design with the functionality and quality that the harshest kitchen environments demand. All pull-outs come with a durable non kink metal hose and optimal ergonomic design that assures the pull-out will stay in place when not in use.

Available in chrome or stainless steel optic, all pull-outs feature dual spray functionality that can be locked in either mode and has a maximum handle position to eliminate back-splash contact. The entire aerator and veggie spray ring is removable and features an anti-lime scale system – a simple wipe of a finger removes build up and maintains optimal water flow; plus the smooth, long-lasting, greaseless ceramic disc cartridge assures drip free performance.

KITCHEN

in2aqua Edge high arc single-lever kitchen faucet with swivel spout, pull-out spray


- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheons
- Spout swivels 150 degrees for increased comfort
- · Go Pro lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Locking push button control to switch from regular flow to spray
- 55" retractable metal spray hose
- Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pull-out spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- · CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61 Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- · Counterweight to help retract metal hose with little effort

Chrome

6001 1 00 2 \$895.00

Stainless Steel

6001 1 80 2 \$1016.00





Top lever pull-out faucets



in2aqua top lever kitchen faucets have plenty of quality features to off er: a robust 35 mm ceramic cartridge and metal hose, a tarnish free extra hard chrome coating and PVD stainless steel optic.

Additionally, all our kitchen faucets use lead free brass, Fluehs valves, plasma coated greaseless ceramic disc technology, Neoperl aerators, M-Lock and much more. Every high quality component is tested and must meet or exceed in2aqua specifications before being assembled in modern & certified facilities.

KITCHEN

in2aqua Edge single-lever kitchen faucet with swivel spout, pull-out spray


- · German Quality, Engineering & Design
- · Faucet body constructed of solid brass
- · Metal handle and escutcheon
- · Spout swivels 270 degrees for increased comfort
- Pro installation qualifies for in2aqua's limited lifetime faucet & finish warranty
- · Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Low lead compliant meeting federal and state regulations for lead content
- Locking push button control to switch from regular flow to spray
- · Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pull-out spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- · Code compliant
- Extra long flexible supply lines (25 1/2")
- · Counterweight to help retract metal hose with little effort
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM

Chrome

6010 1 00 2 \$656.00

Stainless Steel

6010 1 80 2 \$789.00



in2aqua Style single-lever kitchen faucet with swivel spout, pull-out spray


- · German Quality, Engineering & Design
- $\cdot \quad \text{Faucet body constructed of solid brass} \\$
- $\cdot \quad \text{Metal handle and escutcheons} \\$
- · Spout swivels 270 degrees for increased comfort
- · Go Pro lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Locking push button control to switch from regular flow to spray
- · Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pull-out spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- · CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- 55" retractable metal spray hose
- Counterweight to help retract metal hose with little effort


Chrome

6002 1 00 2 \$644.00

Stainless Steel

6002 1 80 2 \$765.00







in 2 aqua swivel spout kitchen and prep faucets

in2aqua top lever kitchen faucets have plenty of quality features to off er: a robust 25 mm ceramic cartridge and metal hose, a tarnish free extra hard chrome coating and PVD stainless steel optic.

Additionally, all our kitchen faucets use lead free brass, Fluehs valves, plasma coated greaseless ceramic disc technology, Neoperl aerators, M-Lock and much more. Every high quality component is tested and must meet or exceed in2aqua specifications before being assembled in modern & certified facilities.

KITCHEN


in2aqua Edge XL single-lever kitchen faucet with swivel spout

- · German Quality, Engineering & Design
- · Faucet body constructed of solid brass
- · Metal handle and escutcheon
- · Spout swivels 150 degrees for increased ease of use
- Pro installation qualifies for in2aqua's limited lifetime faucet & finish warranty
- · Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Low lead compliant meeting federal and state regulations for
- · Neoperl flexible hose technology 9/16"-24 UNEF
- · Code compliant
- Extra long flexible supply lines (25 1/2")
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM

Chrome 6006 1 00 2 \$610.00

Stainless Steel

6006 1 80 2 \$720.00




in2aqua Edge single-lever kitchen prep faucet with swivel spout

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- · Metal handle and escutcheon
- · Spout swivels 150 degrees for increased ease of use
- Pro installation qualifies for in2aqua's limited lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- · Low lead compliant meeting federal and state regulations for lead content
- Neoperl flexible hose technology 9/16″-24 UNEF
- · Code compliant
- Extra long flexible supply lines (25 1/2")
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM

Chrome 6004 1 00 2 \$595.00

Stainless Steel 6004 1 80 2 \$690.00





KITCHEN

in2aqua Style XL single-lever kitchen faucet with swivel spout

- · German Quality, Engineering & Design
- · Faucet body constructed of solid brass
- · Metal handle and escutcheon
- · Spout swivels 150 degrees for increased ease of use
- Pro installation qualifies for in2aqua's limited lifetime faucet & finish warranty
- · Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Low lead compliant meeting federal and state regulations for lead content
- · Neoperl flexible hose technology 9/16"-24 UNEF
- · Code compliant
- Extra long flexible supply lines (25 1/2")
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM

Chrome 6005 1 00 2

\$596.00

\$680.00

Stainless Steel 6005 1 80 2



in2aqua Classic XL single-lever kitchen prep faucet with swivel spout

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- · Spout swivels 150 degrees for increased ease of use
- Pro installation qualifies for in2aqua's limited lifetime faucet
 & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Low lead compliant meeting federal and state regulations for lead content
- Neoperl flexible hose technology 9/16″-24 UNEF
- · Code compliant
- Extra long flexible supply lines (25 1/2")
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM

Chrome

6000 1 00 2 \$610.00

Stainless Steel

6000 1 80 2 \$710.00



Terms and Conditions

- 1. Prices Subject to change without notice.
- 2. Freight in 2 aqua GmbH reserves the right to ship products by our choice of carrier. All shipments are F.O.B. via our point of distribution.
- 3. **Deliveries** in 2 aqua GmbH regrets delays beyond our control caused by strikes, fires, shortage of materials, accidents, transportation delays or acts of God, however we cannot be held responsible for them.
- 4. **Returns** All returned goods are subject to a restocking charge.
- 5. **Special Orders** Special order products are not returnable and not refundable.

The procedure for returning products ordered is as follows:

- 1. **Product Condition** Product MUST be in original box and box must be in LIKE-NEW CONDITION.
- 2. **Returned Goods Authorization (RGA)** Product returns prior to shipping will not be accepted without a returned goods authorization. Telephone customer service to obtain an RGA. You will receive an email/fax a copy of the RGA.
- 3. **Packaging** Place a copy of the RGA inside the box prior to shipping it back to point of original distribution. If possible, place the product box and paperwork inside another shipping box to protect the original packaging.
- 4. Shipping Ship the product back to us prepaid.
- 5. Time Period for Returns All requests to return products must be received within 10 days of invoice.
- 6. **Damage or loss in Shipping** Any claim for loss or damage should be made to the carrier immediately by the customer. Products become the responsibility of the carrier when they are accepted by the carrier in good condition from in 2 aqua.
- 7. **Product Changes** in2aqua GmbH reserves the right to change, discontinue, modify or redesign products without liability for inventory obsolescence.
- 8. **General** The possession of our catalog or price list by any person is not an offer to sell any of the goods shown. This price list supersedes all previous price lists or memoranda. in 2 aqua 's existing trade terms and conditions remain in effect. Orders, contracts or agreements do not become an obligation of in 2 aqua until confirmed by in 2 aqua.

The above terms and conditions shall be a part of all such acceptances by in2aqua and shall supersede any conflicting provisions of our customer purchase orders.

in2aqua Warranty (U.S/Canada)

To obtain a copy of our current warranty please write us at:

in2aqua GmbH Koenigstrasse 26 70173 Stuttgart Germany

or

access our warranty information online via www.in2aqua.com

or

simply call us at (800) 257-6051 to request a copy of our warranty by email.

Webtools

All in2aqua products are viewable online and in2aqua helps facilitate sales through professional registered showrooms.

- · Bill of Material
- · 360 degree product viewing
- DXF zip files
- · Instruction sheets
- · Spec sheets
- · Shower configurator
- · Create and save projects

And much more....



www.in2aqua.com

in2aqua

in2aqua GmbH

Koenigstrasse 26 70173 Stuttgart Germany

www.in2aqua.com