
# in 2a qua Armaturen aus Leidenschaft

# Smart luxury

made in Germany



Pricebook 2024





# **Smart luxury**

in2aqua was developed with a keen sense of environmental responsibility and the will to push technological and design boundaries to reach its goal. For this reason, all our faucets have received a high efficiency rating. The result is a designer product that is highly functional yet promotes sustainable usage. Our faucets are user friendly and in2aqua is committed to developing the technology of tomorrow today. All our products must balance Function, Form & Flow. This philosophy sets a high quality standard throughout our company and enables our showrooms to offer luxury products at an elegant price point.

Founder & Managing Director Christopher Marshall









# Made in Germany

At in2aqua, we strive for the best possible quality. Currently, most of our faucet assortment is made in Germany. We feel this dedication to quality is crucial for building customer trust in our products.

# in2aqua


1.	About in2aqua		03
	1.2	Made in Germany	06
	1.3	Index	07
	1.4	Design	08
	1.5	Stellar Faucets	19
2.	Products		
	2.1 Bath LIFESTYLES		22
	2.1.1 EDGE		22
		2.1.2 STYLE	28
		2.1.3 CLASSIC	34
	2.2 Bath URBAN		40
		2.2.1 RIVA	40
		2.2.2 STRATA	46
		2.2.3 LANA	52
		2.2.4 RIVA X	58
		2.2.5 STRATA X	64
		2.2.6 LANA X	70
	2.3 ROUGH-IN MOUNTNG SYSTEM		76
		2.3.1 ROUGH-INS IN2ITIV	78
		2.3.2 ROUGH-INS	81
		2.3.3 ROUGHS WITHOUT IN 21TIV	84
		2.3.4 THERM & DIVERTER DIAGRAMS	86
	2.4 Shower		88
	2.5 Kitchen		124
2	Torms	and Conditions	120




"Design is never an end in itself; it is not about something like fashion or just a beautiful shape, but about long-term values.


in2aqua products perfectly represent the philosophy of "faucets made with passion" - a smart design with high visual and functional standards."

Volker Schumann WERKSDESIGN























# in2aqua

# Stellar faucets made with quality components

Pure water is the foundation of all life. At in2aqua, we strive to create stellar products that are made for the user in the most safe and reliable way. We are committed to design excellence and improving our high quality on a continuous basis.

All our products are engineered with EN 817, EN 1111, NSF/ANSI61, ASME A112.18.1-2012, CSA B125.1-12 in mind and meet or exceed North American standards.








# in2aqua

# Bath

Each in2aqua collection emphasizes individuality and sets a new quality competence for bathroom design excellence



in2aqua Bath EDGE





Chrome

Brushed Nickel

# in2aqua Edge one-hole single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

# Chrome

1023 1 00 2 \$570.00

### **Brushed Nickel**

1023 1 20 2 \$647.00

# in2aqua Edge widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop up drain included
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

# Chrome

1014 1 00 2 \$731.00

# Brushed Nickel


1014 1 20 2 \$899.00

# Chrome

1024 1 00 2 \$754.00

### Brushed Nickel

1024 1 20 2 \$899.00




# 23

# in2aqua Edge one-hole single-lever vessel mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

# 150 mm 214,5 mm 230 mm





# BATH EDGE | Bold forms made of clear harmonious lines that endure

# in2aqua Edge single-hole side-lever basin mixer with pop-up

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation with swivel spout
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

# Chrome

1045 1 00 2 \$653.00

### **Brushed Nickel**

1045 1 20 2 \$790.00

# in2aqua Edge 2-hole in-wall for wash basin

- · German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Plasma coated ceramic disc
- Single handle operation
- Installation: 2-hole; wallMetal handle, sleeve and escutcheon
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

### Chrome

1026 2 00 2 \$327.00

# **Brushed Nickel**

1026 2 20 2 \$396.00

### Requires rough-in valve

1112 2 99 2 \$496.00

# in2aqua Edge single-lever bidet mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Flexible hose technology
- Metal pop-up drain included
- Single handle operation
- Neoperl Flow 1.2 GPM

# Chrome

1025 1 00 2 \$475.00

# **Brushed Nickel**

1025 1 20 2 \$550.00

# in2aqua Edge pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

### Chrome

1318 2 00 0 \$316.00

# **Brushed Nickel**

1318 2 20 0 \$392.00

# Requires rough-in valve

1195 2 99 2 \$523.00

# or CALGreen option

1196 2 99 2 \$542.00



# in2aqua Edge pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

# Chrome

1017 2 00 0 \$297.00

# **Brushed Nickel**

1017 2 20 0 \$392.00

# Requires rough-in valve

1194 2 99 2 \$442.00





# in2aqua Edge motion 2-way or 3-way diverter trim kit, with shutoff

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- · Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- · Detent positioning

# Chrome

1042 2 00 2 \$165.00

### **Brushed Nickel**

1042 2 20 2 \$197.00

# Requires rough-in valve

2-way 1114 2 99 2 \$310.00 3-way 1130 2 99 2 \$350.00

# or CALGreen option (no combo)

2-way 1125 2 99 2 \$315.00 3-way 1129 2 99 2 \$355.00



# in2aqua thermostatic valve trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

# Chrome

1040 2 00 0 \$245.00

# **Brushed Nickel**

1040 2 20 0 \$285.00

# Requires rough-in valve

1115 2 99 2 \$576.00



# in2aqua ½" shut-off/volume control trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

# Chrome

1097 2 00 0 \$149.00

# Brushed Nickel

1097 2 20 0 \$174.00

# Requires rough-in valve

1113 2 99 2 \$257.00

# in2aqua Edge free standing mixer for tub

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- · Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

### Chrome

1102 2 00 2 \$1962.00

### **Brushed Nickel**

1102 2 20 2 \$2235.00

# Requires rough-in valve

1108 2 99 2 \$850.00

# Chrome

1015 2 00 0 \$862.00

### Brushed Nickel

1015 2 20 0 \$1103.00

# Requires rough-in valve

1003 2 99 2 \$540.00

# in2aqua Edge 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout made of solid brass construction
- Metal handles and escutcheons
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

# Chrome

1037 1 00 2 \$191.00

# Brushed Nickel

1037 1 20 2 \$241.00

# in2aqua Edge tub spout XL, 1/2"

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

### Chrome

1016 1 00 2 \$152.00

# Brushed Nickel

1016 1 20 2 \$178.00









# in2aqua Edge tub spout 1/2"

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl pivoting laminar streamASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT



in2aqua Bath STYLE





# BATH STYLE | Creative designs that are light and playful, yet powerful and lasting

# in2aqua Style one-hole single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Connection 1/2"/14 NPSM
- Neoperl aerator
- NSF/ANSI 61

# Chrome

1028 1 00 2 \$736.00

# **Brushed Nickel**

1028 1 20 2 \$875.00

# \$557.00 **Brushed Nickel** 1027 1 20 2

\$632.00

Chrome 1027 1 00 2

Chrome 1009 1 00 2

\$649.00

# **Brushed Nickel**


1009 1 20 2 \$743.00

# in2aqua Style widespread


- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1

# in2aqua Style one-hole single-lever vessel mixer

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61



# 150,5 mm 90 mm 219 mm 266 mm





# BATH STYLE | Creative designs that are light and playful, yet powerful and lasting

# in2aqua Style single-hole side-lever basin mixer with pop-up

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation with swivel spout
- Flowrate 1.2 GPM
- · Neoperl aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

# Chrome

1046 1 00 2 \$642.00

### **Brushed Nickel**

1046 1 20 2 \$779.00

# in2aqua Style 2-hole in-wall for wash basin

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Plasma coated ceramic disc
- Single handle operation
- Installation: 2-hole; wallMetal handle, sleeve and escutcheon
- Flowrate 1.2 GPM
- · Neoperl aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

# Chrome

1030 2 00 2 \$315.00

# **Brushed Nickel**

1030 2 20 2 \$384.00

# Requires rough-in valve

1112 2 99 2 \$496.00

# in2aqua Style single-lever bidet mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Flexible hose technology
- Metal pop-up drain included
- Single handle operation
- Neoperl Flow 1.2 GPM

# Chrome

1029 1 00 2 \$464.00

# **Brushed Nickel**

1029 1 20 2 \$539.00

# BATH STYLE | Creative designs that are light and playful, yet powerful and lasting

# in2aqua Style pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

### Chrome

1319 2 00 0 \$283.00

# **Brushed Nickel**

1319 2 20 0 \$327.00

# Requires rough-in valve

1195 2 99 2 \$523.00

# or CALGreen option

1196 2 99 2 \$542.00



# in2aqua Style pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

# Chrome

1012 2 00 0 \$289.00

# **Brushed Nickel**

1012 2 20 0 \$262.00

# Requires rough-in valve

1194 2 99 2 \$442.00



# BATH STYLE | Creative designs that are light and playful, yet powerful and lasting



# in2aqua Style motion 2-way or 3-way diverter trim kit, with shutoff

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- · Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent positioning

# Chrome

1043 2 00 2 \$160.00

# Brushed Nickel

1043 2 20 2 \$192.00

# Requires rough-in valve

2-way 1114 2 99 2 \$310.00 3-way 1130 2 99 2 \$350.00

# or CALGreen option (no combo)

2-way 1125 2 99 2 \$315.00 3-way 1129 2 99 2 \$355.00



# in2aqua thermostatic valve trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob
- Safety button for hot water with override

# Chrome

1040 2 00 0 \$245.00

# **Brushed Nickel**

1040 2 20 0 \$285.00

### Requires rough-in valve

1115 2 99 2 \$576.00



# in2aqua ½" shut-off/volume control trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

# Chrome

1097 2 00 0 \$149.00

### **Brushed Nickel**

1097 2 20 0 \$174.00

# Requires rough-in valve

1113 2 99 2 \$257.00

# BATH STYLE | Creative designs that are light and playful, yet powerful and lasting

# in2aqua Style 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 7 GPM
- Neoperl aerator

# Chrome


1010 2 00 0 \$714.00

# Brushed Nickel

1010 2 20 0 \$948.00

# Requires rough-in valve

1002 2 99 2 \$521.00



# in2aqua Style tub spout XL, 1/2"

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

# Chrome

1038 1 00 2 \$203.00

# **Brushed Nickel**

1038 1 20 2 \$256.00



# in2aqua Style tub spout 1/2"

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

# Chrome

1011 1 00 2 \$122.00

### **Brushed Nickel**

1011 1 20 2 \$147.00





in2aqua Bath CLASSIC





# BATH CLASSIC | Timeless and elegant designs of yesteryear, crafted with cutting edge technology

# in2aqua Classic one-hole single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- · Neoperl cache' aerator
- CALGreen. WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

# in2aqua Classic widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Neoperl cache' aerator
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

# Chrome

1019 1 00 2 \$560.00

### **Brushed Nickel**

1019 1 20 2 \$637.00

### Chrome

1004 1 00 2 \$645.00

# **Brushed Nickel**

1004 1 20 2 \$742.00

# in2aqua Classic one-hole single-lever vessel mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl cache' aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61


# Chrome


1020 1 00 2 \$710.00

# Brushed Nickel


1020 1 20 2 \$838.00














# BATH CLASSIC | Timeless and elegant designs of yesteryear, crafted with cutting edge technology

# in2aqua Classic single-hole side-lever basin mixer with pop-up

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation with swivel spout
- Flowrate 1.2 GPM
- Neoperl cache' aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

# Chrome

1044 1 00 2 \$630.00

### **Brushed Nickel**

1044 1 20 2 \$767.00

# in2aqua Classic 2-hole in-wall for wash basin

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Plasma coated ceramic disc
- Single handle operation
- Installation: 2-hole; wall
- Metal handle, sleeve and escutcheon
- Flowrate 1.2 GPM
- · Neoperl cache' aerator
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

# Chrome

1022 2 00 2 \$304.00

# **Brushed Nickel**

1022 2 20 2 \$373.00

# Requires rough-in valve

1112 2 99 2 \$496.00

# in2aqua Classic single-lever bidet mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Flexible hose technology
- Metal pop-up drain included
- Single handle operation
- Neoperl Flow 1.2 GPM

# Chrome

1021 1 00 2 \$452.00

# **Brushed Nickel**

1021 1 20 2 \$528.00

# BATH CLASSIC | Timeless and elegant designs of yesteryear, crafted with cutting edge technology

# in2aqua Classic pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

#### Chrome

1320 2 00 0 \$305.00

#### **Brushed Nickel**

1320 2 20 0 \$371.00

#### Requires rough-in valve

1195 2 99 2 \$523.00

#### or CALGreen option

1196 2 99 2 \$542.00



# in2aqua Classic pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

#### Chrome

1007 2 00 0 \$277.00

#### **Brushed Nickel**


1007 2 20 0 \$334.00

#### Requires rough-in valve

1194 2 99 2 \$442.00



# BATH CLASSIC | Timeless and elegant designs of yesteryear, crafted with cutting edge technology



#### in2aqua Classic motion 2-way or 3-way diverter trim kit, with shutoff

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- Volume control and diverter
- All metal escutcheon and handle
- ADA compliant
- Fluehs ceramic head valve
- Detent positioning

#### Chrome:

1041 2 00 2 \$160.00

#### **Brushed Nickel:**

1041 2 20 2 \$193.00

#### Requires rough-in valve

2-way 1114 2 99 2 \$310.00 3-way 1130 2 99 2 \$350.00

#### or CALGreen option (no combo)

2-way 1125 2 99 2 \$315.00 3-way 1129 2 99 2 \$355.00



#### in2aqua thermostatic valve trim

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty

• Safety button for hot water with override

• Metal handle and escutcheon with diverter knob

#### Chrome

1040 2 00 0 \$245.00

#### Brushed Nickel

1040 2 20 0 \$285.00

#### Requires rough-in valve

1115 2 99 2 \$576.00



# in2aqua ½" shut-off/volume control trim kit

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon with diverter knob

#### Chrome

1097 2 00 0 \$149.00

#### **Brushed Nickel**

1097 2 20 0 \$174.00

#### Requires rough-in valve

1113 2 99 2 \$257.00

# BATH CLASSIC | Timeless and elegant designs of yesteryear, crafted with cutting edge technology

#### in2aqua Classic 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- Neoperl cache' aerator

#### Chrome

1005 2 00 0 \$747.00

#### **Brushed Nickel**

1005 2 20 0 \$1007.00

#### Requires rough-in valve

1002 2 99 2 \$521.00



#### in2aqua Classic tub spout XL, 1/2"

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl cache' aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

#### Chrome

1036 1 00 2 \$189.00

#### **Brushed Nickel**

1036 1 20 2 \$239.00



#### in2aqua Classic tub spout 1/2"

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Spout constructed of solid brass
- Neoperl cache' aerator
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT


#### Chrome

1006 1 00 2 \$140.00

#### Brushed Nickel

1006 1 20 2 \$167.00





in**2**aqua Bath RIVA







#### in2aqua Riva single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Cascading waterfall stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1220 1 00 2 \$630.00

#### **Brushed Nickel**

1220 1 20 2 \$773.00

#### Matte Black

1220 1 70 2 \$827.00

# Chrome

1323 1 00 2 \$630.00

#### **Brushed Nickel**

1323 1 20 2 \$773.00

#### Matte Black

1323 1 70 2 \$827.00

#### in2aqua Riva single-lever joystick basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal joystick handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Cascading waterfall stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### in2aqua Riva widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1297 1 00 2 \$750.00

#### **Brushed Nickel**


1297 1 20 2 \$940.00

#### Matte Black

1297 1 70 2 \$994.00









# in2aqua Riva pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

#### Chrome

1312 2 00 0 \$305.00

#### **Brushed Nickel**

1312 2 20 0 \$360.00

#### Matte Black


1312 2 70 0 \$392.00

#### Requires rough-in valve

1195 2 99 2 \$523.00

#### or CALGreen option

1196 2 99 2 \$542.00



# in2aqua Riva pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

#### Chrome

1309 2 00 2 \$261.00

#### Brushed Nickel

1309 2 20 2 \$317.00

#### Matte Black

1309 2 70 2 \$350.00

#### Requires rough-in valve

1194 2 99 2 \$442.00

# in2aqua Urban thermostatic valve trim kit with 1 push-button

- Push-button on/off control for 1 outlet
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle
- CALGreen

#### Chrome

1401 2 00 0 \$404.00

#### **Brushed Nickel**

1401 2 20 0 \$461.00

#### Matte Black

1401 2 70 0 \$516.00

#### Requires rough-in valve

1493 2 98 2 \$571.00

#### in2aqua Urban thermostatic valve trim kit with 2 push-button

- Push-button on/off control for 2 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

#### Chrome

1402 2 00 0 \$426.00

#### **Brushed Nickel**

1402 2 20 0 \$483.00

#### Matte Black

1402 2 70 0 \$538.00

#### Requires rough-in valve

1493 2 98 2 \$571.00

# in2aqua Urban thermostatic valve trim kit with 3 push-button

- Push-button on/off control for 3 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

#### Chrome

1403 2 00 0 \$448.00

#### Brushed Nickel

1403 2 20 0 \$505.00

#### Matte Black

1403 2 70 0 \$548.00

#### Requires rough-in valve

1493 2 98 2 \$571.00









# in2aqua Urban thermostatic valve trim kit with integrated stop, volume control and manual diverter

- Thermostatic cartridge, shut-off/diverter valve
- Volume control and diverter for 2 independent outlets with pipe loop
- Anti-scald 100°safety stop
- Metal trim and handles
- CALGreen

#### Chrome

1408 2 00 0 \$458.00

#### **Brushed Nickel**


1408 2 20 0 \$505.00

#### Matte Black

1408 2 70 0 \$548.00

#### Requires rough-in valve

1491 2 98 2 \$589.00



#### in2aqua Urban tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

#### Chrome

1224 1 00 2 \$131.00

#### **Brushed Nickel**

1224 1 20 2 \$169.00

#### Matte Black

1224 1 70 2 \$207.00

#### in2aqua Riva 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- · Neoperl pivoting laminar stream

#### Chrome

1300 2 00 2 \$808.00

#### Brushed Nickel


1300 2 20 2 \$979.00

#### Matte Black

1300 2 70 2 \$1033.00

#### Requires rough-in valve

1003 2 99 2 \$540.00



#### in2aqua Riva free standing mixer for tub

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

#### Chrome

1103 2 00 2 \$1989.00

#### Brushed Nickel

1103 2 20 2 \$2344.00

#### Matte Black

1103 2 70 2 \$2409.00

#### Requires rough-in valve

1108 2 99 2 \$850.00





in<mark>2</mark>aqua Bath STRATA







#### in2aqua Strata single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1218 1 00 2 \$652.00

#### **Brushed Nickel**

1218 1 20 2 \$699.00

#### Matte Black

1218 1 70 2 \$753.00

#### in2aqua Strata single-lever joystick basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal joystick handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1324 1 00 2 \$653.00

#### **Brushed Nickel**

1324 1 20 2 \$699.00

#### Matte Black

1324 1 70 2 \$753.00

#### in2aqua Strata SLM single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1170 1 00 2 \$474.00

#### **Brushed Nickel**

1170 1 20 2 \$676.00

#### Matte Black

1170 1 70 2 \$730.00







# (53,8 mm)





#### BATH STRATA | Bold accents for strong design character

#### in2aqua Strata widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

Chrome 1298 1 00 2 \$773.00

#### **Brushed Nickel**

1298 1 20 2 \$971.00

#### Matte Black

1298 1 70 2 \$1026.00

#### in2aqua Strata pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

#### Chrome

1314 2 00 0 \$316.00

#### Brushed Nickel

1314 2 20 0 \$371.00

#### Matte Black

13142700 \$425.00

#### Requires rough-in valve

1195 2 99 2 \$523.00

#### or CALGreen option

1196 2 99 2 \$542.00

#### in2aqua Strata pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

#### Chrome

1310 2 00 2 \$273.00

#### **Brushed Nickel**

1310 2 20 2 \$329.00

#### Matte Black

1310 2 70 2 \$384.00

#### Requires rough-in valve

1194 2 99 2 \$442.00

#### in2aqua Urban thermostatic valve trim kit with 1 push-button

- Push-button on/off control for 1 outlet
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off
- All metal trim, buttons and handle
- CALGreen

#### Chrome

1401 2 00 0 \$404.00

#### **Brushed Nickel**

1401 2 20 0 \$461.00

**Matte Black** 1401 2 70 0 \$516.00

#### Requires rough-in valve

1493 2 98 2 \$571.00



#### in2aqua Urban thermostatic valve trim kit with 2 push-button

- Push-button on/off control for 2 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off
- All metal trim, buttons and handle

#### Chrome

1402 2 00 0 \$426.00

#### **Brushed Nickel**

1402 2 20 0 \$483.00

#### Matte Black

1402 2 70 0 \$537.00

#### Requires rough-in valve

1493 2 98 2 \$571.00



#### in2aqua Urban thermostatic valve trim kit with 3 push-button

- Push-button on/off control for 3 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off
- All metal trim, buttons and handle

#### Chrome

1403 2 00 0 \$448.00

#### **Brushed Nickel**

1403 2 20 0 \$505.00

#### Matte Black

1403 2 70 0 \$548.00

#### Requires rough-in valve

1493 2 98 2 \$571.00



# Ø 7 7/6" (200 mm) 3 5/32" (00 mm) 2 9/16" (00 mm)

# in2aqua Urban thermostatic valve trim kit with integrated stop, volume control and manual diverter

- Thermostatic cartridge, shut-off/diverter valve
- Volume control and diverter for 2 independent outlets with pipe loop
- Anti-scald 100°safety stop
- Metal trim and handles
- CALGreen

#### Chrome

1408 2 00 0 \$458.00

#### **Brushed Nickel**


1408 2 20 0 \$505.00

#### Matte Black

1408 2 70 0 \$548.00

#### Requires rough-in valve

1491 2 98 2 \$589.00



#### in2aqua Strata 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

#### Chrome

1301 2 00 2 \$922.00

#### **Brushed Nickel**

1301 2 20 2 \$1100.00

#### Matte Black

1301 2 70 2 \$1142.00

#### Requires rough-in valve

1003 2 99 2 \$540.00

#### in2aqua Strata free standing mixer for tub

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

#### Chrome

1106 2 00 2 \$2017.00

#### Brushed Nickel

1106 2 20 2 \$2398.00

#### Matte Black

1106 2 70 2 \$2474.00

#### Requires rough-in valve

1108 2 99 2 \$850.00



#### in2aqua Urban tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

#### Chrome


1224 1 00 2 \$131.00


#### **Brushed Nickel**

1224 1 20 2 \$169.00

#### Matte Black

1224 1 70 2 \$207.00





in<mark>2</mark>aqua Bath LANA







#### in2aqua Lana single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1222 1 00 2 \$653.00

#### Brushed Nickel

1222 1 20 2 \$699.00

#### Matte Black

1222 1 70 2 \$786.00

#### in2aqua Lana single-lever joystick basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal joystick handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1322 1 00 2 \$653.00

#### **Brushed Nickel**

1322 1 20 2 \$641.00 \$699.00

#### Matte Black

1322 1 70 2 \$786.00

#### in2aqua Lana widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

# **Chrome** 1299 1 00 2

\$836.00

#### **Brushed Nickel**

1299 1 20 2 \$1036.00

#### Matte Black

1299 1 70 2 \$1091.00









# in2aqua Lana pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

#### Chrome

1313 2 00 0 \$294.00

#### **Brushed Nickel**

1313 2 20 0 \$338.00

#### Matte Black


1313 2 70 0 \$371.00

#### Requires rough-in valve

1195 2 99 2 \$523.00

#### or CALGreen option

1196 2 99 2 \$542.00



# in2aqua Lana pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

#### Chrome

1311 2 00 2 \$249.00

#### Brushed Nickel

1311 2 20 2 \$286.00

#### Matte Black

1311 2 70 2 \$316.00

#### Requires rough-in valve

1194 2 99 2 \$442.00

# in2aqua Urban thermostatic valve trim kit with 1 push-button

- Push-button on/off control for 1 outlet
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle
- CALGreen

# in2aqua Urban thermostatic valve trim kit with 2 push-button

- Push-button on/off control for 2 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

#### Chrome

Chrome

\$404.00

1401 2 00 0

1401 2 20 0

Matte Black

Requires rough-in valve

1401 2 70 0

1493 2 98 2 \$571.00

\$516.00

\$461.00

**Brushed Nickel** 

1402 2 00 0 \$426.00

#### **Brushed Nickel**

1402 2 20 0 \$483.00

#### Matte Black

1402 2 70 0 \$537.00

#### Requires rough-in valve

1493 2 98 2 \$571.00

# in2aqua Urban thermostatic valve trim kit with 3 push-button

- Push-button on/off control for 3 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

#### Chrome

1403 2 00 0 \$448.00

#### Brushed Nickel

1403 2 20 0 \$505.00

#### Matte Black

1403 2 70 0 \$548.00

#### Requires rough-in valve

1493 2 98 2 \$571.00









# in2aqua Urban thermostatic valve trim kit with integrated stop, volume control and manual diverter

- Thermostatic cartridge, shut-off/diverter valve
- Volume control and diverter for 2 independent outlets with pipe loop
- Anti-scald 100°safety stop
- Metal trim and handles
- CALGreen

#### Chrome

1408 2 00 0 \$458.00

#### Brushed Nickel


1408 2 20 0 \$505.00

#### Matte Black

1408 2 70 0 \$548.00

#### Requires rough-in valve

1491 2 98 2 \$589.00



#### in2aqua Urban tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

#### Chrome

1224 1 00 2 \$131.00

#### **Brushed Nickel**

1224 1 20 2 \$169.00

#### Matte Black

1224 1 70 2 \$207.00

#### in2aqua Lana 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- Flowrate 10 GPM
- Neoperl pivoting laminar stream

#### Chrome

1302 2 00 2 \$911.00

#### Brushed Nickel

1302 2 20 2 \$1077.00

#### Matte Black

1302 2 70 2 \$1131.00

#### Requires rough-in valve

1003 2 99 2 \$540.00



#### in2aqua Lana free standing mixer for tub

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

#### Chrome

1107 2 00 2 \$1962.00

#### Brushed Nickel

1107 2 20 2 \$2235.00

#### Matte Black

1107 2 70 2 \$2289.00

#### Requires rough-in valve

1108 2 99 2 \$850.00





in<mark>2</mark>aqua Bath RIVA X







Chrome

Brushed Nicke

Matto Plack

# in2aqua Riva X single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Cascading waterfall stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1174 1 00 2 \$665.00

#### **Brushed Nickel**

1174 1 20 2 \$808.00

#### Matte Black

1174 1 70 2 \$839.00

#### in2aqua Riva X single-lever joystick basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal joystick handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Cascading waterfall stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1420 1 00 2 \$665.00

#### Brushed Nickel

1420 1 20 2 \$808.00

#### Matte Black

1420 1 70 2 \$839.00

#### in2aqua Riva X widespread

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- Connection 1/2"/14 NPSM
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1197 1 00 2 \$894.00

#### Brushed Nickel


1197 1 20 2 \$1082.00


#### Matte Black

1197 1 70 2 \$1112.00









# in2aqua Riva X pressure balance valve trim kit, with manual diverter

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

#### Chrome

1315 2 00 0 \$283.00

#### **Brushed Nickel**

1315 2 20 0 \$338.00

#### Matte Black


1315 2 70 0 \$360.00

#### Requires rough-in valve

1195 2 99 2 \$523.00

#### or CALGreen option

1196 2 99 2 \$542.00



# in2aqua Riva X pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- Anti scald valve with hot water limiter

#### Chrome

1209 2 00 2 \$261.00

#### **Brushed Nickel**

1209 2 20 2 \$318.00

#### Matte Black

1209 2 70 2 \$338.00

#### Requires rough-in valve

1194 2 99 2 \$442.00

# in2aqua Urban X thermostatic valve trim kit with 1 push-button

- Push-button on/off control for 1 outlet
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle
- CALGreen

# in2aqua Urban X thermostatic valve trim kit with 2 push-button

- Push-button on/off control for 2 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

# in2aqua Urban X thermostatic valve trim kit with 3 push-button

- Push-button on/off control for 3 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

#### Chrome

1441 2 00 0 \$426.00

#### **Brushed Nickel**

1441 2 20 0 \$483.00

#### Matte Black

1441 2 70 0 \$537.00

#### Requires rough-in valve

1493 2 98 2 \$571.00

#### Chrome

1442 2 00 0 \$448.00

#### **Brushed Nickel**

1442 2 20 0 \$505.00

#### Matte Black

1442 2 70 0 \$559.00

#### Requires rough-in valve

1493 2 98 2 \$571.00

#### Chrome

1443 2 00 0 \$470.00

#### **Brushed Nickel**

1443 2 20 0 \$527.00

#### Matte Black

1443 2 70 0 \$570.00

#### Requires rough-in valve

1493 2 98 2 \$571.00









# in2aqua Urban X thermostatic trim kit, with integrated stop, volume control and manual diverter

- Thermostatic cartridge, shut-off/diverter valve
- Volume control and diverter for 2 independent outlets with pipe loop
- Anti-scald 100°safety stop
- Metal trim and handles
- CALGreen

#### Chrome

1448 2 00 0 \$458.00

#### Brushed Nickel


1448 2 20 0 \$505.00

#### Matte Black

1448 2 70 0 \$548.00

#### Requires rough-in valve

1491 2 98 2 \$589.00



#### in2aqua Urban X tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

#### Chrome

1225 1 00 2 \$153.00

#### Brushed Nickel

1225 1 20 2 \$191.00

#### Matte Black

1225 1 70 2 \$245.00

#### in2aqua RIVA X 4-hole roman tub trim kit

- German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- ASME A112.18.1, CSA B125.1
- Metal shower hose included
- Flowrate 10 GPM
- · Neoperl pivoting laminar stream

#### Chrome

1200 2 00 2 \$951.00

#### Brushed Nickel

1200 2 20 2 \$1123.00

#### Matte Black

1200 2 70 2 \$1155.00

#### Requires rough-in valve

1003 2 99 2 \$540.00



#### in2aqua Riva X free standing mixer for tub

- German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

#### Chrome

1109 2 00 2 \$2017.00

#### **Brushed Nickel**

1109 2 20 2 \$2289.00


#### Matte Black

1109 2 70 2 \$2371.00

#### Requires rough-in valve

1108 2 99 2 \$850.00





in<mark>2</mark>aqua Bath STRATA X







#### in2aqua Strata X single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1175 1 00 2 \$688.00

#### **Brushed Nickel**

1175 1 20 2 \$842.00

#### Matte Black

1175 1 70 2 \$883.00

#### in2aqua Strata X single-lever joystick basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal joystick handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1418 1 00 2

\$842.00

#### Matte Black

1418 1 70 2 \$883.00

#### in2aqua Strata X SLM single-lever basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

\$688.00

#### **Brushed Nickel**

1418 1 20 2

#### Chrome

1172 1 00 2 \$496.00

#### **Brushed Nickel**


1172 1 20 2 \$698.00

#### Matte Black

1172 1 70 2 \$752.00











#### in2aqua Strata X widespread

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- · Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- · Neoperl flexible hose technology
- Metal pop-up drain included
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- Connection 1/2"/14 NPSM
- · CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- · NSF/ANSI 61

#### Chrome

1198 1 00 2 \$917.00

#### **Brushed Nickel**

1198 1 20 2 \$1100.00

#### Matte Black

1198 1 70 2 \$1112.00

# in2aqua Strata X pressure balance valve trim kit, with manual diverter

- · German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- · Metal handle and escutcheon
- · Single handle operation
- · ADA compliant
- · Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

#### Chrome

1317 2 00 0 \$294.00

#### **Brushed Nickel**

1317 2 20 0 \$349.00

#### Matte Black

1317 2 70 0 \$392.00

#### Requires rough-in valve

1195 2 99 2 \$523.00

#### or CALGreen option

1196 2 99 2 \$542.00

# in2aqua Strata X pressure balance valve trim kit, without diverter

- German Quality, Engineering & Design
- Metal handle and escutcheon
- · Go Pro lifetime faucet & finish warranty
- · Single handle operation
- ADA compliant
- · Anti scald valve with hot water limiter

#### Chrome

1210 2 00 2 \$273.00

#### **Brushed Nickel**

1210 2 20 2 \$329.00

#### Matte Black

1210 2 70 2 \$338.00

#### Requires rough-in valve

1194 2 99 2 \$442.00

# in2aqua Urban X thermostatic valve trim kit with 1 push-button

- Push-button on/off control for 1 outlet
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle
- CALGreen

# in2aqua Urban X thermostatic valve trim kit with 2 push-button

- Push-button on/off control for 2 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off
  button
- All metal trim, buttons and handle

# **Chrome** 1442 2 00

Chrome

1441 2 00 0 \$391.00

1441 2 20 0

Matte Black

1441 2 70 0

1493 2 98 2 \$524.00

Requires rough-in valve

\$493.00

\$443.00

**Brushed Nickel** 

1442 2 00 0 \$411.00

#### **Brushed Nickel**

1442 2 20 0 \$463.00

#### Matte Black

1442 2 70 0 \$513.00

#### Requires rough-in valve

1493 2 98 2 \$524.00

# in2aqua Urban X thermostatic valve trim kit with 3 push-button

- Push-button on/off control for 3 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

#### Chrome

1443 2 00 0 \$431.00

#### **Brushed Nickel**

1443 2 20 0 \$483.00

#### Matte Black

1443 2 70 0 \$523.00

#### Requires rough-in valve

1493 2 98 2 \$524.00









# in2aqua Urban X thermostatic trim kit, with integrated stop, volume control and manual diverter

- Thermostatic cartridge, shut-off/diverter valve
- Volume control and diverter for 2 independent outlets with pipe loop
- Anti-scald 100°safety stop
- Metal trim and handles
- CALGreen

#### Chrome

1448 2 00 0 \$458.00

#### **Brushed Nickel**

1448 2 20 0 \$505.00

#### Matte Black

1448 2 70 0 \$548.00

#### Requires rough-in valve

1491 2 98 2 \$589.00



#### in2aqua Strata X 4-hole roman tub trim kit

- · German Quality, Engineering & Design
- Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- Flowrate 10 GPM
- · Neoperl pivoting laminar stream

#### Chrome

1201 2 00 2 \$957.00

#### **Brushed Nickel**

1201 2 20 2 \$1123.00

#### Matte Black

1201 2 70 2 \$1155.00

#### Requires rough-in valve

1003 2 99 2 \$540.00

# in2aqua Strata X free standing mixer for tub

- · German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- · Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- · Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- · Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

#### Chrome

1110 2 00 2 \$2126.00

#### **Brushed Nickel**

1110 2 20 2 \$2398.00

#### Matte Black

1110 2 70 2 \$2480.00

#### Requires rough-in valve

1108 2 99 2 \$850.00



#### in2aqua Urban X tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

#### Chrome


1225 1 00 2 \$153.00


#### **Brushed Nickel**

1225 1 20 2 \$191.00

#### Matte Black

1225 1 70 2 \$245.00





in<mark>2</mark>aqua Bath LANA X







#### BATH LANA X | Individuality assured yet highly functional

# in2aqua Lana X single-lever basin mixer

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- · Metal handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- · Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- · Neoperl pivoting laminar stream
- · CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1176 1 00 2 \$642.00

#### Brushed Nickel

1176 1 20 \$765.00

#### Matte Black

1176 1 70 2 \$839.00

#### in2aqua Lana X single-lever joystick basin mixer

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal joystick handle and escutcheon
- Go Pro lifetime faucet & finish warranty
- Neoperl flexible hose technology 9/16"-24 UNEF
- Metal pop-up drain included
- Single handle operation
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- NSF/ANSI 61

#### Chrome

1422 1 00 2 \$642.00

#### **Brushed Nickel**

1422 1 20 2 \$765.00

#### Matte Black

1422 1 70 2 \$839.00

#### in2aqua Lana X widespread

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handles and escutcheons
- · Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- · ADA compliant
- · Fluehs valving (made in Germany)
- · Neoperl flexible hose technology
- Flowrate 1.2 GPM
- Neoperl pivoting laminar stream
- · CALGreen, WaterSense
- ASME A112.18.1, CSA B125.1
- · NSF/ANSI 61

#### Chrome

1199 1 00 2 \$871.00

#### **Brushed Nickel**


1199 1 20 2 \$1072.00

#### Matte Black


1199 1 70 2 \$1101.00







#### BATH LANA X | Individuality assured yet highly functional



# in2aqua Lana X pressure balance valve trim kit, with manual diverter

- · German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Metal handle and escutcheon
- Single handle operation
- ADA compliant
- · Anti scald valve with hot water limiter
- Manual diverter remains at last set port after shut off

#### Chrome

1316 2 00 0 \$294.00

#### **Brushed Nickel**

1316 2 20 0 \$360.00

#### Matte Black


1316 2 70 0 \$387.00

#### Requires rough-in valve

1195 2 99 2 \$523.00

#### or CALGreen option

1196 2 99 2 \$542.00



# in2aqua Lana X pressure balance valve trim kit, without diverter

- · German Quality, Engineering & Design
- · Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Single handle operation
- ADA compliant
- · Anti scald valve with hot water limiter

#### Chrome

1211 2 00 2 \$238.00

#### **Brushed Nickel**

1211 2 20 2 \$283.00

#### Matte Black

1211 2 70 2 \$294.00

#### Requires rough-in valve

1194 2 99 2 \$442.00

## BATH LANA X | Individuality assured yet highly functional

## in2aqua Urban X thermostatic valve trim kit with 1 push-button

- Push-button on/off control for 1 outlet
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle
- CALGreen

# in2aqua Urban X thermostatic valve trim kit with 2 push-button

- Push-button on/off control for 2 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

#### Chrome

1441 2 00 0 \$391.00

#### **Brushed Nickel**

1441 2 20 0 \$443.00

#### Matte Black

1441 2 70 0 \$493.00

### Requires rough-in valve

1493 2 98 2 \$524.00

#### Chrome

1442 2 00 0 \$411.00

### **Brushed Nickel**

1442 2 20 0 \$463.00

### Matte Black

1442 2 70 0 \$513.00

#### Requires rough-in valve

1493 2 98 2 \$524.00

### Chrome

1443 2 00 0 \$431.00

### Brushed Nickel

1443 2 20 0 \$483.00

#### Matte Black

1443 2 70 0 \$523.00

### Requires rough-in valve

1493 2 98 2 \$524.00







## in2aqua Urban X thermostatic valve trim kit with 3 push-button

- Push-button on/off control for 3 outlets
- Thermostatic cartridge, start/stop cartridge
- Anti-scald 100°safety stop
- Thermostat is delivered with Neoperl on/off button
- All metal trim, buttons and handle

## BATH LANA X | Individuality assured yet highly functional



# in2aqua Urban X thermostatic trim kit, with integrated stop, volume control and manual diverter

- Thermostatic cartridge, shut-off/diverter valve
- Volume control and diverter for 2 independent outlets with pipe loop
- Anti-scald 100°safety stop
- Metal trim and handles
- CALGreen

### Chrome

1448 2 00 0 \$458.00

### Brushed Nickel


1448 2 20 0 \$505.00

#### Matte Black

1448 2 70 0 \$548.00

### Requires rough-in valve

1491 2 98 2 \$589.00



### in2aqua Urban X tub spout

- German Quality, Engineering & Design
- Spout constructed of solid brass
- Go Pro lifetime faucet & finish warranty
- Installation: wall
- Neoperl pivoting laminar stream
- ASME A112.18.1, CSA B125.1
- Connection 1/2"/14 NPT

### Chrome

1225 1 00 2 \$153.00

### Brushed Nickel

1225 1 20 2 \$191.00

### Matte Black

1225 1 70 2 \$245.00

## BATH LANA X | Individuality assured yet highly functional

### in2aqua Lana X 4-hole roman tub trim kit

- · German Quality, Engineering & Design
- · Spout made of solid brass construction
- Metal handles and escutcheons
- Go Pro lifetime faucet & finish warranty
- Double handle operation handles rest on 1/4 turn valves
- ADA compliant
- Includes performance hand shower with air technology
- Flowrate 10 GPM
- · Neoperl pivoting laminar stream

#### Chrome

1202 2 00 2 \$945.00

#### **Brushed Nickel**

1202 2 20 2 \$1123.00

#### Matte Black

1202 2 70 2 \$1155.00

### Requires rough-in valve

1003 2 99 2 \$540.00



### in2aqua Lana X free standing mixer for tub

- · German Quality, Engineering & Design
- Go Pro lifetime faucet & finish warranty
- Faucet body, spout and handle constructed of solid brass
- Integrated pressure balance valve
- · Swivel hand shower holder
- Metal escutcheon
- Flow rate: 6 GPM
- · Neoperl pivoting laminar stream
- Metal 1-spray hand shower 1.8 GPM
- Polymer no scratch hose

### Chrome

1111 2 00 2 \$1989.00

### **Brushed Nickel**


1111 2 20 2 \$2262.00

#### Matte Black

1111 2 70 2 \$2344.00

#### Requires rough-in valve

1108 2 99 2 \$850.00





Patented & award winning technology that sets in2aqua technology apart from all other rough-ins

# in2itiv

Awarded the **AIT Innovation Prize** 

"Architecture + Technology"

ISH Frankfurt, Germany



- The rough-in mounting system that allows for easy wall depth adjustments and compensates for uneven mounting surfaces.
- Sturdy clamping system with quick connects.
  Flame retardant metal mounting system.
- The in2itiv system decouples the valve from the mounting wall thus reducing noise transfer when in operation.
- As an added feature, the polymer box provides extra protection against potential drips that can come from the shower area during operation or maintenance of the valve. The box design and trim kit allow water to safely exit the inner wall to the shower area.
















# in2aqua

# in2aqua eurobalance

The perfect balance of function, form & flow



### ROUGH-INS in 2 it iv


### in2agua 4-port pressure balance valve (eurobalance), with manual diverter

- · German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- Built-in service ball stops for convenience
- · Designed to prevent cross flow and reduce water hammer
- 1/2" NPT female connections
- · Protection against scalding and cold water shock
- · Stainless steel piston compensates for water pressure fluctuations
- Cold water supply failure .05 gpm within 5 seconds
- Temperature control within 3°F (1.78°C) of set point
- · Reversible cartridge allows back to back installation, eliminating additional piping
- Shallow valve body suitable for thin wall installations
- · Manual diverter allows for setting to stay in place
- · Proven technology reduces replacement parts and trouble shooting
- Flow rate: 6 GPM at 50 PSI / tub
- Flow rate: 4.6 GPM at 50 PSI / shower
- Approved to ASME A112.18.1, CSA B125, and ASSE 1016 standards

1195 2 99 2 \$523.00

or CALGreen compliant option


1196 2 99 2 \$542.00




### in2aqua 3-port pressure balance valve (eurobalance), without diverter


- · German Quality, Engineering & Design
- · Go Pro Lifetime faucet & finish warranty
- Built-in service ball stops for convenience
- Designed to prevent cross flow and reduce water hammer
- 1/2" NPT female connections
- Protection against scalding and cold water shock
- Stainless steel piston compensates for water pressure fluctuations
- Cold water supply failure .05 gpm within 5 seconds
- · Temperature control within 3°F (1.78°C) of set point
- · Reversible cartridge allows back to back installation, eliminating additional piping
- Shallow valve body suitable for thin wall installations
- · Proven technology reduces replacement parts and trouble shooting
- · Flow rate: 4.6 GPM at 50 PSI / shower
- · Approved to ASME A112.18.1, CSA B125, and ASSE 1016 standards


1194 2 99 2 \$442.00



### ROUGH-INS in 2 itiv







### in2aqua in2itiv thermostatic valve rough-in

- · German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- · All functioning parts made of high-quality brass.
- · European materials are used which are resistant to wear, lime scale and contamination.
- Braided sieves for optimal performance.
- The Flühs Eco Drive allows the optimum temp settings
- · Fast thermal element shut-down in case of cold water loss
- · Fast response time to reduce hot and cold spikes
- · Connection 1/2" NPT
- Flow rate: 7.5 GPM at 45 PSI
- ASME A112.18.1, CSA B125

and ASSE 1016 standards compliant

1115 2 99 2 \$576.00 Sound decoupled rough in according to DIN 4109

### in2agua in2itiv motion 3 independent functions or combo diverter with shut-off rough-in

- · German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- · Pre-mixed water up to three separate functions
- · Positive detent assists user in finding desired setting
- · Volume control for each function
- · Shut off position included
- · Fluehs ceramic disc technology
- Flow rate: 10.5 GPM at 45 PSI
- Connection 1/2" NPT
- ASME A112.18.1, CSA B125 and ASSE 1016 standards compliant
- Sound decoupled rough in according to DIN 4109

1130 2 99 2 \$350.00

or CALGreen compliant option

(no combo) 1129 2 99 2

\$355.00

### in2aqua in2itiv motion 2 independent functions or combo diverter with shut-off rough-in

- · German Quality, Engineering & Design
- · Go Pro lifetime faucet & finish warranty
- · Pre-mixed water up to two separate functions
- · Positive detent assists user in finding desired setting
- · Volume control for each function
- · Shut off position included · Fluehs ceramic disc technology
- · Flow rate: 10.5 GPM at 45 PSI
- · Connection 1/2" NPT
- ASME A112.18.1, CSA B125
- and ASSE 1016 standards compliant
- Sound decoupled rough in according to DIN 4109

1114 2 99 2 \$310.00

or CALGreen compliant option (no combo)


1125 2 99 2 \$315.00

### ROUGH-INS in 2 itiv

# in2aqua in2itiv ½" shut-off/volume control valve rough-in


- · German Quality, Engineering & Design
- Go Pro Lifetime faucet & finish warranty
- Sound decoupled rough in according to DIN 4109
- · Removable plastic water guard
- Water guard pad included
- · Connection: NPT 1/2"
- ASME A112.18.1, CSA B125
   and ASSE 1016 standards compliant


1113 2 99 2 \$257.00



- German Quality, Engineering & Design
- Go Pro Lifetime faucet & finish warranty
- Sound decoupled rough in according to DIN 4109
- · Removable plastic water guard
- Temperature setting on ceramic cartridge for add saftety
- Flexible coupling of valve to eliminate stress in system
- Water guard pad included
- · Connection: NPT 1/2"
- ASME A112.18.1, CSA B125
   and ASSE 1016 standards compliant

1112 2 99 2 \$496.00






# in2aqua

# in2aqua eurotherm

The perfect balance of function, form & flow



### ROUGH-INS in2itiv

# in2aqua thermostatic valve (eurotherm) with push-button control/start & stop

- Push-button on/off control for 1 and up to 3 outlets
- · Outlets may be operated simultaneously
- Flow: 7.1 GPM (26.8 L/Min) Ttl. / 5.1 GPM (19.3 L/Min) per outlet
- Anti-scald 100°safety stop
- Forged brass body with 3/4" inlets / 1/2" outlets
- · Vernet thermostatic control cartridge
- Service box and mud guard with integrated balance tool for optimal installation and rough alignment
- 1 push-button is CALGreen

1493 2 98 2 \$571.00

with integrated stop, volume control and manual diverter

• Manual diverter for 2 independent outlets

in2aqua thermostatic valve (eurotherm)

- Flow: 6.9 GPM (26.1 L/Min) per outlet
- Anti-scald 100°safety stop
- Forged brass body with 3/4" inlets / 1/2" outlets
- Vernet thermostatic control cartridge
- Service box and mud guard with integrated balance tool for optimal installation and rough alignment

· CALGreen

1491 2 98 2 \$589.00





### **ROUGH-INS**



# in2aqua Edge/Urban 4-hole roman tub rough-in

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- · Go Pro lifetime faucet & finish warranty
- Double handle operation 1/4 turn valves
- ADA compliant
- Fluehs valving (made in Germany)
- BrassCraft flexible hose technology
- Flow rate: up to 10 GPM
- ASME A112.18.1, CSA B125.1
- · Connection 1/2"/14 NPSM

1003 2 99 2 \$540.00



# in2aqua Classic/Style 4-hole roman tub rough-in

- German Quality, Engineering & Design
- · Faucet body constructed of solid brass
- · Go Pro lifetime faucet & finish warranty
- Double handle operation 1/4 turn valves
- · ADA compliant
- Fluehs valving (made in Germany)
- · BrassCraft flexible hose technology
- Flow rate: Style-up to 7 GPM
- Flow rate: Classic-up to 10 GPM
- ASME A112.18.1, CSA B125.1
- · Connection 1/2"/14 NPSM

1002 2 99 2 \$521.00



# in2aqua free standing tub filler rough-in valve


- · German Quality, Engineering & Design
- · Go Pro Lifetime faucet & finish warranty
- Adjustable to accommodate uneven floors
- Mud guard with min/max floor depth
- Rough can be installed and rotated to fit pipes
- Trim can be rotated 360 degrees
- ASME A112.18.1, CSA B125.1
- ASSE 1016 standards compliant
- · Flowrate 6 GPM

1108 2 99 2 \$850.00

# in2aqua

# Separate diverter with shut off for maximum comfort


in2aqua's advanced multi port ceramic disc valve diverter combined with our high performance thermostatic valve guarantees an ergonomic and user friendly shower system. Our award winning in2itiv mounting system saves installation costs and reduces sound transfer to the back wall. Equally impressive is in2aqua's shower collection which utilizes Air Technology to enhance the showering experience and save water. All in all, in2aqua showers offer superior quality, performance and versatility.




### WATER FLOW FOR THERMOSTATIC 2-WAY DIVERTERS

### 1114 2 99 2 HANDLE POSITION & WATER FLOW






**1125 2 99 2** HANDLE POSITION & WATER FLOW (CALGREEN COMPLIANT)




### WATER FLOW FOR THERMOSTATIC 3-WAY DIVERTERS







1129 2 99 2 HANDLE POSITION & WATER FLOW (CALGREEN COMPLIANT)



# in2aqua







Chrome

Brushed Nickel



Matte Black

# in2aqua

# Performance Showers

in2aqua's advanced multi port ceramic disc valve diverter combined with our high performance thermostatic valve guarantees an ergonomic and user friendly shower system. Our award winning in2itiv mounting system saves installation costs and reduces sound transfer to the back wall. Equally impressive is in2aqua's shower collection which utilizes Air Technology to enhance the showering experience and save water. All in all, in2aqua showers offer superior quality, performance and versatility.



in2aqua- Techno S



# Dropless System

After shutting off the water, the remaining water completely drains from the Dropless shower head. This enables the system to reduce bacteria build up within the shower head. The quick removal of all remaining water reduces the possibility of limescale buildup inside the shower head and nozzles.

### HIGHLIGHTS

- · Releases residual water after each use
- · Diminishes deposits build-up
- Reduces bacterial contamination





# in2aqua- Retro

The Shower system in2aqua-Retro is an easy renovation solution for the bathroom.

Upgrade your bathroom without major renovation and convert your shower head to a two-way system with the benefit of an extra hand shower.



## Old system

- ✗ Shower head only
- ✗ Renovation needed to add a hand shower
- ✗ Not enough space for conventional system

## Shower System Retro

- ✓ Complete system with shower head and multifunction hand shower
- ✓ Compact, modern and beautiful design
- ✓ Plug and play: no renovation needed

## EASY 3 STEP INSTALLATION

- To upgrade your standard shower, you will first have to simply remove your existing showerhead.
- Install the Shower system in2aqua PS- Retro without having to make any changes to the in-wall plumbing. The compact system is suitable for any shower.
- Complete the transformation by installing shower head and the hand shower.



# Silk spray

Imagine a spray as soft as silk caressing your skin. With the sensation of a light summer rain, the new SILK shower allows you to feel relaxed and rejuvenated.

Avoiding limescale buildup in the shower head keeps the system working at maximum efficiency.



# Swirl spray

The new non-cloggable Swirl spray technology exhilarates your body.

The spiraling hollow spray massages your skin in a circular motion with a feeling of a rejuvenating waterfall.



# Massage spray

Switch to wellness! Enjoy the powerful massaging shower spray that exhilarates the body and awaken the senses.

Booster technology creates the sensation of a full shower regardless of the water pressure.



# Airdrop®

Experience a gentle, uplifting feeling that envelopes the body.


Delivering a rejuvenating spray that is soft and gentle on the skin. Airdrop showers operate quietly and save water at the same time.



### in2aqua hand shower, 4", 3-spray

- · Contemporary minimalistic design
- 3S Swirl functions: rain, massage and swirl spray
- · Push button mechanism

	Extra wide open spray	Chrome	
•	Nikles "Easy-to-Clean"	4059 1 00 2	\$103.00
	1.75 GPM flow limiter		
•	CEC compliant	Brushed Nickel 4059 1 20 2	\$128.00
		Matte Black 4059 1 70 2	\$146.00



### in2aqua hand shower, 4", 1-spray

- · Contemporary minimalistic design
- 100 mm / 3.94" spray plate
- · Single function

Extra wide open spray	Chrome	
Nikles "Easy-to-Clean"	4060 1 00 2	\$80.00
1.75 GPM flow limiter		
CEC compliant	Brushed Nickel	
	4060 1 20 2	\$105.00
	Matte Black	
	4060 1 70 2	\$120.00



### in2aqua hand shower, 4 3/4", 2-spray

- · Contemporary, organic design
- · Rounded edges
- Ø 120 mm / 5"
- 2 adjustable sprays: rain and massage functions

Nikles "Easy-to-Clean"	Chrome	
• Energy saving	4052 1 00 2	\$144.00
• 1.75 GPM flow limiter		
CEC compliant	Brushed Nickel	
	4052 1 20 2	\$257.00
	Matte Black	
	4052 1 70 2	\$295.00

### in2aqua hand shower, 4 3/4", 1-spray

- · Contemporary, organic design Rounded edges
- Ø 120 mm / 5"
- Nikles "Easy-to-Clean"

Energy saving 1.75 GPM flow limiter	<b>Chrome</b> 4054 1 00 2	\$131.00
	Brushed Nickel 4054 1 20 2	\$231.00
	<b>Matte Black</b> 4054 1 70 2	\$264.00



### in2aqua hand shower, 5 1/2", 2-spray

- · Contemporary, organic design
- · Chrome spray face
- · ADA compliant
- · 2.5 GPM flow limiter
- Nikles "Easy-to-Clean"
- ASME A112.18.1, CSA B125.1

ASME A112.18.1, CSA B125.1 Connection G1/2"	<b>Chrome</b> 4008 1 00 2	\$198.00
	Brushed Nickel	
	4008 1 20 2	\$277 0



### in2aqua hand shower, 4 1/4", 1-spray

- · Contemporary, organic design
- Chrome spray face
- ADA compliant
- 1.75 GPM flow limiter
- · Nikles "Easy-to-Clean"
- ASME A112.18.1, CSA B125.1 Chrome · Connection G1/2" \$137.00 4000 1 00 2 **Brushed Nickel**

4000 1 20 2

\$233.00









### in2aqua hand shower, 4 1/4, 2-spray

- · Contemporary, organic design
- · Chrome spray face
- · ADA compliant
- 1.75 GPM flow limiter
- · Nikles "Easy-to-Clean"
- ASME A112.18.1, CSA B125.1

Connection G1/2"

Chrome

4001 1 00 2

\$165.00

Brushed Nickel

4001 1 20 2

\$280.00

### in2aqua hand shower, 4", 3-spray

- · ADA compliant
- · CALGreen 1.8 GPM flow rate
- · Backflow preventer
- · Nikles "Easy-to-Clean"
- ASME A112.18.1, CSA B125.1

· Connection G1/2"

Chrome

4013 1 00 2

\$142.00

Brushed Nickel

4013 1 20 2 \$177.00

### in2aqua hand shower, 4", 1-spray

- · ADA compliant
- · CALGreen 1.8 GPM flow rate
- · Backflow preventer
- · Nikles "Easy-to-Clean"
- ASME A112.18.1, CSA B125.1

· Connection G1/2"

Chrome

4012 1 00 2

\$106.00

Brushed Nickel

4012 1 20 2

\$152.00


### in2aqua hand shower, 4", 1-spray

- · Up-to-date, organic design
- · Chrome-plated spray plate
- Ø 105 mm / 4"
- Airdrop© technology with patented air/ water mixing system assuring a soft and refreshing shower
- · Nikles "Easy-to-Clean"
- Energy saving
- 1.75 GPM flow limiter

Chrome-platedCEC compliant

**Chrome** 4062 1 00 2


\$136.00



### in2aqua hand shower, 3 3/4", 3-spray

- · Minimalistic, timeless, clean design
- Ø 95 mm / 3"
- 3 adjustable sprays: rain, hard rain and massage functions
- Click-Position System
- · Nikles "Easy-to-Clean"


Energy saving 1.75 GPM flow limiter CEC compliant	<b>Chrome</b> 4050 1 00 2	\$98.00
	Brushed Nickel 4050 1 20 2	\$134.00
	<b>Matte Black</b> 4050 1 70 2	\$155.00




### in2aqua rectangular hand shower, 1-spray

- · Ultra slim design
- · Minimalistic, timeless, clean design
- 50×100 mm / 1.97" x 3.94" spray plate
- Nikles "Fasy-to-Clean"

•	Nikles "Easy-to-Clean"		
	Energy saving	Chrome	
	1.75 GPM flow limiter	4056 1 00 2	\$100.00
	CEC Compliant		
		Brushed Nickel	
		4056 1 20 2	\$150.00
		Matte Black	
		4056 1 70 2	\$172.00





### in2aqua square hand shower stick

- · Straight, clean, smooth, rectangular design
- · 30 mm x 200 mm
- 1.18" x 7.87"
- · Wide angle spray plate
- Nikles "Easy-to-Clean" · Engery saving
- 1.75 GPM flow limiter
- · CEC compliant

#### Chrome


\$93.00 4058 1 00 2

### Brushed Nickel

\$115.00 4058 1 20 2

### Matte Black

4058 1 70 2 \$122.00





· Constructed of solid brass

· CALGreen 1.8 GPM flow rate

• ASME A112.18.1, CSA B125.1

• 1/2" NPT

Nikles "Easy-to-Clean"

### Chrome


\$97.00 4019 1 00 2

### Brushed Nickel

\$135.00 4019 1 20 2

#### Matte Black

\$130.00 4019 1 70 2



### in2aqua Urban X flat shower head XL

- · Ultra slim design
- · Minimalistic, timeless, clean design
- 500 x 190mm / 19 5/8" X 7 1/2"
- Airdrop© technology with patented air/water mixing system assuring a soft and refreshing shower
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · Nikles "Easy-to-Clean"
- · Energy saving
- 1.75 GPM
- · CEC Compliant

### Chrome

4049 1 00 2

\$1174.00



### in2aqua shower head LED XL,12"

- · Minimalistic, timeless, clean design
- Ø 300 mm / Ø 12"
- · Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · Nikles "Easy-to-Clean"
- · Energy saving

· Chrome-plated


- · 2.5 GPM flow limiter
- · Swivel adjustment ball
- · No electrical connection

• LED / turbine technology

Chrome

4048 1 00 2


\$663.00




- · Minimalistic, timeless, clean design
- 300 x 300 mm / 12" x 12"
- · Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · Nikles "Easy-to-Clean"
- · Energy saving
- · 2.5 GPM flow limiter
- · Swivel adjustment ball
- · No electrical connection
- · LED / turbine technology
- · Chrome-plated

Chrome

4047 1 00 2 \$712.00



LED Smart Technology H<sub>2</sub>O Powered




LED Smart Technology H<sub>2</sub>O Powered



### in2aqua flat shower head XL, 12"

- · Ultra flat design
- · Minimalistic, timeless, clean design
- · 2.5 GPM flow rate
- · Nikles "Easy-to-Clean"
- · 1/2" NPT

<b>Chrome</b> 4018 1 00 2	\$430.00
Brushed Nickel 4018 1 20 2	\$687.00



### in2aqua flat shower head,10"

- · Ultra flat design
- · Minimalistic, timeless, clean design
- Ø 250 mm / Ø 9.8"
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · Nikles "Easy-to-Clean"

<ul><li>Energy saving</li><li>2.5 GPM flow limiter</li><li>Swivel adjustment ball</li></ul>	<b>Chrome</b> 4041 1 00 2	\$429.00
Highly gloss stainless steel	Brushed Nickel 4041 1 20 2	\$447.00
	<b>Matte Black *</b> 4041 1 70 2	\$513.00

<sup>\*</sup>Extended nozzles

### in2aqua flat shower head,10"

- · Ultra flat design
- · Minimalistic, timeless, clean design
- Ø 250 mm / Ø 9.8"
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · Nikles "Easy-to-Clean"
- · Energy saving
- 1.75 GPM flow limiter
- · Swivel adjustment ball

<ul><li>Highly gloss stainless steel</li><li>CEC Compliant</li></ul>	<b>Chrome</b> 4039 1 00 2	\$474.00
	Brushed Nickel 4039 1 20 2	\$483.00
	<b>Matte Black *</b> 4039 1 70 2	\$555.00




### in2aqua flat shower head, 8"


- · Ultra flat design
- · Minimalistic, timeless, clean design
- Ø 200 mm / Ø 7.8"
- 1.75 GPM flow limiter
- · Nikles "Easy-to-Clean"
- 1/2" NPT

<ul><li>1.75 GPM</li><li>CEC Comp</li></ul>	<b>Chrome</b> 4016 1 00 2	\$275.00
	Brushed Nickel 4016 1 20 2	\$329.00
	<b>Matte Black *</b> 4016 1 70 2	\$414.00

\*Extended nozzles








### in2aqua Urban X shower head XL, 12"

- · Ultra slim design
- · Minimalistic, timeless, clean design
- 2.5 GPM flow rate
- · Nikles "Easy-to-Clean"
- 1/2" NPT

<b>Chrome</b> 4017 1 00 2	\$443.00
Brushed Nickel 4017 1 20 2	\$709.00



### in2aqua Urban X flat shower head,10 "

- · Ultra flat design
- · Minimalistic, timeless, clean design
- 250 x 250 mm / 9.8" x 9.8"
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · Nikles "Easy-to-Clean"
- · Energy saving
- · 2.5 GPM flow limiter
- Adjustable

Highly gloss stainless steel	<b>Chrome</b> 4044 1 00 2	\$445.00
	Brushed Nickel 4044 1 20 2	\$453.00
	<b>Matte Black *</b> 4044 1 70 2	\$521.00

\*Extended nozzles

### in2aqua Urban X flat shower head, 10 "

- · Ultra slim design
- · Minimalistic, timeless, clean design
- 250 x 250 mm / 9.8" x 9.8"
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · Nikles "Easy-to-Clean"
- Energy saving
- 1.75 GPM flow limiter
- · Swivel adjustment ball

•	Highly gloss stainless steel	Chronie	
	CEC Compliant	4042 1 00 2	\$481.0
		Brushed Nickel	

4042 1 20 2 \$488.00

Matte Black \*

4042 1 70 2 \$561.00

### \*Extended nozzles


### in2aqua Urban X flat shower head, 8"


- · Ultra slim design
- · Minimalistic, timeless, clean design
- 200 x 200 mm / 7.8" x 7.8"
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- Nikles "Easy-to-Clean"
- · Energy saving
- 1.75 GPM flow limiter
- · Swivel adjustment ball

CEC Compliant	<b>Chrome</b> 4015 1 00 2	¢205.00
'	4013 1 00 2	\$285.00
	Brushed Nickel	
	4015 1 20 2	\$350.00

Matte Black \*

4015 1 70 2 \$414.00





<sup>\*</sup>Extended nozzles


### in2aqua shower head XL,12"

- · Timeless, organic design
- 300 mm / 11.8" diameter rain spray
- · Intelligent water distribution
- · Nikles "Easy-to-Clean"
- 1.75 GPM flow limiter installation
- · CEC Compliant

4033 1 00 2	\$390.00
Brushed Nickel 4033 1 20 2	\$779.00
Matte Black	

\$898.00

4033 1 70 2




# 11 TH

### in2aqua shower head,10"

- Minimalistic, timeless, clean design
- Ø 250 mm / 10"
- · Nikles dropless technology for quick draining shower head
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- Nikles "Easy-to-Clean"

<ul><li>Energy saving</li><li>1.75 GPM flow limiter</li><li>Swivel adjustment ball</li></ul>	<b>Chrome</b> 4031 1 00 2	\$404.00
CEC Compliant	Brushed Nickel 4031 1 20 2	\$564.00
	<b>Matte Black</b> 4031 1 70 2	\$649.00



### in2aqua Urban X shower head,10 "

- · Minimalistic, timeless, clean design
- 250 x 250 mm / 10" x 10"
- · Nikles dropless technology for quick draining shower head
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · Nikles "Easy-to-Clean"
- · Energy saving
- 1.75 GPM flow limiter Chrome · Swivel adjustment ball \$448.00 4032 1 00 2 · CEC Compliant **Brushed Nickel** \$608.00 4032 1 20 2 Matte Black 4032 1 70 2 \$699.00

### in2aqua Urban shower head, 10"

- · Minimalistic, timeless, clean design
- Ø 250 mm / Ø 10"
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · Nikles "Easy-to-Clean"
- Energy saving
- 1.75 GPM flow limiter
- · Swivel adjustment ball
- · Without shower arm

Matte Black

• CEC Compliant 4026 1 70 2

26 1 70 2 \$202.00



### in2aqua Urban X shower head, 10"

- · Minimalistic, timeless, clean design
- 250 x 250 mm / 10" x 10"
- · ADA compliant


· 1/2" NPT

• 1.75 GPM flow limiter

Nikles "Easy-to-Clean"

Matte Black

4020 1 70 2



### in2aqua shower head, 8", chrome

- · Minimalistic, timeless, clean design
- Ø 200 mm / Ø 7.87"
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · Nikles "Easy-to-Clean" technology
- Energy saving
- · 2.5 GPM flow limiter
- Swivel adjustment ball

Chrome

4070 1 00 2 \$207.00



### in2aqua Urban X shower head, 8"

- · Minimalistic, timeless, clean design
- · 200 x 200 mm / 7.87" x 7.87"
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · Nikles "Easy-to-Clean"
- · Energy saving
- · 2.5 GPM flow limiter

· Swivel adjustment ball

**Chrome** 4071 1 00 2

\$240.00

\$274.00






### in2aqua shower head, 7", 1-spray

- · Minimalistic, timeless, clean design
- · Chrome-plated spray plate
- Ø 180 mm / Ø 7"
- Airdrop© technology with patented air/water mixing system assuring a soft and refreshing shower
- · Nikles "Easy-to-Clean"
- · Energy saving

<ul><li>1.75 GPM flow limiter</li><li>Swivel adjustment ball</li><li>CEC compliant</li></ul>	<b>Chrome</b> 4004 1 00 2	\$212.00
	Brushed Nickel 4004 1 20 2	\$309.00



### in2aqua shower head, 5 1/2", 2-spray

- · Minimalistic, timeless, clean design
- · Chrome-plated spray plate
- Ø 140 mm / Ø 5.5"
- Airdrop© technology with patented air/water mixing system assuring a soft and refreshing shower
- · Nikles "Easy-to-Clean"
- · Energy saving
- · 1.75 GPM flow limiter
- · Swivel adjustment ball
- Dual function

CEC compliant	Chrome	
	4027 1 00 2	\$220.00
	Brushed Nickel	
	4027 1 20 2	\$404.00



### in2aqua shower head, 5 1/2 ", 1-spray

- · Minimalistic, timeless, clean design
- · Chrome-plated spray plate
- Ø 120 mm / 5"
- Airdrop© technology with patented air/water mixing system assuring a soft and refreshing shower
- · Nikles "Easy-to-Clean"
- · Energy saving

	1.75 GPM flow limiter Swivel adjustment ball	<b>Chrome</b> 4002 1 00 2	\$180.00
٠	CEC compliant	Brushed Nickel	
		4002 1 20 2	\$256.00

### in2aqua shower head,4 3/4", 2-spray

- · Minimalistic, timeless, clean design
- · Chrome-plated spray plate
- Ø 120 mm / Ø 5"
- Airdrop© technology with patented air/water mixing system assuring a soft and refreshing shower
- · Nikles "Easy-to-Clean"
- Energy saving

	1.75 GPM flow limiter Swivel adjustment ball Dual function	<b>Chrome</b> 4067 1 00 2	\$209.00
•	CEC compliant	Brushed Nickel	\$305.00
		4007 1 20 2	4303.00



### in2aqua shower head, 4 3/4", 3-spray

- · Minimalistic, timeless, clean design
- Ø 120 mm / Ø 4.23"
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · 3 adjustable sprays: rain, hard rain and booster massage functions
- · Click-Position System
- · Nikles "Easy-to-Clean"


Energy saving 1.75 GPM flow limiter Swivel adjustment ball	<b>Chrome</b> 4029 1 00 2	\$154.00
CEC Compliant	Brushed Nickel 4029 1 20 2	\$224.00
	<b>Matte Black</b> 4029 1 70 2	\$238.00



### in2aqua shower head, 4 1/2", 2-spray

- · Minimalistic, timeless, clean design
- Ø 115 mm / Ø 4.5"
- 2 adjustable sprays: rain and silk spray functions
- · Push button system
- · Nikles "Easy-to-Clean"
- Energy saving
- 1.75 GPM flow limiter

Swivel adjustment ball CEC Compliant	<b>Chrome</b> 4069 1 00 2	\$157.00
	Brushed Nickel 4069 1 20 2	\$213.00





### in2aqua shower head, 4", 1-spray

- · Minimalistic, timeless, clean design
- Ø 105 mm / Ø 4.13"
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · Nikles "Easy-to-Clean"

<ul> <li>Energy saving</li> </ul>	Chrome	
<ul> <li>1.75 GPM flow limiter</li> </ul>	4063 1 00 2	\$124.00
Swivel adjustment ball		
Single function	Brushed Nickel	
CEC compliant	4063 1 20 2	\$202.00



### in2aqua shower head, 4", 2-spray

- · Minimalistic, timeless, clean design
- Ø 105 mm / Ø 4.13"
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · Nikles "Easy-to-Clean"
- Energy saving

1.75 GPM flow limiter	Chrome
Swivel adjustment ball	4064 1 00 2

\$183.00

\$281.00

· Dual function

• CEC compliant

Brushed Nickel
4064 1 20 2



### in2aqua shower head, 3-spray 4"

- · ADA compliant
- · CALGreen 1.8 GPM flow rate
- · Nikles "Easy-to-Clean"
- ASME A112.18.1, CSA B125.1

Connection G1/2"	<b>Chrome</b> 4011 1 00 2	\$107.00
	Brushed Nickel	
	4011 1 20 2	\$150.00



### in2aqua shower head, 1-spray 4"

- · ADA compliant
- · CALGreen 1.8 GPM flow rate
- · Nikles "Easy-to-Clean"
- · ASME A112.18.1, CSA B125.1

Connection G1/2"	Chrome	
	4010 1 00 2	\$84.00
	Brushed Nickel	
	4010 1 20 2	\$116.00

### SHOWER HEADS

#### in2aqua shower head, 3 3/4", 1-spray

- · Minimalistic, timeless, clean design
- Ø 95 mm / Ø 3.74"
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- · Nikles "Easy-to-Clean"
- · Energy saving
- 1.75 GPM flow limiter

•	Swivel adjustment ball	Chrome
	CEC Compliant	4072 1 00

**Brushed Nickel** 

4072 1 20 2 \$209.00

\$131.00

\$216.00



#### in2aqua shower head, 3 3/4", 3-spray

- · Minimalistic, timeless, clean design
- Ø 95 mm / Ø 3.74"
- Intelligent water distribution resulting in minimal water consumption while maintaining excellent shower comfort
- 3 adjustable sprays: rain, hard rain and massage functions
- · Nikles "Easy-to-Clean"
- Energy saving

1.75 GPM flow limiter	Chrome	
Swivel adjustment ball	4073 1 00 2	\$98.00
CEC Compliant		
	Brushed Nickel	
	4073 1 20 2	\$185.00




### in2aqua body spray


- Flowrate 1.8 GPM
- · Chrome spray face

		Matte Black	
		Brushed Nickel 4700 1 20 2	\$213.00
	Connection 1/2" NPT		
•	Nikles "Easy-to-Clean"	4700 1 00 2	\$197.00
	Sleek design	Chrome	
	em ome spray race		

4700 1 70 2







## IN2AQUA PERFORMANCE SHOWERS

#### in2aqua PS - Retro

- System
- · Contemporary, organic design
- · Rounded edges
- · 2-ways non-sharing diverter
- · Minimalistic design

•	Fix frontal wall bracket included	Chrome	
•	Suitable for all hand showers	4902 1 00 2	\$849.00
	45° Offset included		
	Hose 150 cm / 59" shower hose	Brushed Nickel	
	EN 1113 swivel connection	4902 1 20 2	\$1273.00
		Matte Black	
		4902 1 70 2	\$1465.00

#### Note: Hand shower and shower head need to be ordered separately.

Please order hand shower and shower head units within the min/max spray face diameter recommendations as follows:

- Hand shower min. 1" max. 6"
- · Shower head min 4" max 12"

#### in2aqua PS - Finesse

- System 3-way diverter: shower head, hand shower or combined shower head and hand shower
- · Hand shower high resistance slide bar
- Adjustable distance between wall mounts
- 150 cm / 59" shower hose
- EN 1113 swivel connection

<b>Chrome</b> 4900 1 00 2	\$871.00
Brushed Nickel 4900 1 20 2	\$1306.00

#### Note: Hand shower and shower head need to be ordered separately.

Please order hand shower and shower head units within the min/max spray face diameter recommendations as follows:

- Hand shower min. 1" max. 6"
- Shower head min 4" max 12"

## IN2AQUA PERFORMANCE SHOWERS

#### in2aqua PS - Techno C

- System 3-way diverter: shower head, hand shower or combined shower head and hand shower
- · High resistance slide bar
- · Adjustable distance between wall mounts
- Hose 150 cm / 59" shower hose
- EN 1113 swivel connection

Chrome	
4903 1 00 2	\$682.00

#### **Brushed Nickel**

4903 1 20 2 \$1024.00

#### Note: Hand shower and shower head need to be ordered separately.

Please order hand shower and shower head units within the min/max spray face diameter recommendations as follows:

- Hand shower min. 1" max. 6"
- · Shower head min 4" max 12"

#### in2aqua PS - Techno S


- System 3-way diverter: shower head, hand shower or combined shower head and hand shower
- · High resistance slide bar
- · Adjustable distance between wall mounts
- Hose 150 cm / 59" shower hose
- EN 1113 swivel connection"


#### **Chrome** 4904 1 00 2 \$835.00

#### Note: Hand shower and shower head need to be ordered separately.

Please order hand shower and shower head units within the min/max spray face diameter recommendations as follows:

- · Hand shower min. 1" max. 6"
- · Shower head min 4" max 12"






## SHOWER ARMS



#### in2aqua Urban X shower arm XL, 18"

٠	Minimalistic, timeless, clean design	Chrome	
	Constructed of solid brass with	4713 1 00 2	\$257.00
	metal escutcheon		
	1/2" NPT	Brushed Nickel	
	Seals included	4713 1 20 2	\$403.00



### in2aqua Urban X shower arm, 12"

٠	Minimalistic, timeless, clean design	Chrome	
٠	Constructed of solid brass with	4712 1 00 2	\$194.00
	metal escutcheon		
	1/2" NPT	Brushed Nickel	
•	Seals included	4712 1 20 2	\$249.00
		Matte Black	
		4712 1 70 2	\$312.00



### in2aqua Urban X ceiling shower arm XL, 12"

- · Minimalistic, timeless, clean design
- · Constructed of solid brass with metal escutcheon
- · 1/2" NPT
- Seals included

als included	<b>Chrome</b> 4715 1 00 2	\$189.00
	Brushed Nickel 4715 1 20 2	\$278.00
	<b>Matte Black</b> 4715 1 70 2	\$280.00



#### in2aqua Urban X ceiling shower arm, 4"

- · Minimalistic, timeless, clean design
- · Constructed of solid brass with metal escutcheon
- · 1/2" NPT

Seals included	<b>Chrome</b> 4714 1 00 2	\$105.00
	Brushed Nickel 4714 1 20 2	\$135.00
	<b>Matte Black</b> 4714 1 70 2	\$184.00

## SHOWER ARMS

#### in2aqua shower arm XL, 17 3/4"

	Constructed of solid brass with metal escutcheon 1/2" NPT	<b>Chrome</b> 4708 1 00 2	\$225.00
•	Seals included	Brushed Nickel 4708 1 20 2	\$310.00
		<b>Matte Black</b> 4708 1 70 2	\$262.00



### in2aqua shower arm XL, 11 3/4 "

Constructed of solid brass	Chrome	
with metal escutcheon	4725 1 00 2	\$131.00
Ø 0.94″ 90°		
1/2" NPT	Brushed Nickel	
Seals included	4725 1 20 2	\$227.00
	Matte Black	
	4725 1 70 2	\$261.00



#### in2aqua extended shower arm, 9 1/4"

- · Constructed of solid brass with metal escutcheon
- 1/2" NPT

٠	Seals included	Chrome	
		4710 1 00 2	\$155.00
		Brushed Nickel	
		4710 1 20 2	\$206.00
		Matte Black	
		4710 1 70 2	\$234.00



#### in2aqua extended shower arm, 6"

- Constructed of solid brass with metal escutcheon
- 1/2" NPT

Seals included	<b>Chrome</b> 4722 1 00 2	\$99.00
	Brushed Nickel 4722 1 20 2	\$132.00
	<b>Matte Black</b> 4722 1 70 2	\$143.00



## SHOWER ARMS

### in2aqua shower arm, 4"

- · Constructed of solid brass with metal escutcheon
- 1/2" NPT
- · Seals included

<b>Chrome</b> 4702 1 00 2	\$77.00
Brushed Nickel	
4702 1 20 2	\$118.00



## in2aqua ceiling shower arm XL, 12"

- · Constructed of solid brass with metal escutcheon
- · 1/2" NPT
- · Seals included

4711 1 00 2	\$119.00
Brushed Nickel 4711 1 20 2	\$177.00
<b>Matte Black</b> 4711 1 70 2	\$185.00



#### in2aqua ceiling shower arm, 4"

- Constructed of solid brass with metal escutcheon
- 1/2" NPT
- Seals included

<b>Chrome</b> 4707 1 00 2	\$82.00
Brushed Nickel 4707 1 20 2	\$129.00
<b>Matte Black</b> 4707 1 70 2	\$153.00

## WALL ELBOWS

#### in2aqua wall outlet

Constructed of internal brass outside	Chrome	
chrome ABS with non metallic escutcheon	4701 1 00 2	\$75.00
Backflow preventer		
1/2" NPT wall thread / G1/2"	Brushed Nickel	
shower thread	4701 1 20 2	\$112.00
Seals included		
	Matte Black	
	4701 1 70 2	\$164.00



#### in2aqua wall outlet with swivel hand shower holder

- Engineering Standard EN 817, EN 1111
- · Connection 1/2" NPT
- Seals included
- Integrated water inlet and hand shower holder

**Chrome** 4718 1 00 2 \$96.00

Brushed Nickel

4718 1 20 2 \$138.00



## WALL ELBOWS



## in2aqua wall outlet with fixed hand shower holder

Mounting kit included

<b>Chrome</b> 4061 1 00 2	\$120.00
Brushed Nickel 4061 1 20 2	\$158.00
<b>Matte Black</b> 4061 1 70 2	\$166.00



#### in2aqua hand shower holder

- Constructed of non metallic materials
- Mounting kit included

Chrome	
4703 1 00 0	\$39.00
Brushed Nickel	
4703 1 20 0	\$51.00
Matte Black	
4703 1 70 0	\$92.00

## WALL ELBOWS

## in2aqua Urban X wall outlet

- Constructed of internal brass outside chrome ABS with non metallic escutcheon
- 1/2" NPT wall thread / G1/2" shower thread
- Seals included

<b>Chrome</b> 4716 1 00 2	\$81.00
Brushed Nickel 4716 1 20 2	\$111.00
<b>Matte Black</b> 4716 1 70 2	\$97.00



#### in2aqua Urban X hand shower holder & wall outlet

· Mounting kit included


<b>Chrome</b> 4721 1 00 2	\$96.00
Brushed Nickel 4721 1 20 2	\$126.00
<b>Matte Black</b> 4721 1 70 2	\$97.00




#### in2aqua Urban X hand shower holder

- · Constructed of non metallic materials
- · Mounting kit included

<b>Chrome</b> 4025 1 00 2	\$23.00
Brushed Nickel 4025 1 20 2	\$45.00
<b>Matte Black</b> 4025 1 70 2	\$28.00






## WALL BARS

### in2aqua wall bar

- · Minimalistic, timeless, clean design
- Ø 24 mm 90 cm / Ø 1" 35"
- · Slider with knob lock and swivel support
- · High resistance slide bar
- · Easy installation

<b>Chrome</b> 4726 1 00 2	\$350.00
Brushed Nickel 4726 1 20 2	\$531.00
<b>Matte Black</b> 4726 1 70 2	\$610.00



#### in2aqua wall bar with integrated wall outlet

- System
- · Minimalistic, timeless, clean design
- 90 cm / 35"
- Ø 18 mm / Ø 0.7"
- Slider with knob lock and swivel support
- · High resistance slide bar
- · Integrated elbow
- Hose Chrome
   150 cm / 59" shower hose 4901 1 00 2 \$503.00
   EN 1113 swivel connection
   Brushed Nickel

4901 1 20 2 \$753.00

## WALL BARS

## in2aqua adjustable wall bar, 23 1/2 " up to 31 1/2 "

- · Constructed of solid brass with non metallic slider
- · Mounting kit included

<b>Chrome</b> 4704 1 00 0	\$180.00
Brushed Nickel 4704 1 20 0	\$265.00
<b>Matte Black</b> 4704 1 70 0	\$282.00



- · Minimalistic, timeless, clean design
- · Constructed of solid brass with non metallic slider
- · Mounting kit included

\$315.00
\$498.00
\$638.00





## ACCESSORIES



#### in2aqua shower hose, 49" inches

- Constructed with brass swivel coupling and no scratch non metallic hose
- Seals included
- · Connection G1/2"

<b>Chrome</b> 4709 1 00 2	\$91.00
Brushed Nickel 4709 1 20 2	\$95.00



#### in2aqua shower hose, 59" inches

- Constructed with brass swivel coupling and no scratch non metallic hose
- Seals included
- · Connection G1/2"

<b>Chrome</b> 4724 1 00 2	\$67.00
Brushed Nickel 4724 1 20 2	\$77.00
<b>Matte black</b> 4724 1 70 2	\$83.00



#### in2aqua shower hose, 68" inches

- Constructed with brass swivel coupling and no scratch non metallic hose
- · Seals included
- · Connection G1/2"

<b>Chrome</b> 4705 1 00 2	\$111.00
Brushed Nickel 4705 1 20 2	\$141.00
<b>Matte Black</b> 4705 1 70 2	\$147.00

## ACCESSORIES

#### in2aqua shower hose, 78" inches

- Constructed with brass swivel coupling and no scratch non metallic hose
- · Seals included
- · Connection G1/2"

<b>Chrome</b> 4706 1 00 2	\$117.00
Brushed Nickel 4706 1 20 2	\$146.00
<b>Matte Black</b> 4706 1 70 2	\$153.00

### in2aqua metal shower hose, 49" inches

- · Reinforced shower hose
- · Seals included
- · Connection G1/2"

<b>Chrome</b> 4728 1 00 2	\$52.00
Brushed Nickel 4728 1 20 2	\$80.00

### in2aqua metal shower hose, 59" inches

- · Reinforced shower hose
- · Seals included
- · Connection G1/2"

<b>Chrome</b> 4727 1 00 2	\$62.00
Brushed Nickel	
//727 1 20 2	\$100.00







## ACCESSORIES

## in2aqua metal shower hose, 68" inches

- · Reinforced shower hose
- · Seals included
- · Connection G1/2"

<b>Chrome</b> 4729 1 00 2	\$60.00
Brushed Nickel 4729 1 20 2	\$96.00

\$65.00

\$104.00



2000 mm

## in2aqua metal shower hose, 78" inches

- · Reinforced shower hose
- · Seals included
- · Connection G1/2"

<b>Brushed Nick</b> o 4730 1 20 2	el
<b>Chrome</b> 4730 1 00 2	
· Connection G1/2	








# in2aqua

## Kitchen

Form and function are key design elements that help define every in2aqua kitchen faucet







## in2aqua two-handle pull down kitchen faucet

All pull-down sprays come with a durable non kink metal hose and magnetic lock design that assures the metal pulldown spray will stay in place when not in use. The entire brass spout can be lifted and laid to the side if the kitchen windows open towards the faucet.

Available in chrome or stainless steel optic, all pull-downs feature dual-spray functionality that can be locked in either mode and has a maximum handle position to eliminate back-splash contact. The entire aerator and veggie spray features an anti-lime scale system – a simple wipe of a finger removes build up and maintains optimal water flow; plus the smooth, long-lasting, greaseless ceramic disc cartridge assures drip free performance.

#### in2aqua Edge two-lever handle kitchen faucet with swivel spout, pull-down spray

- · German Quality, Engineering & Design
- · Faucet body constructed of solid brass
- · Metal handles and escutcheon
- · Spout swivels 150 degrees for increased comfort
- · Go Pro lifetime faucet & finish warranty
- Two-lever handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Locking push button control to switch from regular flow to spray
- 55" retractable metal spray hose
- Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function metal pullout spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- · CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- Counterweight to help retract metal hose with little effort

#### Chrome

6022 1 00 2 \$894.00

#### Stainless Steel

6022 1 80 2 \$1036.00

#### Matte Black

6022 1 70 2 \$1134.00

#### Matte Black/Brushed Gold

6022 1 76 2 \$1166.00



#### in2aqua Edge two-knurl handle kitchen faucet with swivel spout, pull-down spray

- · German Quality, Engineering & Design
- · Faucet body constructed of solid brass
- · Metal handles and escutcheon
- Spout swivels 150 degrees for increased comfort
- Go Pro lifetime faucet & finish warranty
- Two-knurled handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Locking push button control to switch from regular flow to spray
- 55" retractable metal spray hose
- Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function metal pullout spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- · CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- Counterweight to help retract metal hose with little effort


#### Chrome

6023 1 00 2 \$839.00

#### Stainless Steel

6023 1 80 2 \$981.00







## in2aqua pull-down kitchen faucets

All pull-down sprays come with a durable non kink metal hose and magnetic lock design that assures the metal pulldown spray will stay in place when not in use. The entire brass spout can be lifted and laid to the side if the kitchen windows open towards the faucet.

Available in chrome or stainless steel optic, all pull-downs feature dual-spray functionality that can be locked in either mode and has a maximum handle position to eliminate back-splash contact. The entire aerator and veggie spray features an anti-lime scale system – a simple wipe of a finger removes build up and maintains optimal water flow; plus the smooth, long-lasting, greaseless ceramic disc cartridge assures drip free performance.

#### in2aqua pull-down kitchen faucets

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- · Metal handle and escutcheon
- Spout swivels 150 degrees for increased comfort
- · Go Pro lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Locking push button control to switch from regular flow to spray
- 55" retractable metal spray hose
- Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function metal pullout spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- · CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- Counterweight to help retract metal hose with little effort

#### in2aqua Edge singlelever kitchen faucet with swivel spout, pull-down spray

#### Chrome

6008 1 00 2 \$855.00

#### Stainless Steel

6008 1 80 2 \$988.00

#### in2aqua Style singlelever kitchen faucet with swivel spout, pull-down spray

#### Chrome

6009 1 00 2 \$843.00

#### Stainless Steel

6009 1 80 2 \$1084.00

#### in2aqua Classic singlelever kitchen faucet with swivel spout, pull-down spray

#### Chrome

6007 1 00 2 \$807.00

#### Stainless Steel

6007 1 80 2 \$939.00









## in2aqua pull-out kitchen faucets



In2aqua pull-out kitchen faucets combine innovative design with the functionality and quality that the harshest kitchen environments demand. All pull-outs come with a durable non kink metal hose and optimal ergonomic design that assures the pull-out will stay in place when not in use.

Available in chrome or stainless steel optic, all pull-outs feature dual spray functionality that can be locked in either mode and has a maximum handle position to eliminate back-splash contact. The entire aerator and veggie spray ring is removable and features an anti-lime scale system – a simple wipe of a finger removes build up and maintains optimal water flow; plus the smooth, long-lasting, greaseless ceramic disc cartridge assures drip free performance.

#### in2aqua Edge high arc single-lever kitchen faucet with swivel spout, pull-out spray

- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheons
- Spout swivels 150 degrees for increased comfort
- Go Pro lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Locking push button control to switch from regular flow to spray
- 55" retractable metal spray hose
- · Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pull-out spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- · CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61 Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- · Counterweight to help retract metal hose with little effort

#### Chrome

6001 1 00 2 \$976.00

#### Stainless Steel

6001 1 80 2 \$1107.00





## Top lever pull-out faucets



in2aqua top lever kitchen faucets have plenty of quality features to offer: a robust 35 mm ceramic cartridge and metal hose, a tarnish free extra hard chrome coating and PVD stainless steel optic.

Additionally, all our kitchen faucets use lead free brass, Fluehs valves, plasma coated greaseless ceramic disc technology, Neoperl aerators, M-Lock and much more. Every high quality component is tested and must meet or exceed in2aqua specifications before being assembled in modern & certified facilities.

## in2aqua Edge single-lever kitchen faucet with swivel spout, pull-out spray


- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- · Metal handle and escutcheon
- Spout swivels 270 degrees for increased comfort
- Pro installation qualifies for in2aqua's limited lifetime faucet & finish warranty
- · Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Low lead compliant meeting federal and state regulations for lead content
- Locking push button control to switch from regular flow to spray
- · Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pull-out spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- · Code compliant
- Extra long flexible supply lines (25 1/2")
- · Counterweight to help retract metal hose with little effort
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM

#### Chrome

6010 1 00 2 \$715.00

## Stainless Steel

6010 1 80 2 \$860.00



## in2aqua Style single-lever kitchen faucet with swivel spout, pull-out spray

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- · Metal handle and escutcheons
- Spout swivels 270 degrees for increased comfort
- Go Pro lifetime faucet & finish warranty
- Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Locking push button control to switch from regular flow to spray
- Neoperl flexible hose technology 9/16"-24 UNEF
- High Performance 2 function with non-metallic pull-out spray with position lock
- Easy to clean silicon nozzles that can be easily cleaned inside & out
- · CALGreen compliant
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM
- Extra long flexible supply lines (25 1/2")
- 55" retractable metal spray hose
- Counterweight to help retract metal hose with little effort


#### Chrome

6002 1 00 2 \$702.00

#### Stainless Steel

6002 1 80 2 \$834.00







## in2aqua swivel spout kitchen and prep faucets

in2aqua top lever kitchen faucets have plenty of quality features to offer: a robust 25 mm ceramic cartridge and metal hose, a tarnish free extra hard chrome coating and PVD stainless steel optic.

Additionally, all our kitchen faucets use lead free brass, Fluehs valves, plasma coated greaseless ceramic disc technology, Neoperl aerators, M-Lock and much more. Every high quality component is tested and must meet or exceed in2aqua specifications before being assembled in modern & certified facilities.

## in2aqua Edge XL single-lever kitchen faucet with swivel spout


- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- · Metal handle and escutcheon
- Spout swivels 150 degrees for increased ease of use
- Pro installation qualifies for in2aqua's limited lifetime faucet
   & finish warranty
- · Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Low lead compliant meeting federal and state regulations for lead content
- Neoperl flexible hose technology 9/16"-24 UNEF
- Code compliant
- Extra long flexible supply lines (25 1/2")
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- · Max flow 1.8 GPM

#### Chrome

6006 1 00 2 \$665.00

#### Stainless Steel

6006 1 80 2 \$785.00



## in2aqua Edge single-lever kitchen prep faucet with swivel spout


- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- · Metal handle and escutcheon
- Spout swivels 150 degrees for increased ease of use
- Pro installation qualifies for in2aqua's limited lifetime faucet
   & finish warranty
- · Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Low lead compliant meeting federal and state regulations for lead content
- · Neoperl flexible hose technology 9/16"-24 UNEF
- · Code compliant
- Extra long flexible supply lines (25 1/2")
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM

#### Chrome

6004 1 00 2 \$649.00

#### Stainless Steel 6004 1 80 2

6004 1 80 2 \$752.00





## in2aqua Style XL single-lever kitchen faucet with swivel spout

- · German Quality, Engineering & Design
- Faucet body constructed of solid brass
- · Metal handle and escutcheon
- Spout swivels 150 degrees for increased ease of use
- Pro installation qualifies for in2aqua's limited lifetime faucet & finish warranty
- · Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Low lead compliant meeting federal and state regulations for lead content
- Neoperl flexible hose technology 9/16"-24 UNEF
- Code compliant
- Extra long flexible supply lines (25 1/2")
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- · Max flow 1.8 GPM

#### Chrome

6005 1 00 2 \$650.00

## Stainless Steel

6005 1 80 2 \$741.00



## in2aqua Classic XL single-lever kitchen faucet with swivel spout


- German Quality, Engineering & Design
- Faucet body constructed of solid brass
- Metal handle and escutcheon
- Spout swivels 150 degrees for increased ease of use
- Pro installation qualifies for in2aqua's limited lifetime faucet
   & finish warranty
- · Single handle operation utilizing greaseless ceramic disc technology
- · ADA compliant
- Low lead compliant meeting federal and state regulations for lead content
- · Neoperl flexible hose technology 9/16"-24 UNEF
- · Code compliant
- Extra long flexible supply lines (25 1/2")
- ASME A112.18.1, CSA B125.1, NSF/ANSI 61
- Max flow 1.8 GPM

#### Chrome

6000 1 00 2 \$665.00

#### Stainless Steel 6000 1 80 2

\$774.00



## Webtools

All in2aqua products are viewable online and in2aqua helps facilitate sales through professional registered showrooms.

- · Bill of Material
- · 360 degree product viewing
- DXF zip files
- · Instruction sheets
- Spec sheets
- Shower configurator
- · Create and save projects

And much more....



www.in2aqua.com

## TERMS AND CONDITIONS OF SALE AND DELIVERY



in2aqua North America
Customer Service (800) 257-6051 • FAX (800) 257-6051
www.in2aqua.com • orders@in2aqua.com

DIRECT ACCOUNT	in2aqua Registered Showrooms are Direct Accounts of in2aqua. Registered Showrooms are considered open only after the in2aqua Credit Department has received and approved a Credit Application.
PURCHASE ORDERS	All Purchase Orders must be submitted to in2aqua via email at orders@in2aqua.com or by FAX (800) 257-6057 for order processing.
ORDER SHIPMENT	All in2aqua products ordered will be Shipped from in2aqua distribution, located in Livermore, California. Products in stock can be shipped the same day from receipt of the Purchase Order. To expedite shipping, items unavailable at the scheduled time of shipping will be backordered unless otherwise noted by the Registered Showroom. Items not stocked and special ordered will be scheduled to ship based on in2aqua's stock replenishment shipping schedule.
INVOICE PAYMENTS	All Invoice payments will be processed through RESOLVE, a third-party accounts receivable payment platform and in accordance with the Payment Terms below. Payment remittance instructions will be included with the Invoice. Payment options include sending check via mail, credit card, or ACH. Checks should be payable to "in2aqua North America".
PAYMENT TERMS	Terms of sale are NET 30 DAYS from date of Invoice. Payments are to be received no Later than the last day of the month due or the account is considered delinquent and subject to a 1-1/2% service charge. Accounts not paid within terms may be put on COD.
PRICING	Subject to change without notice. All Purchase Orders accepted shall be subject to the price in effect at the time of the order, unless specific quotations have been made. Although in2aqua makes every effort to keep its Registered Showrooms up-to-date with all pricing, it is the Registered Showroom's responsibility to confirm they have the most recent pricing on any given product. The current price of all products is always reflected on the www.in2aqua.com website.
FREIGHT	Unless otherwise requested by the Registered Showroom, shipment from in2aqua distribution will be handled by UPS or common carrier. Registered Showrooms are responsible for all UPS and common carrier charges.
DAMAGE OR LOSS SHIPPING CLAIMS	The Registered Showroom consignee must file all claims for damage or loss with the carrier <b>immediately</b> . Goods become the responsibility of the carrier when they are accepted by the carrier in good condition from in2aqua distribution. All claims of damage, loss, or defective product must be reported to in2aqua within <b>five (5)</b> working days of receipt of product.
RETURNED GOODS	All returned goods are subject to a restock charge of 25% (\$20 minimum). All requests for returns must be handled within 30 days of receipt of product and product must be returned within 45 days after RGA has been issued. All special orders items are sold strictly on a non-returnable, non-refundable basis.
RETURNED GOODS AUTHORIZATION (RGA)	The procedure for returning products ordered is as follows:  1. Product MUST be in original box and box must be in perfect condition.  2. Contact in2aqua by email (info@in2aqua.com) or phone (800-257-6051) to request the "Return Goods Authorization" (RGA) paperwork. in2aqua will email a copy of the RGA to the Registered Showroom.  3. Place a copy of the RGA inside the product box prior to shipping it back to in2aqua distribution. Place the product box and paperwork inside another shipping box to protect the original packaging.  4. Write the RGA # on the outside of the shipping box.  5. Ship the product prepaid back to: in2aqua North America  NOTE: All RGAs must be returned within 45 days. RGAs will be cancelled from our system after 45 days.
DEFECTS AND SHIPPING ERRORS	All shipments should be checked immediately upon delivery. Notification of defect or error must be made to in2aqua within <b>five (5)</b> working days from date of Invoice. Acceptability for defects or errors for which in2aqua is responsible is limited to a period of up to but not to exceed 30 days from date of Invoice. All defective product is to be returned to in2aqua with proper documentation (see RETURNED GOODS above). Normal wear and tear is not considered defective. No labor charges of any kind will be credited. Credits will be issued upon product being accepted and inspected by in2aqua.



Follow us on

Instagram



in2aqua



Follow us on





Tel. 800-257-6051

info@in2aqua.com www.in2aqua.com