



ADDENDUM B FOR FEBRUARY 2024 DOOR HARDWARE PRICE BOOK BX4-ADDENDUM-B-2024



MTEK PRODUCTS GROUP, LLC Tel 800-356-2741 Fax 800-577-5771 Emtek.com






- Handing Required For Leversets
- Supplied with a 28° rotation latch.
- Standard latch is for 23%" backset. Specify 234" backset if required.
- Complete set includes latch, strike plate and dust box.
- Select leversets may also be ordered with any Brass rosette at the list price shown above.

Concealed Fastener (CF) Mechanism

- · Rosettes have no exposed screws.
- Handing not required except for Knob by Lever.
- Door thickness for CF Mechanism is 13%" to 134". Specify if thicker.
- Leverset supplied with a 28° rotation latch and dust box.

SELECT BRASS LIMITED RELEASE FINISH EXPANSION - LEVERSETS




- Handing Required For Leversets
- Supplied with a 28° rotation latch.
- Standard latch is for 23%" backset. Specify 234" backset if required.
- Complete set includes latch, strike plate and dust box.
- Select leversets may also be ordered with any Brass rosette at the list price shown above.

Concealed Fastener (CF) Mechanism

- Rosettes have no exposed screws.
- Handing not required except for Knob by Lever.
- Door thickness for CF Mechanism is 13%" to 134". Specify if thicker.
- Leverset supplied with a 28° rotation latch and dust box.

KNOBSETS - SELECT BRASS



Handing NOT Required

- Standard latch is for 23%" backset. Specify 234" backset if required.
- Complete set includes standard rotation latch, strike plate, and dust box.
- To order 28° rotation latch with any standard knobset, add product code Latch28 and list price \$7.

· Select knobsets may also be ordered with any Brass rosette at the list price shown above.

Concealed Fastener (CF) Mechanism

- Rosettes have no exposed screws.
- Handing not required except for Knob by Lever.
- Door thickness for CF Mechanism is 13%" to 134". Specify if thicker.
- Knobset supplied with standard rotation latch and dust box.