

C O N T E N T S

Reliance® Collection and Material 4

Tubs..... 6

Tub Standard Features and Options..... 14

Kitchen Sinks 15


Walk-In Tub..... 16

reliance®

Reliance® tubs and sinks are the perfect solution when needs are more simple and modest. This selection includes a variety of tubs in the most popular shapes and sizes at an affordable price.

THE MATERIAL & PROCESS

Acrylic CXL®



Acrylic CXL® is composed of an 1/8" high-gloss continuous cross-linked cast acrylic sheet, reinforced with a thick layer of fiberglass, wood, and resin for strength, structural integrity, and increased insulation. The acrylic sheet is thermoformed with a mold. The back is then reinforced with a thick layer of fiberglass chop resin, reinforced with wood, and then hand-finished.

Reliance products are scratch- and stain-resistant and easy to clean. Reliance tubs are available as soakers, air baths, and whirlpools. They are available in the standard white or biscuit.

All Reliance products are handcrafted with pride in the USA.



MBISC6030AD

FREESTANDING TUBS



MBXFSX5832A

58" × 32" × 22"

Features an integrated deck for mounting faucetry and is designed for above-floor rough-in.



MBXFSX5832C

58" × 33" × 22"

Features an integrated deck for mounting faucetry and is designed for above-floor rough-in.



MBOFS6636

66" x 37" x 22"

MBOFS6636A

66" x 36" x 22"

Same as above but with a shallower bowl for above-floor rough-in.



MBOFSX6636

66" x 37" x 22"

Features an integrated deck for mounting faucetry.

MBOFSX6636A

66" x 37" x 22"

Same as above but with a shallower bowl for above-floor rough-in.



MBRFSX6636

66" x 36" x 23"

Features an extended deck for mounting faucetry.

MBRFSX6636A

66" x 36" x 23"

Same as above but with a shallower bowl for above-floor rough-in.



MBCRFS6632

66" x 32" x 20"



MBLX6032 60" × 32" × 22"

MBLX6636 67" × 36" × 24"



DROP-IN TUBS




MBCR6032 60" × 32" × 20"

MBCR6632 66" × 32" × 20"

MBCR6636 66" × 36" × 21"

MBCR7242 72" × 42" × 20"

Above models can also be undermounted.



MBRR6030E 60" × 30" × 17"

MBRR6032E 59" × 32" × 19"

MBRR6036E20 60" × 36" × 20"

MBRR6630E 66" × 30" × 19"

MBRR6634E 66" × 34" × 20"



MBRR7136E 71" × 36" × 19"



MBRO6042E 60" × 42" × 19"
MBRO7142E 71" × 42" × 19"
MBRO7236E 72" × 36" × 20"



MBRO6036E 60" × 36" × 19"



MBODI6036 60" × 36" × 19"
MBODI7236 73" × 36" × 23"



MBODI7042 69" × 42" × 20"



MBODI6042 60" × 42" × 22"



MBOC6060
 59" × 59" × 21"


INTEGRAL-SKIRTED TUBS



MBISC6030 A/D 60" × 30" × 19" / 16"
MBISC6032 A/D 60" × 32" × 19" / 16"
MBISC6036 A/D 60" × 36" × 19" / 16"

The MBISC models are available in two different heights:


- 19" height allows for an above floor rough-in (AFR)
- 16" height complies with ADA regulations (ADA)



MBIS7236 (shown) 72" × 36" × 21"
MBIS7242 72" × 42" × 21"



MBIS6030 (shown) 60" × 30" × 19"
MBIS6036 60" × 36" × 20"



MBIS6032 (shown) 60" × 32" × 19"
MBIS6042 60" × 42" × 20"



MBIS6030

Shown with non-removable panel for soakers. This front skirt design above applies to the 6 MBIS models shown here. The MBISC models have a flat, non-removable skirt.

TUB STANDARD FEATURES AND OPTIONS

ALL BATHS

- Durable high-gloss Acrylic CXL™.
- White standard; biscuit upgrade.
- Bath reinforcement consisting of a thick layer of fiberglass / titanium / resin, plus 1/2" metal reinforcement on all sides of rectangular and corner tubs.
- Textured bottom meets ASTM F-462-1994 slip resistance.
- 2-year residential warranty, 1-year commercial warranty.

ADDITIONAL FOR WHIRLPOOLS

- Directionally-adjustable point-massage jets.
- 1-bhp whisper-quiet pump with silent air volume control.
- Left- or right-hand pump locations available on center drain and corner tubs.

ADDITIONAL FOR AIR BATHS


- 3/4 bhp heated blower with automatic purge system that activates 20 minutes after use.
- 12 low-profile air jet distribution ports are installed on the tub floor with color-matching air caps.
- Check valves in jets prevent water from entering air lines.
- Pre-leveled foam base.

ADDITIONAL FOR INTEGRAL-SKIRTED TUBS


- Integral tile flange on 3 sides.
- Left- or right-hand drain configuration (must specify when ordering).
- Front panel is removable for whirlpools and air baths, except MBISC models.

FREESTANDING TUBS

- Available as a soaker only.
- Access panel included to facilitate drain.
- Tub may also be specified without a panel.
- Select models include an integral faucet deck.



CUTAWAY OF BATH REINFORCEMENT



WHIRLPOOL JET



AIR JET CAP



INTEGRAL SKIRT




ACCESS PANEL



VIRTUAL SPOUT

TUB OPTIONS



INLINE HEATER

650-watt heater maintains bath water temperature at 104°. Available for whirlpools, air baths* and soakers*, except freestanding.

*Requires a low-force, recirculating pump for operation.



TILE FLANGE

Chemically bonded to the tub, which ensures a water-tight seal between the top tub surface and surrounding wall area. Integral tile flange is also available on most models.



PRE-LEVELED FOAM BASE

High-density foam support is standard with air baths and pre-leveled frame systems. Adds 2"-3" to overall tub height, except for integral-skirted models.



PRE-LEVELED FRAME SYSTEM

Hardwood constructed frame simplifies the installation process. Includes high-density foam that supports the bottom of the pre-leveled bath.

PLEASE NOTE: Solutions Collection tub options do not apply to Reliance tubs.

KITCHEN SINKS



Reliance® includes an assortment of kitchen sinks. Manufactured in high-gloss Acrylic CXL™, Reliance® sinks are scratch- and stain-resistant and easy to clean.

ONE-PIECE CONSTRUCTION WITH APRON



MBKS254

33" × 22" × 9"

Optional stainless steel grid available



MBKS234

33" × 22" × 8" (L / R)

Shown with optional stainless steel grids



MBKS244

25" × 22" × 6"



MBKS50

33" × 22" × 9"

Shown with optional stainless steel grid

DROP-IN / UNDERMOUNT



MBKS30

33" × 22" × 8" (L / R)

Optional stainless steel grids available



MBKS40

25" × 22" × 9"

WALK-IN TUB

MTI Baths' walk-in tub is available with a number of different hydrotherapies, combination packages and options.

FEATURES


- Welded steel frame with adjustable leveling "feet" for stability
- Slip-resistant textured bottom
- 2 acrylic grab bars for security
- Fast drain for convenience
- Light-weight, easy-to-latch door for ease of operation

Measuring 52" x 30" x 38", the Walk-In Tub is available with optional matching end panels or an extension panel to finish-off a full 60" width opening.

NOTE: Please specify left- or right-hand drain location when ordering.



MBWI5030 52" x 30" x 38"



Shown as a right-hand drain configuration with valve package



Inside view of tub



Optional extension panel to fit 60" openings

WALK-IN TUB STANDARD FEATURES AND OPTIONS

Soaker

- Constructed with Acrylic CXL™ and multiple layers of marine-grade gelcoat with a backing of fiberglass / titanium / resin.
- White only.
- Stainless steel structural frame with 6 leveling feet.
- Front removable acrylic panels for equipment access if necessary.
- Left- or right-hand drain location (must specify when ordering).
- Light-weight marine-grade door with easy-to-latch stainless steel hardware.
- 2 acrylic grab bars for security.
- Quick release cable drain included in chrome, plus door safety drain.
- 2-year residential warranty, 1-year commercial warranty.

Microbubbles - includes all of the soaker features plus:

- 1 microbubbles infusion port and pump.

Whirlpool - includes all of the soaker features, plus:

- Six directionally-adjustable point-massage jets.
- 1-bhp whisper-quiet pump with silent air volume control.

Air Bath - includes all of the soaker features, plus:

- Twenty low-profile air jets are installed around the side walls of the bathing well with color-matching air caps. Each jet has an independent check valve to prevent water and residue from entering the air lines.
- 3/4-bhp heated blower with automatic purge that dries the air jets 20 minutes after use.

Combination Packages

- Air bath and whirlpool
- Air bath and microbubbles

ADDITIONAL OPTIONS:

Factory-Installed Valves

- Gooseneck spout in polished chrome finish.
- Matching Roman tub hot and cold levers.
- Deck-mounted hand-held shower with diverter.

Radiance®

- Radiance® is a tub surface heating system designed to warm the interior surface of the tub.
- Radiance® utilizes electric heating grids for the backrest area and seat of the tub. Grids are integrated in the tub structure.
- Low-voltage design. Uses energy equivalent to a standard light bulb. Designed to remain on at all times to ensure a warm surface during entry and throughout the bathing process.

WALK-IN TUB OPTIONS

- Inline heater
- Tile flange
- Matching end panel
- Extension panel to accommodate a 60" opening

ALL RELIANCE PRODUCTS

in ascending order by size

TUBS

Model No.	Size Rounded	Shape
MBWI5030	52" x 30" x 38"	
MBXFSX5832A	58" x 32" x 22"	
MBXFSX5832C	58" x 33" x 22"	
MBRR6032E	59" x 32" x 19"	
MBOC6060	59" x 59" x 21"	
MBISC6030D	60" x 30" x 16"	
MBRR6030E	60" x 30" x 17"	
MBIS6030	60" x 30" x 19"	
MBISC6030A	60" x 30" x 19"	
MBISC6032D	60" x 32" x 16"	
MBIS6032	60" x 32" x 19"	
MBISC6032A	60" x 32" x 19"	
MBCR6032	60" x 32" x 20"	
MBLX6032	60" x 32" x 22"	
MBISC6036D	60" x 36" x 16"	
MBODI6036	60" x 36" x 19"	
MBISC6036A	60" x 36" x 19"	
MBRO6036E	60" x 36" x 19"	
MBIS6036	60" x 36" x 20"	
MBRR6036E20	60" x 36" x 20"	
MBCR6036	60" x 36" x 21"	
MBRO6042E	60" x 42" x 19"	

SINKS

Model No.	Size Rounded
MBKS244	25" x 22"
MBKS40	25" x 22" x 9"
MBKS30	33" x 22"
MBKS50	33" x 22"
MBKS254	33" x 22"
MBKS234	33" x 22" x 8"

